STAND. COM. REP. NO. 3542

Honolulu, Hawaii

APR 0 3 2024

RE: S.C.R. No. 130 S.D. 1

Honorable Ronald D. Kouchi President of the Senate Thirty-Second State Legislature Regular Session of 2024 State of Hawaii

Sir:

Your Committees on Health and Human Services and Agriculture and Environment, to which was referred S.C.R. No. 130 entitled:

"SENATE CONCURRENT RESOLUTION URGING THE DEPARTMENT OF HEALTH TO TAKE ALL ACTION NECESSARY TO REQUIRE A WASTEWATER TREATMENT PLANT TO TEST SEWAGE SLUDGE AND ANY OTHER RESIDUAL MATERIAL FOR THE PRESENCE OF PERFLUOROALKYL AND POLYFLUOROALKYL SUBSTANCES,"

beg leave to report as follows:

The purpose and intent of this measure is to is to urge the Department of Health to take all action necessary to require a wastewater treatment plant to test sewage sludge and any other residual material for the presence of perfluoroalkyl and polyfluoroalkyl substances.

Your Committees received testimony in support of this measure from the Environmental Caucus of the Democratic Party of Hawai'i and one individual.

Your Committees received comments on this measure from the Department of Health.

Your Committees find that perfluoroalkyl and polyfluoroalkyl (PFAS) substances found in reclaimed water and sewage sludge can pose a range of health and environmental risks. Because reclaimed water can be used for agricultural practices, requiring regular



STAND. COM. REP. NO. **3542** Page 2

testing will help identify potential PFAS contamination and allow for appropriate management and mitigation measures for the safety of consumers, farmers, and the environment. Additionally, your Committees find that despite the Department of Health and the Honolulu Board of Water Supply actively testing the State's drinking water wells for PFAS, "forever chemicals" have been detected in the soil, groundwater, and drinking water, demonstrating the need for wastewater purveyors, the military, and other government agencies to test for PFAS. Your Committees further find that regular testing and monitoring of reclaimed water at wastewater treatment plants through environmental regulations and public health guidelines demonstrates responsible management of wastewater facilities by the Department of Health.

Your Committees have amended this measure by:

- (1) Amending its title accordingly; and
- (2) Making technical, nonsubstantive amendments for the purposes of clarity and consistency.

As affirmed by the records of votes of the members of your Committees on Health and Human Services and Agriculture and Environment that are attached to this report, your Committees concur with the intent and purpose of S.C.R. No. 130, as amended herein, and recommend its adoption in the form attached hereto as S.C.R. No. 130, S.D. 1.

> Respectfully submitted on behalf of the members of the Committees on Health and Human Services and Agriculture and Environment,

Environment, JOY A. SAN BUENAVENTURA, Chair



The Senate Thirty-Second Legislature State of Hawaiʻi

Record of Votes Committee on Health and Human Services HHS

Bill / Resolution No.:*	Committee Referral: Date:								
SCR 130	HHS/AEN			3/25/24					
The Committee is reconsidering its previous decision on this measure.									
If so, then the previous decision was to:									
The Recommendation is:									
Pass, unamended Y Pass, with amendments Hold Recommit 2312 2311 2310 2313									
Members		Aye	Aye (WR)	Nay	Excused				
SAN BUENAVENTURA, Joy A. (C)									
AQUINO, Henry J.C. (VC)									
KEOHOKALOLE, Jarrett		1,							
SHIMABUKURO, Maile S.L.									
AWA, Brenton									
TOTAL		4			/				
Recommendation:									
Chair's or Designee's Signature:									
Distribution: Original Yellow Pink Goldenrod File with Committee Report Clerk's Office Drafting Agency Committee File Copy									

*Only <u>one</u> measure per Record of Votes

The Senate Thirty-Second Legislature State of Hawaiʻi

Record of Votes Committee on Agriculture and Environment AEN

Bill / Resolution No.:*	Committee Referral: Date:							
SCR 130	Committee Referral:Date:HHS/AEN $3/25/24$							
The Committee is reconsidering its previous decision on this measure.								
If so, then the previous decision was to:								
The Recommendation is:								
Pass, unamended Pass, with amendments Hold Recommit 2312 2311 2310 2313								
Members		Aye	Aye (WR)	Nay	Excused			
GABBARD, Mike (C)								
RICHARDS, III, Herbert M. "Tim" (VC)								
DECOITE, Lynn								
RHOADS, Karl								
AWA, Brenton								
	· · · · · · · · · · · · · · · · · · ·							
				<u> </u>				
			_					
					· ·			
			<u> </u>					
	· · ·							
<u> </u>		<u> </u>		+				
TOTAL		3	0	0	2			
Recommendation:								
Adopted Not Adopted								
Chair's or Designee's Signature:								
Distribution: Original File with Committee Re	Yellow Pink Goldenrod leport Clerk's Office Drafting Agency Committee File Copy							

*Only <u>one</u> measure per Record of Votes