

KATHERINE AUMER, PhD COUNCIL CHAIRPERSON LUNA HO'OMALU O KA PAPA

STATE OF HAWAI'I DEPARTMENT OF HEALTH KA 'OIHANA OLAKINO STATE COUNCIL ON MENTAL HEALTH

P.O. Box 3378, Room 256 HONOLULU, HAWAII 96801-3378

STATE COUNCIL ON MENTAL HEALTH

Testimony to the House Committee on Finance
In Support of S.B. 1448 S.D.2 H.D.1

MAKING AN EMERGENCY APPROPRIATION TO THE DEPARTMENT OF HEALTH FOR THE
CONSTRUCTION DEFECT REMEDIATION AT THE HAWAII STATE HOSPITAL
March 28, 2025 2:00 p.m., Room 329 and Video

Chair Yamashita, Vice Chair Takenouchi, and Members of the Committee:

CHAIRPERSON
Katherine Aumer, PhD

1st VICE CHAIRPERSON
Kathleen Merriam, LCSW
CSAC

2nd VICE CHAIRPERSON
John Betlach

SECRETARY
Mary Pat Waterhouse, MHA
MBA

MEMBERS:
Tianna Celis-Webster
Naomi Crozier, CPS
Lea Dias, MEd
Jon Fujii, MBA
Heidi Ilyavi
Jackie Jackson, CFPS
Christine Montague-Hicks. MEd
Ray Rice, MEd
Asianna Saragosa-Torres
Forrest Wells, MSCP, LMHC
Kristin Will, MACL, CSAC

EX-OFFICIO:

Marian Tsuji, Deputy Director Behavioral Health Administration

WEBSITE: scmh.hawaii.gov

EMAIL ADDRESS: doh.scmhchairperson@ doh.hawaii.gov Hawaii law, HRS §334-10, established the State Council on Mental Health (SCMH) as a 21-member body to advise on the allocation of resources, statewide needs, and programs affecting more than one county as well as to advocate for adults with serious mental illness, children with serious emotional disturbances, individuals with mental illness or emotional problems, including those with co-occurring substance abuse disorders. Members are residents from diverse backgrounds representing mental health service providers and recipients, students and youth, parents, and family members. Members include representatives of state agencies on mental health, criminal justice, housing, Medicaid, social services, vocational rehabilitation, and education. Members include representatives from the Hawaii Advisory Commission on Drug Abuse and Controlled Substances and county service area boards on mental health and substance abuse.

The SCMH supports this measure and values the role of this crucial funding. This measure is for a healthy living and working environment at the Hale Ho'ola Building of the Hawaii State Hospital (HSH). The measure will provide funds needed to address remediation of construction defects that are resulting in an unhealthy and unsafe place for patients and workers to live and/or work. Part of the funding sought will be for legal remedies, specifically engaging the Special Deputy Attorney General to explore all possible avenues of remediation and cost recovery.

Thank you for the opportunity to testify. Should you have any questions, please contact us at doh.scmhchairperson@doh.hawaii.gov.



KEITH A. REGAN COMPTROLLER KA LUNA HOʻOMALU HANA LAULĀ

MEOH-LENG SILLIMAN DEPUTY COMPTROLLER KA HOPE LUNA HO'OMALU HANA LAULĀ

STATE OF HAWAI'I | KA MOKU'ĀINA O HAWAI'I DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES | KA 'OIHANA LOIHELU A LAWELAWE LAULĀ

P.O. BOX 119, HONOLULU, HAWAII 96810-0119

WRITTEN TESTIMONY

OF

KEITH A. REGAN, COMPTROLLER DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES TO THE

COMMITTEE ON FINANCE

MARCH 28, 2025, 2:00 P.M.
CONFERENCE ROOM 308 AND VIA VIDEOCONFERENCE, STATE CAPITOL

S.B. 1448, S.D. 2, H.D. 1

MAKING AN EMERGENCY APPROPRIATION TO THE DEPARTMENT OF HEALTH FOR CONSTRUCTION DEFECT REMEDIATION AT THE HAWAII STATE HOSPITAL

Chair Yamashita, Vice Chair Takenouchi, and Members of the Committee, thank you for the opportunity to submit testimony on S.B. 1448, S.D.2, H.D. 1.

The Department of Accounting and General Services (DAGS) offers testimony in **support** of this bill which seeks an emergency appropriation of sufficient general revenues to the Department of Health (DOH) to fund construction defect remediation, including the payment of legal fees and cost of special deputies attorney general, of the Hale Hoʻola Building of the Hawaiʻi State Hospital (HSH) and declares that the general fund expenditure ceiling for fiscal year 2024-2025 has been exceeded.

The urgency of this request stems from the potential risks to the health and safety of the patients and staff at the Hale Ho'ola Building. A significant concern is the

presence of water leaks in the building's exterior envelope and plumbing systems. Due to these leaks and the propensity for leaks to result in fungal growth, a fungal investigation was conducted. The investigation confirmed evidence of mold spores and mold growth.

The fungal investigation provided DAGS and DOH with recommendations for short-, intermediate-, and long-term responses. The HSH immediately performed the short term-response but requires funds to perform the intermediate and long-term responses.

1. Short term response:

- a. Immediately following the investigation, the HSH performed an initial response of cleaning out all visible and accessible mold.
- 2. Intermediate responses (responses utilizing this emergency appropriation):
 - a. Perform a comprehensive investigation of the building, including destructive testing, to determine the extent of design and construction defects requiring both short- and long-term response.
 - b. Conduct mold abatement, including removal and cleaning of mold growth in all affected areas.
 - c. Perform emergency HVAC repairs to replace failed components and investigate HVAC system to evaluate system performance.
- 3. Long-term response (additional CIP funding required):
 - a. Reroofing the building and repairs and improvements to other elements of the building envelope, plumbing, and other major building systems, to provide a lasting solution to issues of water intrusion.
 - b. Repair and adjust the HVAC system to improve air circulation and moisture control.

The HSH has been working closely with DAGS to cure these issues, and DAGS will continue to work closely with DOH and the hospital in that regard. This emergency appropriation is crucial to fund the intermediate responses that can be implemented to

ensure the health and safety of the patients and staff who live and work at the HSH.

The department also offers the following comments:

- On page 2, line 12, insert the numeric figure "\$10,660,000"
- On page 3, line 13, replace "\$8,160,000" with "\$10,660,000" to reflect the original request of \$8,160,000, the addition of \$100,000 to fund installation of UV lighting in HVAC ducts to control the recurrence of mold infestations, and the addition of \$2,400,000 to fund the comprehensive building study noted above, noting that this amount may be deducted from the separate CIP request to fund the long-term response tasks noted above.

Thank you for the opportunity to provide testimony on this measure.



DEPARTMENT OF HEALTH

P. O. Box 3378

JOSH GREEN, M.D.

KENNETH S. FINK, M.D., M.G.A., M.P.H.

Honolulu, HI 96801-3378 doh.testimony@doh.hawaii.gov

Testimony in SUPPORT of S.B. 1448 SD2 HD1

MAKING AN EMERGENCY APPROPRIATION TO THE DEPARTMENT OF HEALTH FOR CONSTRUCTION DEFECT REMEDIATION AT THE HAWAII STATE HOSPITAL.

REPRESENTATIVE KYLE T. YAMASHITA, CHAIR REPRESENTATIVE JENNA TAKENOUCHI, VICE CHAIR HOUSE COMMITTEE ON FINANCE

Hearing Date: March 28, 2025, 2:00 PM Room Number: 308/Videoconference

- 1 Fiscal Implications: The Department of Health (Department) requests this emergency
- 2 appropriation to be considered as a vehicle to ensure the health and safety of the patients and
- 3 staff at the Hawaii State Hospital (HSH).
- 4 **Department Position:** The Department strongly supports S.B. 1448 SD2 HD1, making an
- 5 emergency appropriation to implement crucial design and construction defect analysis and
- 6 remediation in the Hale Ho'ōla Building of the Hawaii State Hospital (HSH).
- 7 **Department Testimony:** The HSH provides the following testimony on behalf of the
- 8 Department and the Adult Mental Health Division (AMHD).
- The Department respectfully requests an emergency appropriation (EA) of \$10,660,000 to the Department of Health for construction defect remediation at the HSH. This funding is inclusive of \$8,660,000 for mold abatement, facility repairs, defect analysis, a comprehensive third-party examination of Hale Ho'ōla, including a root cause analysis (RCA) of the most severe defects and problems, and the immediate procurement and installation of ultraviolet (UV) lights for the heating, ventilation, and air conditioning (HVAC) system; \$2,000,000 for legal fees and costs of special deputy attorneys general to explore all possible avenues of remediation.

1	Since the initial introduction of S.B. 1448, the cost for the UV lights and comprehensive		
2	examination have been identified and subsequently added to the request. The Department		
3	appreciates the Legislature's consideration and inclusion of these additions.		
4	The urgency of this request stems from the potential risks to the health and safety of		
5	the patients and staff at the HSH. A significant concern is the presence of water leaks in the		
6	building's exterior envelope and plumbing systems. Due to these leaks, a fungal investigation		
7	was conducted. The investigation confirmed water intrusion along with evidence of mold and		
8	mold growth.		
9	The fungal investigation provided the Department with recommendations for short-,		
10	intermediate-, and long-term responses. The HSH immediately performed the short-term		
11	response but requires funds to perform the intermediate- and long-term responses.		
12	1. Short-term response		
13	a. Immediately following the investigation, the HSH performed an initial		
14	response of cleaning out all visible and accessible mold.		
15	2. Intermediate responses (responses utilizing this emergency appropriation)		
16	a. Investigate and identify water leaks and standing water in the building		
17	and at entry points.		
18	b. Conduct mold abatement, including removal and cleaning of mold growth		
19	in all affected areas.		
20	c. Perform emergency HVAC repairs to replace failed components and		
21	investigate HVAC system to evaluate system performance.		
22	d. Install UV lights in the HVAC system to sanitize the air circulating through		
23	the system.		
24	e. Comprehensive third-party examination of Hale Hoʻōla, including a root		
25	cause analysis (RCA) of the most severe defects and problems.		

3. Long-term response (additional CIP funding required):

26

1	a.	Potential reroofing of the building and repairs and improvements to	
2		other elements of the building envelope, plumbing, and other major	
3		building systems, to provide a lasting solution to issues of water	
4		intrusion.	
5	b.	Repair and adjust the HVAC system to improve air circulation and	
6		moisture control.	
7	Additionally, the HSH has received grievances from staff through the unions regarding		
8	the identified mold and the significant risk that it poses, violating their contract and the public		
9	employee's collective	bargaining agreement for a safe and healthy work environment.	
10	The HSH has been working closely with the Department of Accounting and General		
11	Services to cure these issues. This emergency appropriation is crucial to fund immediate repairs		
12	that can be done to ensure the health and safety of the patients and staff who live and work at		
13	the HSH.		
14	Offered Amendment	s: The Department respectfully requests the inclusion of the appropriation	
15	amount of \$10,660,000 in Section 3 and Section 5 and an effective date of upon approval.		

Thank you for the opportunity to testify in support of this measure.

16