#### HOUSE OF REPRESENTATIVES TWENTY-FIFTH LEGISLATURE, 2010 STATE OF HAWAII

H.B. NO. <sup>2297</sup> H.D. <sup>2</sup>

### A BILL FOR AN ACT

RELATING TO MOTOR VEHICLE SUN SCREENING DEVICES.

#### BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

1	SECT	ION 1. Section 291-21.5, Hawaii Revised Statutes, is
2	amended b	y amending subsection (d) to read as follows:
3	" (d)	This section shall not apply to:
4	(1)	Rearview mirrors;
5	(2)	Adjustable nontransparent sun visors [ <del>which</del> ] <u>that</u> are
6		mounted forward of the side windows and are not
7		attached to the glazing material;
8	(3)	Signs, stickers, or other materials [ <del>which</del> ] <u>that</u> are
9		displayed in a seven-inch square in the lower corner
10		of the windshield farthest removed from the driver or
11		signs, stickers, or other materials [ <del>which</del> ] <u>that</u> are
12		displayed in a five-inch square in the lower corner of
13		the windshield nearest the driver;
14	(4)	Rear trunk lid handle or hinges;
15	(5)	Window wipers and window wiper motors;
16	(6)	Transparent sun screening film materials [ <del>which</del> ] <u>that</u>
17		are installed, affixed, or applied [along the top edge
18		<del>of</del> ] <u>to any portion of</u> the windshield so long as [ <del>such</del> ]



Page 2

## H.B. NO. <sup>229</sup>

the materials [do not encroach upon the AS 1 portion 1 of the windshield as provided-by] meet the 2 requirements of the Federal Motor Vehicle Safety 3 [Standards] Standard 205 [or no lower than four inches 4 below the top of the windshield, when measured from 5 6 the middle point of the bottom edge of the top windshield moulding if no AS 1 markings can be found 7 in the left or right upper margin of the windshield]; 8 9 (7)Sun screening devices for front side wing vents and 10 windows [which,] that, when used in conjunction with 11 the glazing material, have a light transmittance of no 12 less than thirty-five per cent plus or minus six per 13 cent; 14 (8) Sun screening devices for side windows necessary for 15 driving visibility [which] that are to the rear of the 16 driver and for rear windows necessary for driving 17 visibility [which,] that, when used in conjunction 18 with the glazing material, have a light transmittance of no less than thirty-five per cent plus or minus six 19 20 per cent;

(9) Side windows which are to the rear of the driver and
rear windows on vans, minivans, trucks, or buses;



Page 3

# H.B. NO. <sup>2297</sup> H.D. 2

.

1	p	provided that the vehicles are equipped with rearview
2	rr	nirrors on both sides; and
3	(10) F	Privacy drapes, curtains, or blinds, or any
4	с	combination, installed on the interior of motor
5	h	nomes."
6	SECTION 2. Statutory material to be repealed is bracketed	
7	and stricke	en. New statutory material is underscored.
8	SECTIC	N 3. This Act shall take effect upon its approval.

,

.

Page 4

### H.B. NO. <sup>2297</sup> <sup>H.D. 2</sup>

Report Title: Motor Vehicle Windshield Tinting

HB2297 HD2 HMS 2010-2233

Description: Allows the use of sun screening materials that meet the requirements of the Federal Motor Vehicle Safety Standard 205 when applied to a certain portion of motor vehicle windshields. (HB2297 HD2)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.