A BILL FOR AN ACT

RELATING TO MOTOR VEHICLE SUN SCREENING DEVICES.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

| 1 | SECT | ION 1. Section 291-21.5, Hawaii Revised Statutes, is |
|----|------------|--|
| 2 | amended by | y amending subsection (d) to read as follows: |
| 3 | "(d) | This section shall not apply to: |
| 4 | (1) | Rearview mirrors; |
| 5 | (2) | Adjustable nontransparent sun visors which are mounted |
| 6 | | forward of the side windows and are not attached to |
| 7 | | the glazing material; |
| 8 | (3) | Signs, stickers, or other materials which are |
| 9 | | displayed in a seven-inch square in the lower corner |
| 10 | | of the windshield farthest removed from the driver or |
| 11 | | signs, stickers, or other materials which are |
| 12 | | displayed in a five-inch square in the lower corner of |
| 13 | | the windshield nearest the driver; |
| 14 | (4) | Rear trunk lid handle or hinges; |
| 15 | (5) | Window wipers and window wiper motors; |
| 16 | (6) | Transparent sun screening film materials which are |
| 17 | | installed, affixed, or applied along the top edge of |
| | | |

| 1 | | the windshield so long as such materials do not |
|----|-----|--|
| 2 | | encroach upon the AS-1 portion of the windshield as |
| 3 | | provided by the Federal Motor Vehicle Safety Standards |
| 4 | | 205 or no lower than four inches below the top of the |
| 5 | | windshield, when measured from the middle point of the |
| 6 | | bottom edge of the top windshield moulding if no AS-1 |
| 7 | | markings can be found in the left or right upper |
| 8 | | margin of the windshield; |
| 9 | (7) | Sun screening devices for front side wing vents and |
| 10 | | windows which, when used in conjunction with the |
| 11 | | glazing material have a light transmittance of no less |
| 12 | | than thirty-five per cent plus or minus six per cent; |
| 13 | (8) | Sun screening devices for side windows necessary for |
| 14 | | driving visibility which are to the rear of the driver |
| 15 | | and for rear windows necessary for driving visibility |
| 16 | | which, when used in conjunction with the glazing |
| 17 | | material, have a light transmittance of no less than |
| 18 | | thirty-five per cent plus or minus six per cent; |
| 19 | (9) | Side windows which are to the rear of the driver and |
| 20 | | rear windows on vans, minivans, trucks, or buses; |
| 21 | | provided that the vehicles are equipped with rearview |

SB2455 SD1.DOC *SB2455 SD1.DOC*

22

SB2455 SD1.DOC

mirrors on both sides;

| 1 | (10) | Privacy drapes, curtains, or blinds, or any |
|----|-----------|---|
| 2 | | combination, installed on the interior of motor |
| 3 | | homes[→]; or |
| 4 | (11) | Transparent sun screening materials, when applied to |
| 5 | | the AS-1 portion of the windshield, which meets the |
| 6 | | requirements of the Federal Motor Vehicle Safety |
| 7 | | Standard 205." |
| 8 | SECT | ION 2. Statutory material to be repealed is bracketed |
| 9 | and stric | ken. New statutory material is underscored. |
| 10 | SECT | ION 3. This Act shall take effect upon its approval. |
| 11 | | |

Report Title:

Motor Vehicles

Description:

Exempts motor vehicle sun screening regulation from application to transparent sun screening materials applied to AS-1 portion of windshield which comply with the Federal Motor Vehicle Safety Standard 205. (SD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.