### THE SENATE TWENTY-FIFTH LEGISLATURE, 2010 STATE OF HAWAII

S.B. NO. <sup>2455</sup> S.D. 2

# A BILL FOR AN ACT

RELATING TO MOTOR VEHICLE SUN SCREENING DEVICES.

### BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

| 1  | SECTION 1. Section 291-21.5, Hawaii Revised Statutes, is |  |  |
|----|--|--|--|
| 2  | amended b  | y amending subsection (d) to read as follows:          |  |
| 3  | "(d)   | This section shall not apply to:                       |  |
| 4  | (1)  | Rearview mirrors;                                      |  |
| 5  | (2)  | Adjustable nontransparent sun visors which are mounted |  |
| 6  |  | forward of the side windows and are not attached to    |  |
| 7  |  | the glazing material;                                  |  |
| 8  | (3)  | Signs, stickers, or other materials which are          |  |
| 9  |  | displayed in a seven-inch square in the lower corner   |  |
| 10 |  | of the windshield farthest removed from the driver or  |  |
| 11 |  | signs, stickers, or other materials which are          |  |
| 12 |  | displayed in a five-inch square in the lower corner of |  |
| 13 |  | the windshield nearest the driver;                     |  |
| 14 | (4)  | Rear trunk lid handle or hinges;                       |  |
| 15 | (5)  | Window wipers and window wiper motors;                 |  |
| 16 | (6)  | Transparent sun screening film materials which are     |  |
| 17 |  | installed, affixed, or applied along the top edge of   |  |



Page 2

## S.B. NO. <sup>2455</sup> S.D. 2

the windshield so long as such materials do not 1 2 encroach upon the AS-1 portion of the windshield as provided by [the] Federal Motor Vehicle Safety 3 [Standards] Standard 205 or no lower than four inches 4 below the top of the windshield, when measured from 5 the middle point of the bottom edge of the top 6 7 windshield moulding if no AS-1 markings can be found in the left or right upper margin of the windshield; 8 Sun screening devices for front side wing vents and 9 (7)10 windows which, when used in conjunction with the glazing material have a light transmittance of no less 11 than thirty-five per cent plus or minus six per cent; 12 Sun screening devices for side windows necessary for 13 (8) 14 driving visibility which are to the rear of the driver and for rear windows necessary for driving visibility 15 which, when used in conjunction with the glazing 16 material, have a light transmittance of no less than 17 thirty-five per cent plus or minus six per cent; 18 (9) Side windows which are to the rear of the driver and 19 20 rear windows on vans, minivans, trucks, or buses; provided that the vehicles are equipped with rearview 21 22 mirrors on both sides;

2010-1297 SB2455 SD2 SMA.doc



Page 3

# S.B. NO. <sup>2455</sup> S.D. 2

| 1        | (10)   | Privacy drapes, curtains, or blinds, or any           |  |
|----------|--|---|--|
| 2        |  | combination, installed on the interior of motor       |  |
| 3        |  | homes [-] ; or  |  |
| 4        | (11)   | Transparent sun screening materials, when applied to  |  |
| 5        |  | the AS-1 portion of the windshield, which meets the   |  |
| 6        |  | requirements of Federal Motor Vehicle Safety Standard |  |
| <b>7</b> |  | 205."   |  |
| 8        | SECT   | ION 2. Statutory material to be repealed is bracketed |  |
| 9        | and stricken. New statutory material is underscored. |   |  |
| 10       | SECT   | ION 3. This Act shall take effect upon its approval.  |  |
| 11       |  |   |  |



# **S.B. NO.** <sup>2455</sup> S.D. 2

Report Title: Motor Vehicles

#### Description:

Exempts motor vehicle sun screening regulation from application to transparent sun screening materials applied to AS-1 portion of windshield which comply with Federal Motor Vehicle Safety Standard 205. (SD2)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.

