A BILL FOR AN ACT

RELATING TO MOTORCYCLES.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

1	SECT	ION 1. Section 291C-41, Hawaii Revised Statutes, is
2	amended to	o read as follows:
3	"[+]	§291C-41[] Drive on right side of roadway;
4	exception	s. (a) Upon all roadways of sufficient width a
5	vehicle s	hall be driven upon the right half of the roadway,
6	except as	follows:
7	(1)	When overtaking and passing another vehicle proceeding
8		in the same direction under the rules governing such
9		movement;
10	(2)	When an obstruction exists making it necessary to
11		drive to the left of the center of the highway;
12		provided any person so doing shall yield the right-of-
13		way to all vehicles traveling in the proper direction
14		upon the unobstructed portion of the highway within
15		such distance as to constitute an immediate hazard;
16	(3)	Upon a roadway divided into three marked lanes for
17		traffic under the rules applicable thereon; or

traffic under the rules applicable thereon; or

10

H.B. NO. H.D. 1 S.D. 2

- (4) Upon a roadway designated and signposted one-way
 traffic.
- (b) Upon all roadways any vehicle proceeding at less than
 the normal speed of traffic at the time and place and under the
 conditions then existing shall be driven in the right-hand lane
 then available for traffic, or as close as practicable to the
 right-hand curb or edge of the roadway, except when overtaking
 and passing another vehicle proceeding in the same direction or
 when preparing for a left turn at an intersection or into a
- 11 (c) Upon any roadway having four or more lanes for moving 12 traffic and providing for two-way movement of traffic, no 13 vehicle shall be driven to the left of the center line of the 14 roadway, except when authorized by official traffic-control 15 devices designating certain lanes to the left side of the center 16 of the roadway for use by traffic not otherwise permitted to use 17 such lanes, or except as permitted under subsection (a)(2). This 18 subsection shall not be construed to prohibit the crossing of 19 the center line in making a left turn into or from an alley, 20 private road, or driveway.

private road or driveway.

1	<u>(d)</u>	Upon any roadway, as designated by the department of
2	transport	ation, having two or more lanes for moving traffic in
3	the same	direction, where traffic is stopped due to a marked or
4	unmarked	intersection or congestion, the department of
5	transport	ation shall have the discretion to authorize the
6	operator o	of a motorcycle or motor scooter to proceed cautiously
7	upon the	shoulder of the roadway, as designated by the
8	departmen	t of transportation, in the same direction at a reduced
9	rate of s	peed of no more than ten miles per hour until either:
10	(1)	The adjacent lane the operator of the motorcycle or
11		motor scooter was previously on is free of traffic
12		whereupon the motorcycle or motor scooter operator
13		shall safely maneuver the vehicle completely into such
14		lane while continuing in the same direction of travel;
15		<u>or</u>
16	(2)	The adjacent lane of traffic the operator of the
17		motorcycle or motor scooter was previously on begins
18		to move forward, whereupon the motorcycle or motor
19		scooter operator shall maneuver the vehicle completely
20		into such lane of moving traffic as soon as it is safe
21		to do so;

1	provided	that this subsection shall not apply to a person							
2	operating	or riding as a passenger on a three-wheeled motorcycle							
3	or three-wheeled motor scooter."								
4	SECTION 2. Section 291C-43, Hawaii Revised Statutes, is								
5	amended to read as follows:								
6	"[+] §291C-43[+] Overtaking a vehicle on the left. The								
7	following rules shall govern the overtaking and passing of								
8	vehicles proceeding in the same direction, subject to those								
9	limitatio	ns, exceptions, and special rules hereinafter stated:							
10	(1)	The driver of a vehicle overtaking another vehicle							
11		proceeding in the same direction shall pass to the							
12		left thereof at a safe distance and shall not again							
13		drive to the right side of the roadway until safely							
14		clear of the overtaken vehicle $[-]$;							
15	(2)	Except when overtaking and passing on the right is							
16		permitted, the driver of an overtaken vehicle shall							
17		give way to the right in favor of the overtaking							
18		vehicle on audible signal and shall not increase the							
19		speed of the driver's vehicle until completely passed							

by the overtaking vehicle [+]; and

1	(3)	The operator of a motorcycle or motor scooter may
2		overtake and pass a stopped vehicle under traffic
3		conditions specified in section 291C-41(d).
4	SECT	ION 3. Section 291C-44, Hawaii Revised Statutes, is
5	amended b	y amending subsection (a) to read as follows:
6	"(a)	The driver of a vehicle may overtake and pass upon
7	the right	of another vehicle only under the following
8	condition	s:
9	(1)	When the vehicle overtaken is making or about to make
10		a left turn;
11	(2)	Upon a street or highway with unobstructed pavement
12		not occupied by parked vehicles of sufficient width
13		for and with lanes marked for two or more lines of
14		moving vehicles in each direction;
15	(3)	Upon a one-way street, or upon any roadway on which
16		traffic is restricted to one direction of movement,
17		where the roadway is free from obstructions and of
18		sufficient width for two or more lines of moving
19		vehicles[-]; and
20	(4)	Upon any roadway having two or more lanes for moving

traffic in the same direction, the operator of a

1	motorcycle or motor scooter may overtake and pass a
2	stopped vehicle under traffic conditions specified in
3	section 291C-41(d)."
4	SECTION 4. Section 291C-49, Hawaii Revised Statutes, is
5	amended to read as follows:
6	"[+]§291C-49[+] Driving on roadways laned for traffic.
7	Whenever any roadway has been divided into two or more clearly
8	marked lanes for traffic the following rules in addition to all
9	others consistent herewith shall apply.
10	(1) A vehicle shall be driven as nearly as practicable

- entirely within a single lane and shall not be moved from the lane until the driver has first ascertained that such movement can be made with safety.
- (2) Upon a roadway which is divided into three lanes and provides for two-way movement of traffic, a vehicle shall not be driven in the center lane except when overtaking and passing another vehicle traveling in the same direction when the center lane is clear of traffic within a safe distance, or in preparation for making a left turn or where the center lane is at the time allocated exclusively to traffic moving in the

1		same direction that the vehicle is proceeding and such					
2		allocation is designated by official traffic-control					
3		devices.					
4	(3)	Official traffic-control devices may be erected					
5		directing specified traffic to use a designated lane					
6		or designating those lanes to be used by traffic					
7		moving in a particular direction regardless of the					
8		center of the roadway and drivers of vehicles shall					
9		obey the directions of every such sign.					
10	(4)	Official traffic-control devices may be installed					
11		prohibiting the changing of lanes on sections of					
12		roadway and drivers of vehicles shall obey the					
13		directions of every such device.					
14	(5)	Nothing in this section shall be construed as					
15		prohibiting the operator of a motorcycle or motor					
16		scooter from overtaking and passing a stopped vehicle					
17		under traffic conditions specified in section					
18		291C-41(d)."					
19	SECT	ION 5. Section 291C-81, Hawaii Revised Statutes, is					
20	amended to read as follows:						

1	"§2 93	1C-81	Required position and method of turning at
2	intersect:	ions.	The driver of a vehicle intending to turn at an
3	intersect:	ion sh	all do so as follows:
4	(1)	Right	turns. Both the approach for a right turn and a
5		right	turn shall be made as close as practicable to
6		the r	ight-hand curb or edge of the roadway.
7	(2)	Left	turns. The driver of a vehicle intending to turn
8		left	at any intersection shall approach the
9		inter	section in the extreme left-hand lane lawfully
10		avail	able to traffic moving in the direction of travel
11		of su	ch vehicle, and, after entering the intersection,
12		the l	eft turn shall be made so as to leave the
13		inter	section in a lane lawfully available to traffic
14		movin	g in such direction upon the roadway being
15		enter	ed. Whenever practicable the left turn shall be
16		made	in that portion of the intersection to the left
17		of th	e center of the intersection.
18	(3)	The d	irector of transportation and the counties in
19		their	respective jurisdictions may cause official
20		traff	ic-control devices to be placed within or

adjacent to intersections and thereby require and

H.B. NO. H.D. 1 S.D. 2

direct that a different course from that specified in this section be traveled by vehicles turning at an intersection, and when such devices are so placed no driver of a vehicle shall turn a vehicle at an intersection other than as directed and required by such devices.

placed within or adjacent to intersections and thereby requiring and directing that a different course from that specified in this section be traveled by vehicles turning at an intersection as provided under paragraph (3), where the operator of a motorcycle or motor scooter is overtaking and passing vehicles in the manner and for the reasons described in section 291C-41(d), the operator shall always give the right-of-way to either left turning or right turning vehicles at intersections in compliance with paragraphs (1) and (2), and such operator shall maneuver the motorcycle or motor scooter completely into a lane of travel before attempting, signaling the intention, and making

H.B. NO. H.D. 1 S.D. 2 C.D. 1

1	either a left turn or right turn in full compliance
2	with the applicable provisions of this section."
3	SECTION 6. Section 291C-84, Hawaii Revised Statutes, is
4	amended to read as follows:
5	"§291C-84 Turning movements and required signals. (a) No
6	person shall turn a vehicle at an intersection unless the
7	vehicle is in proper position upon the roadway as required in
8	section 291C-81, or turn a vehicle to enter a private road or
9	driveway, or otherwise turn a vehicle from a direct course or
10	move right or left upon a roadway unless and until such movement
11	can be made with reasonable safety. No person shall so turn any
12	vehicle without giving an appropriate signal in the manner
13	hereinafter provided.
14	(b) A signal of intention to turn right or left when
15	required shall be given continuously during not less than the
16	last one hundred feet traveled by the vehicle before turning;
17	provided that for a bicycle or moped, such signal shall be given
18	continuously during not less than the last one hundred feet
19	traveled by the bicycle or moped before turning, and shall be
20	given when the bicycle or moped is stopped waiting to turn; and
21	further provided that a signal by hand and arm need not be given

- 1 continuously by the driver of a bicycle or moped if the hand is
- 2 needed in the braking, control, or operation of the bicycle or
- 3 moped.
- 4 (c) No person shall stop or suddenly decrease the speed of
- 5 a vehicle without first giving an appropriate signal in the
- 6 manner provided herein to the driver of any vehicle immediately
- 7 to the rear when there is opportunity to give such signal.
- **8** (d) The signals provided for in section 291C-85(b) shall
- 9 be used to indicate an intention to turn, change lanes, or start
- 10 from a parked position and shall not be flashed on one side only
- 11 on a parked or disabled vehicle, or flashed as a courtesy or "do
- 12 pass" signal to operators of other vehicles approaching from the
- 13 rear.
- (e) Where the operator of a motorcycle or motor scooter is
- 15 overtaking and passing a stopped vehicle in the manner and for
- 16 the reasons described in section 291C-41(d), the operator shall
- 17 employ the signals provided for in section 291C-85(b) to
- 18 indicate the operator's intention to stop or to maneuver the
- 19 motorcycle or motor scooter from its line of travel into the
- 20 shoulder lane of travel."

- 1 SECTION 7. Section 291C-125, Hawaii Revised Statutes, is
- 2 amended to read as follows:
- 3 "§291C-125 Opening and closing vehicle doors. (a) No
- 4 person shall open the door of a motor vehicle on the side
- 5 available to moving traffic unless and until it is reasonably
- 6 safe to do so, and can be done without interfering with, or
- 7 causing immediate hazard to the movement of other traffic, nor
- 8 shall any person leave a door open on the side of a vehicle
- 9 available to moving traffic for a period of time longer than
- 10 necessary to load or unload passengers.
- 11 (b) No person shall open a door of a motor vehicle or
- 12 extend or allow any object to protrude out of or from a motor
- 13 vehicle, or otherwise direct the course and line of travel of a
- 14 motor vehicle, such that it interferes with or obstructs the
- 15 movement of a motorcycle or motor scooter or endangers the lives
- 16 and safety of the operator or passenger of a motorcycle or motor
- 17 scooter who is lawfully engaged in overtaking and passing a
- 18 stopped vehicle under traffic conditions specified in section
- **19** 291C-41(d)."
- 20 SECTION 8. Section 291C-153, Hawaii Revised Statutes, is
- 21 amended to read as follows:



1	10 10 1	гга	E2010	1 5 2 5 1	1 0000		motorcyc:	100 0		- d	1-5-4
1	. "	L±J	SZSIC.	- TD3 [+	obera	ating	motorcyc.	res c	on ro	adways	laned

- 2 for traffic. (a) All motorcycles are entitled to full use of a
- 3 lane and no motor vehicle shall be driven in such a manner as to
- 4 deprive any motorcycle of the full use of a lane. This
- 5 subsection shall not apply to motorcycles operated two abreast
- 6 in a single lane.
- 7 (b) The operator of a motorcycle shall not overtake and
- 8 pass in the same lane occupied by the vehicle being
- 9 overtaken[-], except when lawfully engaged in overtaking and
- 10 passing a stopped vehicle under traffic conditions specified in
- 11 section 291C-41(d).
- 12 (c) No person shall operate a motorcycle between lanes of
- 13 traffic or between adjacent lines or rows of vehicles [-], except
- 14 when lawfully engaged in overtaking and passing a stopped
- 15 vehicle under traffic conditions specified in section
- **16** 291C-41(d).
- (d) Motorcycles shall not be operated more than two
- 18 abreast in a single lane.
- (e) Subsections (b) and (c) shall not apply to police
- 20 officers in the performance of their official duties."

- 1 SECTION 9. This Act does not affect rights and duties that
- 2 matured, penalties that were incurred, and proceedings that were
- 3 begun before its effective date.
- 4 SECTION 10. Statutory material to be repealed is bracketed
- 5 and stricken. New statutory material is underscored.
- 6 SECTION 11. This Act shall take effect on July 1, 2017;
- 7 provided that on June 30, 2021, this Act shall be repealed and
- 8 sections 291C-41, 291C-43, 291C-44, 291C-49, 291C-81, 291C-84,
- 9 291C-125, and 291C-153, Hawaii Revised Statutes, shall be
- 10 reenacted in the form in which they read on the day before the
- 11 effective date of this Act.

Report Title:

Transportation; Motorcycle; Shoulder Lane

Description:

Authorizes the Department of Transportation to allow motorcycles and motor scooters on shoulder lanes, as determined by the Department, in times of traffic congestion. (HB727 CD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.