DAVID Y. IGE GOVERNOR OF HAWAII



VIRGINIA PRESSLER, M.D. DIRECTOR OF HEALTH

STATE OF HAWAII DEPARTMENT OF HEALTH P. O. Box 3378 Honolulu, HI 96801-3378 doh.testimony@doh.hawaii.gov



### Testimony in OPPOSITION to SB505 SD1 RELATING TO HEALTH.

REPRESENTATIVE DELLA BELATTI, CHAIR HOUSE COMMITTEE ON HEALTH Hearing Date: March 16, 2017 Room Number: 329

1 Fiscal Implications: Estimated \$250,000 in salaries and operating costs to implement an opioid

2 informed consent monitoring program.

3 **Department Testimony:** The Department of Health respectfully opposes SB505 SD1 as an

4 <u>unfunded mandate</u>, and as a result is unlikely to achieve the desired outcome of diminished

5 opioid-related poisoning and death. References to the Department of Health as the implementing

6 agency are requested to be deleted should this measure progress.

SB505 lacks necessary operating funds and staff to receive, review, investigate, and report
concerns to the appropriate licensing board. At a minimum this operation would require:

- 1.0 FTE clerical staff to process incoming and outgoing documentations from providers;
- 1.0 FTE nurse reviewer to make preliminary clinical determinations; and
- 0.25 FTE medical and/or dentical director or consultant to provide clinical oversight and
   manage prescriber and professional board relationships.

13 The Department of Health does not have the data to make more precise calculations, and bases

14 the estimate on 10% of Hawaii's 3,000 prescribing providers writing one qualifying script for

each of 125 individuals, or 5%, in their patient panel (average of 2,500 patients), which equals

16 37,500 documents per year, or 18 reviews per hour. This work effort is unbudgeted and cannot

be accomplished within any program in the Department of Health with existing resources.

18 Salaries and fringe benefit costs for these resources is thus estimated at \$200,000 and operating

19 expenses at \$50,000.

The department takes no position on the mertis of informed consent as an effective prevention measure, requiring prescribers to register with the prescription accountability system (for which there is emerging evidence), or limiting prescription quantities; except to advocate for a more comprehensive public health approach in treating opioid use disorder as a chronic illness. Such an approach involves:

- 6 1. Expanding and strengthening primary prevention;
- 7 2. Improving monitoring and surveillance;
- 8 3. Expanding and strengthening control and enforcement (inclusive of SB505's proposals);
  9 and
- 10 4. Increasing utilization of treatment and support of recovery.

11 The Department of Health acknowledges the work of stakeholders in developing these policy recommendations as well as the medical community's efforts to develop guidelines to ensure and 12 protect the appropriate use of prescription opioid medication. The attention of the Legislature on 13 14 this issue is also laudable with the passage of potentially life-saving measures for individuals experiencing opioid overdose. However, SB505 SD1's proposal to require surveillance of the 15 provider/patient relationship by the department is inappropriate public health practice and an 16 unfunded mandate. Any additional resources authorized for the Department of Health for 17 purposes of this measure would be more wisely invested in increasing public, patient, and 18 professional education as well as focusing on high-risk communities for targeted overdose 19 prevention. 20

Offered Amendments: Delete references to the Department of Health in Bill Section 2,
proposed subsection (b).

- 23
- 24
- 25
- 26

DAVID Y. IGE GOVERNOR



STATE OF HAWAII DEPARTMENT OF PUBLIC SAFETY 919 Ala Moana Boulevard, 4th Floor Honolulu, Hawaii 96814 NOLAN P. ESPINDA DIRECTOR

> Cathy Ross Deputy Director Administration

Jodie F. Maesaka-Hirata Deputy Director Corrections

Renee R. Sonobe Hong Deputy Director Law Enforcement

No. \_\_\_\_\_

TESTIMONY ON SENATE BILL 505, SENATE DRAFT 1 RELATING TO HEALTH by Nolan P. Espinda, Director Department of Public Safety

House Committee on Health Representative Della Au Belatti, Chair Representative Bertrand Kobayashi, Vice Chair

Thursday, March 16, 2017; 8:30 a.m. State Capitol, Conference Room 329

Chair Belatti, Vice Chair Kobayashi, and Members of the Committee:

The Department of Public Safety (PSD) **supports the intent** of Senate Bill (SB) 505, Senate Draft (SD) 1, which proposes to: 1) require an opioid therapy informed consent process agreement to be executed between a patient and any prescriber; and 2) limit initial prescriptions for opioids and benzodiazepines to a maximum of seven consecutive days. PSD supports the intent to reduce addiction, overdose, and death related to the use of opioids by limiting these initial prescriptions. PSD, however, offers the following comments.

First, PSD requests clarifying wording to page 11, lines 6 - 9, which currently proposes: "Initial prescriptions for opioids and benzodiazepines shall not be for longer than seven consecutive days unless a supply of longer than seven days is determined to be medically necessary..." As proposed, it is unclear whether the seven day limitation is triggered by the issuance of one single prescription order that lists both an opioid and benzodiazepine, or whether the seven day limitation is triggered by a single initial opioid prescription, or a single initial benzodiazepine prescription, or both. PSD requests clarification for this important triggering event.

Testimony on SB 505, SD 1 House Committee on Health March 16, 2017 Page 2

The same clarification is requested for page 6, lines 3 - 5, which also provides for this same triggering event of "an initial prescription for opioids and benzodiazepines."

Second, PSD further requests clarifying wording to page 6, lines 1 - 5, which currently proposes that the opioid therapy agreement executed between patient and prescriber include "confirmation that the electronic prescription accountability system has been checked at the initiation...and at least quarterly thereafter." PSD requests clarifying wording that the agreement template include a statement that the prescriber will do this confirmation initially and at least quarterly.

Finally, PSD further notes that on page 6, lines 15 – 19, SB 505, this bill proposes that "all prescribers who are authorized to prescribe opioids in the State shall register with the electronic prescription accountability system pursuant to section 329-101." PSD respectfully suggests that this proposed section is not necessary because section 329-101(b), HRS, already mandates that "all practitioners, except veterinarians, and pharmacies shall be registered with the department to utilize the electronic prescription accountability system." The current section 329-101, HRS already contains mandatory reporting requirements and a penalty section for intentional or knowing failure to transmit any information as required by this section.

Thank you for the opportunity to present this testimony.

## PRESENTATION OF THE HAWAII MEDICAL BOARD

#### TO THE HOUSE COMMITTEE ON HEALTH

TWENTY-NINTH LEGISLATURE Regular Session of 2017

> Thursday, March 16, 2017 8:30 a.m.

#### WRITTEN TESTIMONY

#### TESTIMONY ON SENATE BILL NO. 505, S.D. 1, RELATING TO HEALTH.

TO THE HONORABLE DELLA AU BELATTI, CHAIR, AND MEMBERS OF THE COMMITTEE:

The Hawaii Medical Board ("**Board**") thanks you for the opportunity to submit testimony on Senate Bill No. 505, S.D. 1, Relating to Health. This measure proposes, among other things, to: require an opioid therapy informed consent process agreement to be executed between a patient and any prescriber of opioids under certain conditions; limit initial prescriptions for opioids and benzodiazepines to a maximum of seven consecutive days with certain exceptions; and clarify that prescribers who violate the mandatory opioid therapy informed consent process shall be subject to disciplinary action established by the Board.

The Board reviewed this bill at its meeting on March 9, 2017 and a majority of the members support the intent of the measure as it puts safety mechanisms in place which protects consumers of this State. A small minority of members expressed their concern that criminalizing elements of medical practice may compromise the delivery of care to patients.

Thank you for the opportunity to submit testimony on Senate Bill No. 505. S.D. 1, Relating to Health.



Dedicated to safe, responsible, humane and effective drug policies since 1993

TO: House Committee on Health FROM: Carl Bergquist, Executive Director HEARING DATE: 16 February 2017, 8:30AM RE: SB505 SD1, Relating to Health, **IN OPPOSITION** 

Dear Chair Belatti, Vice Chair Kobayashi, Members of the Committee:

While the Drug Policy Forum of Hawai'i (DPFHI) agrees with the intent behind this bill, we specifically disagree with the prescription validity provisions and worry about the focus on the supply side (prescription opioids) rather than the demand (suffering patients). Limiting the amount of pills in an initial prescription, or as this bill proposes: setting a seven-day maximum validity, risks running counter to patient needs as well as expert medical opinions.

As an organization, we have supported the legislature's past efforts in securing passage of Good Samaritan and Naloxone access legislation. Our Executive Director is also a member of the Governor's Hawai'i Advisory Commission on Drug Abuse and Controlled Substances (HACDACS). We advocate for harm reduction policies, like the aforementioned, that also aim to tackle the noble intent behind this bill, i.e. dealing with the growing opioid epidemic in our state. But we firmly believe that an enforcement-centric approach risks mirroring the misguided War on Drugs.

This bill would not seem to make allowances for situations where health care professionals determine that a prescription for periods of longer than seven days are required for patient pain relief. It is a one-size fits all approach, criticized over a year ago by former President Obama (as unfair to rural Americans, a concern that is especially relevant in parts of Hawai'i). The SD1 version of this bill does allow for more exceptions to the limit of seven days, but our concern remains that this arbitrary limit could push patients in need of pain relief towards more dangerous drugs. There is no evidence that we are aware of that shows this type of limit to be an effective policy. To the contrary, a 2016 study of 81 such laws that was published in the New England Journal of Medicine found that:

"Adoption of controlled-substance laws was not associated with reductions in potentially hazardous use of opioids or overdose among disabled Medicare beneficiaries, a population particularly at risk."

Moreover, the origin of these limits are <u>2016 Center for Disease Control guidelines</u> that were meant to be <u>recommendations not mandates</u>. This is a case where Hawai'i does not need to follow other states.

Similarly, mandated participation in the Prescription Drug Monitoring Program must be looked at with some skepticism. <u>Research is inconclusive that this will have the desired outcomes in terms of improving public health</u>. The 2016 US Surgeon General's Report <u>"Facing Addiction in America"</u> also highlighted this. This is particularly true when a PDMP is housed within a law enforcement agency as it is in Hawai'i. Just as this bill was amended to move the proposed informed consent agreements to the Department of Health, we would suggest moving the PDMP to the same department. This sends the right signal to the public, physicians and thus ultimately benefits patients. Finally, rather than mandating use, we would suggest an analysis of what works with the PDMP and what does not. This should be done once the PDMP is moved from the DPS to DOH.

Mahalo for the opportunity to testify.



 To: The Honorable Della Au Belatti, Chair The Honorable Bertrand Kobayashi, Vice Chair Members, Committee on Health
 From: Paula Yoshioka, Senior Vice President, The Queen's Health Systems

Date: March 14, 2017

Hrg: House Committee on Health Hearing; Thursday, March 16, 2017 at 8:30AM in Room 329

#### Re: Comments on SB 505, SD1 Relating to Health

My name is Paula Yoshioka, and I am a Senior Vice President at The Queen's Health Systems (QHS). We would like to provide comments for SB 505, Relating to Health. This measure aims to reduce addictions, overdose, and death by establishing an opioid therapy informed consent process agreement and limits initial prescriptions for opioids and benzodiazepines. To the extent possible, we recommend that best practices be included in the template.

For the prescribed opioid dosing threshold, the National Board of Pharmacy has set the equivalent morphine dose to 120; as such QHS believes that Section 2, (a)(3) is a departure from this standard dose since it limits it to 90 equivalent morphine doses.

Thank you for your time and attention to this important issue.

The mission of The Queen's Health Systems is to fulfill the intent of Queen Emma and King Kamehameha IV to provide in perpetuity quality health care services to improve the well-being of Native Hawaiians and all of the people of Hawai'i.

## HAWAII MEDICAL ASSOCIATION



1360 S. Beretania Street, Suite 200, Honolulu, Hawaii 96814 Phone (808) 536-7702 Fax (808) 528-2376 www.hawaiimedicalassociation.org

FROM: HAWAII MEDICAL ASSOCIATION Dr. Chris Flanders, Executive Director Lauren Zirbel, Community and Government Relations

TO:

HOUSE COMMITTEE ON HEALTH Representative Della Au Belatti, Chair Representative Bertrand Kobayoshi, Vice Chair

DATE:	Thursday, March 16, 2017
TIME:	8:30 a.m.
PLACE:	Conference Room 329
	State Capitol

SB 505 SD1 Position: Comments

The Hawaii Medical Association is in support of efforts to encourage appropriate prescribing practices by health care providers, including the providing of patient informed consent. However we have concerns as to the penalty for failure to comply with the program outlined in this bill.

During the 2015 legislative session, the HMA was involved with a package of bills dealing with various aspects of opioid and benzodiazepine use. During legislative discussion, the Narcotics Enforcement Division raised the concern that, because several bills were to be placed in HRS Section 329, they would carry a criminal Class C felony charge for non-compliance. As a result, these bills were all deferred by the legislature.

SB 505, if passed, is destined for HRS Section 329. In that a prescribing physician may not have total personal control of this process, and that a Class C felony conviction is a career ending event for a physician, the HMA cannot support this bill as submitted. It is our hope that this issue can be clarified and worked out during the course of this legislative session.

Thank you for your consideration in this matter.

HMA OFFICERS

President – Bernard Robinson, MD President-Elect – William Wong, Jr., MD Secretary – Thomas Kosasa, MD Immediate Past President – Scott McCaffrey, MD Treasurer – Michael Champion, MD Executive Director – Christopher Flanders, DO



HAWAII MEDICAL ASSOCIATION 1360 S. Beretania Street, Suite 200, Honolulu, Hawaii 96814 Phone (808) 536-7702 Fax (808) 528-2376 www.hawaiimedicalassociation.org

HMA OFFICERS

President – Bernard Robinson, MD President-Elect – William Wong, Jr., MD Secretary – Thomas Kosasa, MD Immediate Past President – Scott McCaffrey, MD Treasurer – Michael Champion, MD Executive Director – Christopher Flanders, DO



American Cancer Society Cancer Action Network 2370 Nu`uanu Avenue Honolulu, Hawai`i 96817 808.432.9149 www.acscan.org

House Committee on Health Representative Della Au Belatti, Chair Representative Bert Kobayashi, Vice Chair Members of the Committee

#### SB 505, SD1 - RELATING TO HEALTH

Cory Chun, Government Relations Director – Hawaii Pacific American Cancer Society Cancer Action Network

Thank you for the opportunity to provide comments on SB 505, SD1, which would require an opioid informed consent process agreement and limits prescriptions for opioids and benzodiazepines to seven consecutive days with certain exemptions. While we recognize the concern for opioid addiction that this measure addresses, we would request the committee to consider addressing specific issues for cancer patients.

States that passed legislation to limit opioid prescriptions to seven days have included provisions to exempt individuals requiring medications for pain associated with cancer or for an individual with an active cancer diagnosis.<sup>1</sup> While there are exemptions in the measure for pain associated with post-surgery operative care, chronic pain management, and palliative and hospice care, these may not cover all instances of pain associated with cancer during chemotherapy and other active treatments.

According to an Institute of Medicine of report, more than 60% of individuals with advanced cancer report pain.<sup>2</sup> The report also detailed pain associated with breast cancer at 58%, colorectal cancer at 41%, lung cancer at 56%, multiple myeloma at 100%, and prostate cancer at 28%.<sup>3</sup>

In March of 2016, the CDC released Guidelines for prescribing opioids for chronic pain for the purpose of balancing pain management with over prescription of opioids. The report notes that the opioid guidelines and recommendations are "not intended for patients undergoing active cancer treatment, palliative care, or end-of-life care because of the unique therapeutic goals, ethical considerations, opportunities for medical

<sup>&</sup>lt;sup>1</sup> See Maine Revised Statutes, Title 32, §2210 (2)(A)(1); and see also General Statutes of Connecticut, §20-14o(d)

<sup>&</sup>lt;sup>2</sup> Institute of Medicine (US) Committee on Advancing Pain Research, Care, and Education.

Washington, DC: National Academies Press; 2011.

<sup>&</sup>lt;sup>3</sup> Id.

supervision, and balance of risks and benefits with opioid therapy in such care."<sup>4</sup> The report takes into consideration the unique nature of pain associated with cancer separately from non-cancer opioid prescriptions.

To address this concern, we respectfully request the committee to consider inserting "pain associated with a cancer" in the exceptions section of the measure on page 11, lines 10-16, to address cancer patients.

We also have concerns with the proposed costs of the annual urine test and costs associated with these tests. It is unclear if these testes would be covered by insurance and could act as a deterrent for individuals in a lower economic status. The committee may wish to consider having insurance cover the costs of these tests since they are associated with treatment for medical conditions.

Thank you for the opportunity to provide comments on this important issue.

<sup>&</sup>lt;sup>4</sup> Dowell, M.D., Hagerich, M.D., Chou, M.D., Centers for Disease Control, *Morbidity and Mortality Weekly Report*, Early Release/Vol. 65, March 15, 2016 at page 3.



March 15, 2017, 2017

Representative Della Au Belatti Chair House Committee on Health

SB505 SD1: Relating to Health

#### COMMENTS

Dear Representative Belatti and Committee Members:

We are writing with comments regarding SB505 SD1. Hawaii's emergency physicians recognize the potential hazards of opioid and benzodiazepine medications, and believe informed consent discussions between patients and physicians are an appropriate means to mitigate risk for patients on chronic opioid therapy. However, requiring every patient coprescribed opioids and benzodiazepines have a documented informed consent agreement is unnecessary and overly burdensome. We ask that you remove the provision requiring an informed consent document for patients receiving opioid and benzodiazepine medications together (pg 3, lines 20-21).

While the increase in overdoses in patients taking both benzodiazepines and opioid medication is well documented, also well documented are the risks of thousands of other drug combinations that physicians may prescribe – many of which may be more dangerous to patients than the combination of benzodiazepines and opioids. Physicians must consider the risk of drug-drug interaction with every prescription, and we have many points at which patients receive information about their medication and possible interactions. Asking physicians to complete and file an informed consent agreement for specific drug interactions would create a very confusing system for both patients and physicians with questionable benefit.

We also ask your committee to consider the potential unintended consequences of adding to the administrative burden of physicians. In particular, requiring physicians to complete and file informed consent documents with the Department of Health for a certain cohort of their patients may drive physicians to avoid treating that subset of patients. In a state with a shortage of pain management physicians, we rely on our primary care physicians to manage chronic pain. We should strive to create a system in which pain is managed safely, but also in which physicians are still encouraged to care for those patients.

Sincerely,

WIlliam Scruggs, MD, RDMS, FACEP Chair, Department of Emergency Medicine Castle Medical Center Immediate Past President Hawaii College of Emergency Physicians



March 15, 2017

- To: Rep. Della Au Belatti, Chair Rep. Bertrand Kobayashi, Vice Chair House Committee on Health
- From: Karen Worthington, Project Coordinator Early Childhood Action Strategy
- Re: SB505-SD1 Relating to Health Hawaii State Capitol, Room 329, March 16, 2017, 8:30 AM

## Position: Action Strategy supports SB505-SD1 Relating to Health

Dear Representative Au Belatti, Representative Kobayashi, and Committee Members:

Thank you for the opportunity to provide testimony on behalf of Hawaii's Early Childhood Action Strategy, a public private collaborative that recognizes the strength of communities and works across sectors to increase the number of young children in Hawaii who are born healthy, developing on track, ready for school when they enter kindergarten, and proficient learners by third grade.

Action Strategy supports the passage of SB505-SD1 because the use of opioids or benzodiazepines by parents and by pregnant women can lead to negative outcomes for families and children, even when the medications are used legally under a physician's care. Protections such as informed consent agreements and limitations on the number of days an initial prescription can cover will help to minimize the possibility of negative outcomes such as addiction to these medications.

One of the six Action Strategy focus area teams is Team 1, Healthy and Welcome Births. The work of Team 1 is carried out by the Hawaii Maternal Infant Health Collaborative (HMIHC). The HMIHC has a "pregnancy and delivery" work group and top priorities of that group include decreasing preterm birth rates and decreasing the number of infants born substance-exposed. SB505 may impact these priorities by raising awareness about the dangers of using these medications through the informed consent process and by limiting the number of pills that can be initially prescribed. Action Strategy Testimony on SB505-SD1 March 15, 2017 Page 2

Another of the six Action Strategy focus area teams is Team 2, Safe and Nurturing Families. A priority of Team 2 is prevention of all forms of family violence including child abuse and neglect. The use of drugs and alcohol, including overuse of prescription drugs, is a strong risk factor for family violence, unhealthy and unsafe living situations, and child abuse and neglect. In 2015, "drug abuse" was listed as a "condition that was identified as contributing to the abuse or neglect of the child" in 42% of confirmed cases of abuse of individual children in Hawaii (DHS 2015 Statistical Report on Child Abuse and Neglect in Hawaii). Increasing awareness about the potential dangers of opioid and benzodiazepine use through an informed consent process in certain circumstances and by limiting a patient's access to the medications may help reduce the number of children who are victims of abuse or neglect because of their parents' addiction to prescription painkillers.

Action Strategy is committed to ensuring Hawaii's young children are healthy, safe and ready to learn and SB505-SD1 supports that vision. Please feel free to contact me for additional information. I can be reached at 808-214-9336 or karen@clnhawaii.org.

Sincerely,

Karenwoothington

Karen Worthington, JD Project Coordinator Early Childhood Action Strategy 700 Bishop Street, Ste. 701 Honolulu, Hawaii 96813



## SB 505 SD1 Opioid Informed Consent, Suboxone and Prescription

**Limit:** Requires an opioid therapy informed consent process agreement, changes law for prescribing suboxone, and limits initial prescriptions for opioids and benzodiazepines to a maximum of seven consecutive days.

#### HOUSE COMMITTEE ON HEALTH:

- Representative Della Au Belatti, Chair; Representative Bertrand Kobayashi, Vice Chair
- Thursday, Mar. 16<sup>th</sup>, 2017: 8:30 a.m.
- Conference Room 329

## HAWAII SUBSTANCE ABUSE COALITION (HSAC) Supports SB505 SD1 if there are certain amendments:

GOOD MORNING CHAIR BELATTI, VICE CHAIR KOBAYASHI AND DISTINGUISHED COMMITTEE MEMBERS. My name is Alan Johnson. I am the current chair of the Hawaii Substance Abuse Coalition (HSAC), a statewide coalition of over 30 alcohol and drug treatment and prevention agencies.

# HSAC recommends certain problematic provisions of this bill be amended:

- 1. **Informed Consents**: HSAC opposes certain amendments stated in the STAND. COM. No. 565, specifically (4), which requires all opioid therapy informed consent process agreements be filed with the Harm Reduction Services Branch of the Department of Health for monitoring.
  - a. This would require more department staffing and government funding to review the huge number of informed consents now required.
  - b. Once the law requires prescribers to use a DOH defined informed consent template, the usual legal and insurance pressures would suffice to encourage participation.
- 2. **Detoxification language.** The American Society of Addiction Medicine (ASAM), the national addictive medicine organization that establishes and regulates licensures, recommends changing "detoxification" to the more appropriate and accurate medical term "medically-managed withdrawal." Detoxification has become widespread in its use to encompass other definitions such as diet powders, herbal remedies, etc.
- 3. Recommended language:

```
Section 3: (g) (3) A prescription may not be issued for the dispensing of narcotic drugs listed in any schedule for the purpose of "medically-managed withdrawal" aka detoxification treatment" or "maintenance treatment" except as follows:
```

The administering or dispensing directly (but not (A) prescribing) of narcotic drugs listed in any schedule to a narcotic drug-dependent person for "medically-managed withdrawal aka detoxification treatment" or "maintenance treatment" shall be deemed to be "in the course of a practitioner's professional practice or research" so long as the practitioner is registered separately with the department and the federal Drug Enforcement Agency as required by section 329-32(e) and complies with Title 21 Code of Federal Regulations section 823(q) and any other federal or state regulatory standards relating to treatment qualification, security, records, and unsupervised use of drugs; and

**HSAC** is in support of the amendments to allow certain conditions where prescriptions for opioids and benzodiazepines are allowed for longer than seven days if determined to be medically necessary for the treatment of post-operative pain, chronic pain, substance abuse or opioid dependence, or pain while in palliative care or hospice care; provided that the practitioner must document in the patient's medical record the condition for which the prescription is necessary and that no alternative is appropriate to treat the condition.

We appreciate the opportunity to provide testimony and are available for questions.

From:	Jennifer Brunelle
To:	Rep. Bertrand Kobayashi
Subject:	ASCO/HSCO Letter on SB 505
Date:	Wednesday, March 15, 2017 7:41:08 AM
Attachments:	HI SB 505 House HLT Committee Letter Vice Chair Kobayashi.pdf
	ASCO Statement on Opioid Therapy.pdf

Dear Representative Kobayashi,

On behalf of the American Society of Clinical Oncology (ASCO) and Hawaii Society of Clinical Oncology (HSCO) I've attached a letter regarding SB 505, which passed the Senate and was referred to your committee. ASCO and HSCO fully support efforts to address the opioids epidemic. We are concerned, however, that SB 505 could have the unintended consequence of limiting access to treatment of pain for cancer patients. We request that an exception be added to the bill for the treatment of cancer or cancer-related pain. I've attached ASCO's opioids policy statement for your background

Thank you for your consideration. If we can be of assistance, please let me know.

Best,

Jenn

#### Jennifer Brunelle

Director, State Advocacy Policy & Advocacy Department American Society of Clinical Oncology 2318 Mill Road, Suite 800 Alexandria, VA 22314 571-483-1765 asco.org • cancer.net • conquer.org • cancerlinq.org

Making a world of difference in cancer care

-----

Privacy Notice:

The contents of this electronic message, including any prior messages, files, or attachments transmitted with it, are CONFIDENTIAL and are intended solely for the use of the individual(s) to whom the message is addressed. This message may contain legally protected or privileged information. Do not read, copy, disclose or forward this message without authorization from the originator of this message. If you have received this message in error, please notify the sender immediately and delete all copies from your system.

-----





March 13, 2017

Representative Bertrand Kobayashi Vice Chair, House Health Committee House District 19 Hawaii State Capitol Honolulu, HI 96813

Dear Representative Kobayashi,

The American Society of Clinical Oncology (ASCO) and Hawaii Society of Clinical Oncology (HSCO) are writing to provide comments on SB 505, which, among other provisions, would limit initial opioid prescriptions to seven days. ASCO is fully aware of and concerned about the epidemic of opioid use disorder. The <u>ASCO Policy Statement on Opioid Therapy: Protecting</u> <u>Access to Treatment for Cancer-Related Pain</u> includes principles to balance public health concerns regarding prescription opioid abuse and misuse with the need to ensure access to appropriate pain management for cancer patients and survivors.

ASCO is the world's leading professional society representing physicians who care for people with cancer. With more than 40,000 members, our core mission is to ensure that cancer patients have meaningful access to high quality cancer care. HSCO strives to be identified as the voice of oncologists in the State of Hawaii and U.S. Associated Pacific Territory, and to promote quality of oncology care through patient advocacy, continuing education, multidisciplinary engagement, and participation in the public forum.

Patients with cancer and cancer survivors should not be subject to prescription limits that artificially limit access to medically necessary treatment. From the clinical perspective, there is broad agreement that opioid therapy is generally the first-line approach for moderate to severe chronic pain associated with active cancer, whether or not the patient is receiving anti-neoplastic therapy.

Cancer survivors often suffer recognized post-cancer or treatment syndromes, and others present with less common, potentially unique, but nevertheless very real post-treatment pain syndromes. More commonly recognized post-cancer pain syndromes may include chemotherapy induced peripheral neuropathy, lymphedema, post-surgical pain syndromes such as phantom limb pain, graft versus host disease after transplant, or post-radiation therapy syndromes.

Many of the new policies across the country limiting opioid prescribing specifically exempt cancer patients, recognizing that cancer patients represent a special population undergoing often drastic treatment for severe, often life-threatening diseases.

If prescribing limits do affect cancer patients or survivors, there should be mechanisms in place to enable ease of patient access to the supply deemed appropriate by the treating physician in consultation with the patient. Any decision regarding prescribing amounts and frequency of patient assessment is related to clinical and patient-specific factors and, as in all areas of medicine, requires a careful risk-benefit analysis.

We encourage the use of alternative mechanisms not necessarily requiring an additional physician visit, such as the availability of the "balance" of a full prescription at a patient's local pharmacy. Some patients may benefit from another face-to-face encounter with their physician prior to extending an initially limited prescription, while for others this may not be necessary or even desirable, depending on clinical circumstances, prior exposure to opioids, and other factors. For the latter group, an additional trip to the physician office and subsequently to the pharmacy is likely unnecessary or even a hardship-- for example, those who live in rural areas and must drive significant distances for a physician office or pharmacy visit.

Thank you for your attention to this important issue and for considering ASCO's comments. If you have questions or would like assistance from ASCO on any issue involving the care of individuals with cancer, please contact Jennifer Brunelle at jennifer.brunelle@asco.org or Marci Cali at mcali@accc-cancer.org.

Sincerely,

tayer m

Daniel F. Hayes, MD, FACP FASCO President, American Society of Clinical Oncology

Keola Beale, MD President Hawaii Society of Clinical Oncology



## ASCO Policy Statement on Opioid Therapy: Protecting Access to Treatment for Cancer-Related Pain

#### Background

The escalation of abuse, addiction and diversion of opioids—both prescription pain medications and illicit drugs—has led to declaration of an "opioid epidemic" in the United States. Congress, the Administration, and multiple federal agencies are involved in efforts aimed at preventing and responding to prescription drug abuse; many states and local agencies are examining different approaches to stem the tide of abuse and deaths and many have already implemented new laws and programs around opioid prescribing.

Much of this increased legislative and regulatory activity is aimed at tighter controls and increased education in the use of drugs. While ASCO fully supports efforts to address the issues surrounding opioid misuse and abuse, we are concerned that some of these initiatives could have the unintended consequence of limiting access to treatment of pain for cancer patients.

It is already widely acknowledged that too much pain goes untreated, and while not all patients with untreated pain require opioids, these agents remain an essential part of many pain treatment plans, especially among patients with cancer. On a global scale, there is mass unavailability of opioids, leading to untold amounts of needless suffering; world bodies have issued analyses and recommendations intended to balance the need for medical opioids with efforts to combat diversion.<sup>1,2</sup> While overall the US consumes the vast majority of the world's opioids, access even in this country is unbalanced and may present an issue for certain populations.<sup>3,4,5</sup> Large-scale proposals currently being considered in the US could likely exacerbate this problem, and have adverse consequences on patient in need of medically indicated treatments.

Already, there are multiple barriers to access and appropriate use,<sup>6,7</sup> even in the absence of additional proposed restrictions. Such barriers include constraints on access to prescriptions and lack of availability of opioids at pharmacies, as well as insurance and reimbursement limitations. Specific access examples reported by oncology providers caring for patients in active cancer treatment include: partial filling of opioid prescriptions by pharmacies lacking a fully supply, requiring the patient to obtain a new prescription for the remaining supply; refusals by pharmacies to fill prescriptions even when the diagnosis is included but ICD10 code is omitted; and refusals of pharmacies to honor three-day emergency supply allowed in state regulations. Specific restrictions set by insurance companies or limits on reimbursement include: limits on the number of pills (or patches) dispensed per fill, which requires more refills with additional copays; limits on the mix of opioids dispensed every 30 days, so that patients requiring an additional opioid due to poor pain control may wait many days for prior authorization approval; the need to wait 30 days or obtain prior authorization when dose is titrated upwards; and the

ASCO is the nation's leading professional oncology society representing over 40,000 physicians and other health professionals who care for people with cancer.



need to obtain prior authorization for a refill when the original prescription is used sooner than originally planned (due to prescriber instructions to patient to increase dose for better pain control). In general, the requirements for prior authorizations for all types of opioids is increasing, including lowdose and inexpensive agents. Prior authorizations often take 72 hours (business days only) or longer to obtain, with even expedited review taking 24 to 48 hours. This leads to a situation where patients go without medication or pay out of pocket for a few days' supply, then must obtain a new prescription. In addition, weekend hospital discharges are complicated by the fact that insurance company access is very limited on Friday afternoons and usually not available over the weekends.

#### **Combatting the Problem: Federal and State Initiatives**

The White House Office of National Drug Control (ONDCP) coordinates the efforts of the multiple federal agencies attempting to address this issue. These agencies include the Food and Drug Administration (FDA), the Drug Enforcement Agency (DEA), the Substance Abuse and Mental Health Services Administration (SAMHSA), and the Centers for Disease Control and Prevention (CDC).

The FDA has a special unit focused on controlled substances within the Center for Drug Evaluation and Research. Its responsibilities include oversight of abuse liability and risk management requirements, both during the review process and post-marketing. In February of 2016, the FDA announced an opioid action plan focused on labeling, post-market data collection, updated Risk Evaluation and Mitigation Strategies (REMS), prescribing guidelines and new guidance on approval standards for abuse-deterrent formulations. Other recent changes include the rescheduling of hydrocodone from Schedule III to the more restrictive Schedule II, and the addition of expanded safety information to the labels of all immediate-release opioids.

The FDA has also instituted a REMS program for prescription extended release/long acting (ER/LA) opioids, which has been in existence for approximately two years; a more restrictive REMS (i.e. physician registration and other requirements) exists for transmucosal immediate release fentanyl formulations. The continuing education provided under the current ER/LA opioid REMs is voluntary, although providers are "strongly encouraged" by FDA to participate. This education is provided by CE/CME providers who have submitted successful applications to the FDA, and is funded through the drug manufacturers. Providers receive this education free or at a "nominal" charge. Current providers include universities, non-profit associations, and for-profit entities.<sup>8</sup> At a joint meeting of FDA Advisory Panels in May 2016, despite many Panel members noting that the evidence to date for impact of the REMS on prescribers and patients was very weak, the joint Panel voted to essentially strengthen the REMS by including IR/SA opioids and requiring mandatory prescriber education.

Inadequate treatment of pain is a very real concern. In March of 2016, the Centers for Disease Control and Prevention (CDC) released guidelines<sup>9</sup> on the prescription of opioids for chronic pain. The guidelines apply to individuals eighteen or older who are experiencing chronic pain unrelated to active cancer treatment and are not receiving palliative or end-of-life care. (It is important to note, however, that these differences are often fluid: the definition of active cancer treatment may not be clear and some

patients may not be under active treatment but have active disease and some are at high risk of recurrence; some patients have pain as a consequence of specific, highly effective cancer treatments; palliative care is an evolving set of service delivery models that may be started at the time of diagnosis and there is no standard definition of end-of-life care. ) The guidance aims to improve communication between providers and patients about the risks and benefits of opioid use, improve safety of pain treatment and reduce risks of abuse, dependence, overdose and death. Adherence to the guideline is currently voluntary.

Currently, there are at least a dozen bills in Congress related to the control of opioid abuse. In brief, the legislation would:

- Expand prevention and educational efforts
- Expand the availability of naloxone
- Expand resources to identify and treat incarcerated individuals suffering from addiction
- Expand disposal sites for unwanted prescription medications
- Launch an evidence-based opioid and heroin treatment and interventions program
- Strengthen prescription drug monitoring programs

States have broad authority to regulate prescribing and dispensing of prescription drugs and have implemented a wide range of programs and policies. State-regulated Prescription Drug Monitoring Program (PDMPs) contain electronically transmitted prescribing and dispensing data submitted by pharmacies and dispensing practitioners. They are managed under the authority of a state, commonwealth, or territory of the United States. Currently, PDMP programs exist in 49 states and Guam.

Many states are also currently considering strengthening their own laws related to the prescribing and dispensing of prescription opioids. A recently enacted Massachusetts law may serve as a model for other states, and contains the following provisions:

- First in the nation to limit an opioid prescription to a 7-day supply for a first time adult prescription and a 7-day limit on every opiate prescription for minors, with certain<sup>1</sup> exceptions.<sup>10,11</sup>
- All opioid prescriptions (Schedule II or III) are accompanied by the requirement that both the physician and pharmacist check the state's PDMP on issuance of the prescription.
- A requirement for continuing education, including training on effective pain management and the risks of abuse and addiction associated with opioid medications.

<sup>&</sup>lt;sup>1</sup> The practitioner may prescribe a larger supply as long as there is appropriate documentation in the medical record. (i.e. the condition triggering the prescription, explanation of why a non-opiate alternative was not appropriate). The conditions meeting this exception are listed in the statute as "…acute medical condition or…the treatment of chronic pain management, pain associated with a cancer diagnoses or for palliative care."

 PDMP data will be used on an annual basis to determine "the mean and median quantity and volume of prescriptions for opioids...issued by practitioners...the mean and median prescription quantities and volumes shall be determined within categories of practitioners of a similar specialty or practice type as determined by the department." The practitioner will then be sent a confidential percentile ranking within their category, and resources will be made available to prescribers regarding ways to change prescribing practices and incorporate alternative pain management options.

Pending or recently passed state and federal legislation, in combination with ongoing federal agency initiatives, aims to curb the incidence of opioid misuse and abuse in the US. However, these well-intentioned proposals may also very well serve to limit access to opioids for patients with cancer, thus challenging the mandate of oncologists to provide compassionate care in the form of pain control. Taken together, the proposed restrictions place burdens on cancer patients and oncologists with limited evidence as to their potential impact.

#### ASCO Principles for Balancing Opioid Access With the Need to Curb Misuse and Abuse

This policy statement lays out principles that we believe would balance the public health need to mitigate the abuse and misuse of prescription opioids with continued access to appropriate pain management for cancer patients and survivors.

#### **Cancer Patients: A Special Population**

Cancer patients represent a special population that should be largely exempt from regulations intended to restrict access or limit doses, in recognition of the unique nature of the disease, its treatment, and potentially life-long sequelae. Cancer is very heterogeneous, with some diseases experiencing high rates of cure and others having an indolent biology extending over many years. Cure and prolonged remission represent trajectories that raise varying concerns and complexities, including the problem of chronic pain in survivors. Both solid tumors (with the exception of non-invasive skin cancers) and hematological neoplasms represent serious and potentially life-limiting illnesses, even if the course is relatively prolonged. This complexity in the presentation and course of cancer must be appreciated, as it has implications for practices and policies related to opioid therapy. From the clinical perspective, there is broad agreement that opioid therapy is generally the first-line approach for moderate to severe chronic pain associated with active cancer, whether or not the patient is receiving anti-neoplastic therapy; for this group of patients, access to opioids must be assured, and laws and regulations intended to address abuse and overdose should be crafted to avoid creating impediments to this treatment—particularly as there is no evidence that the treatment of cancer pain has in any way contributed to these problems.

We are encouraged to see that many of the new laws, guidelines, and regulations limiting opioid prescribing specifically exempt cancer patients under active treatment, as this reflects the recognition

that cancer patients represent a special population undergoing often drastic treatment for severe, often life-threatening diseases. As noted, however, active treatment does not fully represent the universe of clinical conditions associated with active disease, or the potential for severe chronic pain associated with the disease itself or the powerful treatments used to manage it. We are concerned about the potential for reduced access if the definition of "patients under active treatment" is misinterpreted.

In addition, cancer survivors often suffer recognized post-cancer or treatment syndromes, and others present with less common, potentially unique, but nevertheless very real post-treatment pain syndromes. More commonly recognized post-cancer pain syndromes may include chemotherapy induced peripheral neuropathy, lymphedema, post-surgical pain syndromes such as phantom limb pain, graft versus host disease after transplant, or post-radiation therapy syndromes. The approximately 12 million cancer survivors in the US represent a heterogeneous population that may suffer pain related or unrelated to previous cancer diagnoses, and may be considered similar to other populations with chronic pain. Opioid therapy may be appropriate for a carefully selected subgroup, as long as benefits clearly outweigh the risks over time and treatment can be monitored. Providers caring for such patients may want to consider referral to a specialist; additionally, ASCO has developed guidelines on pain management in cancer survivors.<sup>12</sup>

#### **Provider Education**

Providers should have a choice of sources and materials for education in opioid prescribing, and mandated education in particular should be provided by entities other than manufacturers.

Given the ever-growing sub-specialization of medicine, provider education should be tailored to the special needs of professionals practicing in those areas, and as such, we believe that such education is best provided by bodies such as medical professional societies or other organizations that understand the specific needs of their audience. Education provided by ASCO is developed by professionals, peer-reviewed, and carefully tailored to meet the needs of oncology professionals; the ASCO faculty developing these materials additionally provide published conflicts of interest statements.

Any mandated provider education should not present an additional hurdle to those who prescribe opioids, but should be associated with existing requirements such as renewal of DEA licensure, Board examinations, or state licensure. Finally, any mandated education should be associated with evidence of outcomes.

The basis for mandatory prescriber education is the expectation that such education will lead to more appropriate prescribing, likely more limited prescribing, and heightened awareness of the risk for patient misuse and abuse, ultimately resulting in a decrease in overdose and overdose deaths. Therefore, in assessing the impact of provider education, the most relevant and valuable endpoint would be overdose and overdose death statistics; intermediate outcomes could include patient awareness of risks and benefits, maintenance of access for appropriate patients, and provider prescribing patterns.

#### Initial Prescription Limits (Total Supply, Dose, or Time)

Patients with cancer and cancer survivors should not be subject to arbitrary prescription limits that artificially limit access to medically necessary treatment. Arbitrary restrictions that have the effect of limiting access to a medical treatment--in the absence of evidence that this approach can reduce harms without compromising care--is inconsistent with a balanced policy and should not be implemented, especially for patients with active cancer. If such limits are instituted, mechanisms should be established which enable ease of patient access to the supply deemed appropriate by the treating physician in consultation with the patient.

As stated earlier, we are pleased to see and support the exemptions to prescribing limits and timing that have been put into place for cancer patients. We hope that these exemptions will remain widespread; however, if prescribing limits do affect cancer patients or survivors, there should be mechanisms in place for a patient or their caregiver to easily access needed medications without additional barriers. Some patients may benefit from another face-to-face encounter with their physician prior to extending an initially limited prescription, while for others this may not be necessary or even desirable, depending on clinical circumstances, prior exposure to opioids, and other factors. For the latter group, an additional trip to the physician office and subsequently to the pharmacy is likely unnecessary or even a hardship-for example, those who live in rural areas and must drive significant distances for a physician office or pharmacy visit.

Therefore, in situations where a patient with cancer is impacted by initial prescription limits, we would encourage the use of alternative mechanisms not necessarily requiring an additional physician visit, such as the availability of the "balance" of a full prescription at a patient's local pharmacy. Clearly, any decision regarding prescribing amounts and frequency of patient assessment is related to clinical and patient-specific factors and, as in all areas of medicine, requires a careful risk-benefit analysis.

In addition, existing communication methods such as telephone, e-mail, and—in select circumstances more sophisticated electronic methods of communication, allow for follow up discussion between the patient and physician office.

#### **Patient Education**

Patient education on the correct medical use of opioids is best provided by a health professional with the addition of supplementary materials as appropriate. Broader public awareness campaigns that target the public at large and are not tailored to patient educational needs should present a balanced picture of the risks and benefits of use. Given that opioid misuse includes improper access to legitimately prescribed opioids by other than the patient, much more emphasis needs to be placed on awareness of safe storage. A variety of useful resources exist for patient education on topics such as safe storage and

disposal of unused or unwanted medications<sup>13</sup>; however, dissemination of these materials needs significant enhancement.

A health care professional is the best source of education for the patient, regardless of the drug being prescribed. Publicly available materials from professional societies, government sources (e.g. medication guides), and patient advocacy groups may also play a valuable supplemental role.

Patient education should also be available from a variety of sources, especially professional medical societies. Such education should be balanced, comprehensive, and clear to patients of all types. Patients are best served with the comprehension that opioid drugs, when appropriately prescribed and used, may provide relief from severe pain, but that like most drugs, there can be serious side effects if the drugs are not used as prescribed.

#### Prescription Drug Monitoring Programs (PDMPs)

Individual state PDMPs should be accessible through a single portal or interoperable in a way that is seamless to the end-user. Health care providers or their designees should have equal access to both query and enter information into PDMPs. Any efforts by regulators or those in law enforcement to to identify "aberrant" patterns of prescribing for any individual provider must consider the provider specialty and any further sub-specialization, population of patients treated, and other factors that may legitimately influence prescribing patterns. Those who treat cancer pain may prescribe opioids to relatively large numbers of patients and may provide some with multiple controlled drugs at relatively high doses; these providers should not repeatedly trigger review by regulators or law enforcement.

PDMPs can provide valuable information to prescribers and dispensers regarding the prior or current use of opioids by individual patients. Policymakers also find the aggregate information useful in order to track overall opioid prescriptions and patterns of use. However, physicians and health care professionals are often hampered in their use of PDMPs due to lack of interoperability and the need to check multiple databases for one patient.

Interoperability of these systems, or some form of single-portal entry, should be a priority for states, and we support the additional funding being proposed by Congress for these programs. In addition, elective or mandated queries of or reporting into these databases should not be limited only to prescribers. As the checking of these databases is largely an administrative activity, we feel that it is appropriate for a clinician to delegate authority for such activities, while the clinician is responsible for interpreting the results contextually for each patient. We would also encourage more "real-time" reporting into these databases in order to make them more useful to practicing clinicians; currently, the average required reporting time is weekly, although some states require more frequent reporting.<sup>14</sup>

With growing widespread use of PDMPs, it is appealing to different entities to use this data for many forms of research, which can help inform physicians, policymakers and others on the use of opioids. However, we caution against the superficial use of this data in order to identify physicians that are

prescribing "inappropriately" (e.g. are "outliers" in the PDMP database). If the data is used in such a way, the physician should be given every opportunity to explain why they believe their prescribing is appropriate.

We are therefore pleased to see efforts, as exemplified by a new Massachusetts law, which recognize that different physicians legitimately have different prescribing habits. It should be noted, however, that even amongst physicians judged to be in the same "category" (e.g. oncologists) there will likely be quite wide variation in prescribing habits due to further sub-specialization and type of patient population treated.

#### Patient Screening & Assessment Prior to and During Opioid Treatment; Patient Adherence: Provider-Patient "Treatment Agreements" and Urine Testing

After initial screening and assessment of cancer patients, the timing and form of subsequent assessments should be left to the judgment of the treating physician, based on clinical and patient-specific circumstances; however, reassessment tailored to individual patients on a regular basis is considered one reasonable approach.

Compliance tools such as treatment agreements and urine testing subsequent to an initial prescription may prove valuable for some patients, and their use should be tailored to individual patients and clinical circumstances. We do not believe that these tools should be made mandatory for all patients receiving opioid therapy.

In the initial screening of all patients, it may be considered a reasonable approach to include urine testing. For some patients, tools to encourage compliance with correct prescription medication use after the initial prescription can be very helpful. However, the routine institution of such practices with every patient may not be constructive and can present an unnecessary burden to both physician and patient; therefore, these interventions should be tailored based on clinical and patient circumstances and ongoing monitoring.

While certain patient circumstances and medical history (for example, prior substance abuse, data obtained from a PDMP) lend themselves to more intense follow up and monitoring in the setting of medically necessary opioid use, it has been documented that certain conscious or unconscious biases, sometimes related to ethnicity or racial group, may also play a role in the intensity of providers' monitoring of patients on opioid treatment.<sup>15</sup>

#### **Abuse Deterrent Formulations**

We support efforts to develop abuse deterrent formulations as one approach to mitigating abuse, but note that most prescription drug abuse and overdose occur via the oral route, and are not likely to be positively impacted by the currently available formulations. We also caution that the costs of these newer formulations may present a barrier to access if they are not covered by payers to the same extent that non-abuse-deterrent formulations are. Accordingly, non-abuse deterrent formulations should remain available to patients with clinical or other factors where they would be an appropriate option.

We support FDA's efforts to encourage new formulations of opioids that include abuse deterrent properties, recognizing that it is part of a multi-faceted effort to decrease the availability of opioid use for non-prescription purposes, whether those opioids are prescription or "street" drugs. Studies have shown that abuse of Oxycontin<sup>®</sup>, for example, decreased after introduction of the abuse deterrent formulation to the market.<sup>16,17</sup>

While results from these and other studies are encouraging, in a more global picture of drug misuse and abuse it should be noted that there may be a caveat to the success in curbing abuse through market introduction of abuse deterrent opioids. For example, one study pointed out that while Oxycontin abuse decreased subsequent to the introduction of reformulated Oxycontin, it appeared that those individuals with a prior history of abuse simply turned to other drugs, most frequently heroin.<sup>18</sup>

Because these drugs are more expensive to manufacture and represent new formulations, the cost to the patient can be significantly higher than the older, non-abuse deterrent formulations. One US state that investigated the status of abuse deterrent formulations found that all three of these drugs approved for coverage in public health plans were classed as "Tier 3" drugs, with corresponding higher co-pays and co-insurance.<sup>17</sup>

Depending on the clinical situation, there are times when either an abuse deterrent formulation or nonabuse deterrent formulation may be perfectly appropriate. The prescribing physician, in consultation with the patient, should decide which is preferred based on clinical and patient-specific circumstances. Cost should not be a barrier to obtaining treatment with either type of opioid, and we urge policymakers to avoid the understandable inclination to potentially shift—through reformulation--many medically necessary opioids into a more expensive category which may or may not be appropriate for any given patient.

#### Treatment for Misuse, Abuse, or Addiction

All individuals with an opioid-related disorder should have rapid access to appropriate assessment, diagnosis, and treatment, regardless of payer or geographic setting.

We fully support the expanded availability of medication-assisted treatment (MAT) currently being championed by Congress and the Administration. To that end, we also applaud efforts to expand Medicaid coverage of such treatment, and efforts to ensure its coverage in all Medicare Managed Care and Part D plans.<sup>19</sup>

#### Prescription "Take-Back" Programs

In order to decrease the availability of unused or unwanted opioid drugs, authorized collection sites should be readily available to patients.

We strongly support efforts to rid our communities of unused and unneeded prescription drugs, and are pleased to see additional funding going towards these programs, as well as pending bills in Congress<sup>20</sup> appropriating additional funding to communities to expand access to such programs. There are currently areas of the country where there is not realistic access to DEA-authorized collection sites, and consumers are advised to flush certain medications, including opioids, down the toilet. Collaboration between the DEA, FDA, and EPA in developing consistent guidelines for situations where authorized collection sites are not available would greatly help patients and others to dispose of their medications responsibly.

Modifications to the existing Controlled Substances Act (CSA) would allow patients to return opioids and other controlled substances (e.g. benzodiazepines) to the pharmacy at which they were obtained. This modification, in addition to expanding existing approved drug-disposal mechanisms, could reduce the availability of unused opioids potentially available for abuse.

#### Wider Availability of Naloxone

ASCO supports increasing the ease of access to naloxone, as it plays a life-saving role in cases of opioid overdose.

We agree with ongoing efforts to increase the availability of naloxone, whether at the first-responder level, availability at pharmacies without an individual prescription ("standing orders"), or co-prescribing by health professionals. It is important to note that family and caregivers should be instructed in the correct use of any overdose antidotes prescribed, as they will most likely be the individuals administering the drug in a case of potential opioid overdose. Such education should pay careful attention to the timing of any potential administration of naloxone by a caregiver, especially in those cases, for example, where it may not be unusual for a patient to have symptoms consistent with an opioid overdose but rather are declining due to their advanced disease.

#### Summary

The issue of opioid misuse, abuse, and overdose presents a complex problem with multiple contributing factors. The compelling needs of the cancer population underscore the importance of an approach to these problems based on a critical understanding of the extent to which the problem relates to the management of pain, particularly chronic pain in the medically ill. Although greater access to prescription opioids may be a factor in unmasking addiction and abuse, there is no evidence that treatment of cancer pain has substantially contributed to the problem, and the adverse consequences of abuse and overdose appear to be much more highly related to polysubstance abuse in those without

pain than to the use of opioid drugs to manage pain in medically ill patients in a manner consistent with best clinical practices. Opioid overdose is a major problem, but what remains to be clarified is to what extent the initiatives to address it should focus on patients who are prescribed these drugs for a legitimate medical condition and in the usual course of practice.

The numbers of people dying from opioid overdoses or suffering misuse and abuse disorders in the US is alarming, with the magnitude of the problem sharply increasing in the past few years. Federal and state initiatives are legitimately concerned with reining in the problem and protecting the public health.<sup>2</sup> ASCO is supportive of efforts to address issues of opioid abuse and its related consequences; however, some elements of both state and federal tightening of controls could introduce barriers to appropriate treatment of pain related to cancer and its treatment, thereby harming a vulnerable population. There is already strong evidence of under treatment of cancer-related pain and new barriers would serve to worsen this situation. Patient advocates are deeply concerned that appropriate management of pain will be compromised if controls become overly restrictive.

ASCO is also concerned about the myriad requirements potentially being placed upon oncology care providers (physicians, nurse practitioners, physician assistants, others with prescribing privileges) in order for them to be able to continue to provide appropriate pain management for their patients. Overly prescriptive demands for patient screening, use of administratively burdensome PDMPs, mandatory education, linking of prescribing rights to certain mandated activities, and the identification and subsequent education of physicians who prescribe in a way that deviates from their "peers" could all erect barriers to appropriate access, if not carefully considered and implemented.

Despite the existence of multiple guidelines or recommendations on pain management and opioid use,<sup>21,22</sup> it is widely acknowledged that evidence is lacking in many aspects of opioid use. Studies on long-term effects are sorely lacking, as is research on clinical activities providers may perform regularly, such as tapering of opioid doses. ASCO strongly supports the furtherance of this and additional research, and stands ready to work with policy makers and others to achieve a safe, equitable, and reasonable balance of opioid access and the public health.

#### Appendix

#### **Opioid Abuse and Overdose Deaths: Scope of the Problem**

Opioids were involved in 28,648 deaths in 2014<sup>9</sup>, and it has been estimated that some 4.3 million people abuse prescription painkillers.<sup>23</sup> As noted in a recent statement from the Administration and as

<sup>&</sup>lt;sup>2</sup> Because heroin and illicit fentanyl (along with other miscellaneous opioid-based "street drugs") are considered part of the overall opioid epidemic, federal and state/local entities that are engaged in criminal investigation and law enforcement (e.g., DOJ, DEA) are also playing a large role. In the context of an ASCO policy statement, however, we will limit ourselves largely to those programs and proposals that bear upon control of and access to prescription opioids.

reported by the Drug Enforcement Agency, four in five heroin users start out by misusing prescription drugs.

The problem of opioid misuse and abuse has been escalating in the past few years. Rates of opioid overdose deaths have increased significantly, from 7.9 per 100,000 in 2013 to 9.0 per 100,000 in 2014, a 14% increase. With the exception of methadone, the rates of overdose deaths for all classes of opioids have increased<sup>9</sup> (Table 1). Natural and semisynthetic opioids (all considered prescription drugs; see Table 2) are responsible for more overdose deaths than any other opioid type. (Note that this class of opioids includes the most commonly prescribed pain relievers—oxycodone and hydrocodone.) Many more people have access to prescription opioids than to other types of opioids, with more than 75% of recreational opioid users receiving the drugs from non-medical sources<sup>24</sup>; a small percentage only of patients with emergency department visits for opioid overdose actually have a pain diagnosis.<sup>25</sup> Most overdose deaths involve polysubstance abuse.

CDC Classification <sup>9</sup>	Opioid Type*	Age-adjusted Rate of Death (per 100,000)		Percent Increase
		2013	2014	
Prescription	Natural and semisynthetic (morphine, oxycodone, hydrocodone)	3.5	3.8	9%
Opioids	Synthetic opioids (fentanyl, tramadol)	1.0	1.8	80%
	Methadone (synthetic)	N/R	N/R	0
Heroin	Heroin	1.0 (2010)	3.4	26% (2013-2014)
	All Combined	7.9	9.0	14%

Table 1. Age-Adjusted Rates of Death from Opioid Overdose, 2013-2014

\*Deaths involving more than one drug were counted in each type.

#### A Note on Data Reporting and Limitations

If broad and sweeping restrictions on access to certain drugs are being contemplated, it is important to have a critical understanding of the data underlying the drive for such restrictions. In the case of opioid drugs particularly, the data limitations should give pause to the specific conclusion that the problem of opioid abuse relates to the use of opioids in patients with acute and chronic pain, and instead should encourage a more nuanced understanding of the problem along with caution in drawing potential conclusions between pain management and adverse outcomes.

*Overall.* Studies investigating deaths due to overdoses, including prescription- and non-prescriptionrelated opioid deaths, are somewhat hampered by the fact that there is no standardized system for reporting drug-related deaths in the US. Data collection and reporting varies with each medical examiner and coroner, and the substances tested for and the toxicological laboratory tests used vary by jurisdiction.<sup>9,23</sup> Furthermore, the percent of overdose deaths with specific drugs identified on the death certificate varies widely by state. According to the CDC MMWR report, in 2013 and 2014, 22% and 19% of drug overdose deaths, respectively, did not include information on the death certificate about the specific types of drugs involved.

*The Contribution of Illicit Fentanyl to Fatal Prescription Overdose Statistics.* The CDC synthetic opioid category includes both prescription synthetic opioids (e.g., fentanyl and tramadol) and non-pharmaceutical fentanyl manufactured in illegal laboratories (illicit fentanyl). Toxicology tests used by coroners and medical examiners cannot distinguish between prescription and illicit fentanyl<sup>9</sup>; therefore, overdose deaths from either substance are counted as pharmaceutical fentanyl and reported as a synthetic (prescription) opioid death.<sup>23</sup> The amount of illicit fentanyl available seems to be increasing at an alarming pace: in 2013, the number of fentanyl-related seizures in the US was 942; in 2014 it was 3,344. According to the DEA, only a tiny percent of fentanyl-related overdose deaths are related to pharmaceutical fentanyl; the majority may be assumed to come from illicit fentanyl. The CDC has also stated that, based on reports from states and drug seizure data, a substantial portion of the increase in synthetic opioid deaths appears to be related to increased availability of illicit fentanyl.

*Under-reporting of Heroin Deaths.* Because heroin and morphine are metabolized similarly, it is possible for heroin-related overdose deaths to be reported after toxicology tests as morphine-related overdose deaths. The CDC expressed concern that this could lead to under-reporting of heroin deaths. The converse of this, of course, is that morphine-related deaths are over-reported. According to the DEA, it is possible that "many" deaths due to heroin are in fact misclassified as morphine-related deaths.<sup>23</sup> Also according to the DEA, the population that abuses prescription opioids was 15 times higher than the population of heroin users in 2013, but prescription abusers experienced 2 times as many deaths as heroin users. See Table 2 for a summary of potential misattribution in opioid-related deaths.

Attribution	Actual Source	Drug Reported As	CDC Classification
Correct	Pharmaceutical/Prescription Fentanyl	Fentanyl	Prescription (synthetic)
	Heroin	Heroin	Heroin
Potentially Incorrect	Illicit Fentanyl	Fentanyl	Prescription (synthetic)
	Heroin	Morphine	Prescription (natural and semisynthetic)
		Fentanyl AND	Prescription (synthetic)
	Illicit Fentanyl/Heroin Combination	Morphine	Prescription (natural and semisynthetic)

<sup>2</sup> International Narcotics Control Board (United Nations). Report of the International Narcotics Control Board on the availability of internationally controlled drugs: ensuring adequate access for medical and scientific purposes. New York: United Nations; 2011. Available at: <u>https://www.incb.org/documents/Publications/AnnualReports/AR2010/Supplement-</u> <u>AR10\_availability\_English.pdf</u>. Accessed 5/12/2016.

<sup>3</sup> Burgess DJ, Nelson DB, Gravelly AA, et al. Racial differences in prescription of opioid analgesics for chronic noncancer pain in a national sample of veterans. J Pain 2014 Apr;15(4:)447-55. Abstract available at <a href="http://www.ncbi.nlm.nih.gov/pubmed/24440840">http://www.ncbi.nlm.nih.gov/pubmed/24440840</a>

<sup>4</sup> Green CR, Ndao-Brumblay SK, West B, Washington T. Differences in prescription opioid analgesic availability: comparing minority and white pharmacies across Michigan. J Pain 2005 Oct;6(10):689-99. Available at: <u>http://www.med.umich.edu/anes/mpost/pub05/green2005jpain.pdf Accessed 5/12/2016</u>.

<sup>5</sup> Morrison RS, Wallenstein S, Natale DK, et al. "We don't carry that"—failure of pharmacies in predominantly nonwhite neighborhoods to stock opioid analgesics. N Engl J Med 2000 Apr 6;342(14):1023-6. Abstract available at: <u>http://www.ncbi.nlm.nih.gov/pubmed/10749965</u> Accessed 5/12/2016.

<sup>6</sup> Schumacher KL, Plano Clark VL, West CM, et al. Pain medication management processes used by oncology outpatients and family caregivers Part II: Home and lifestyle contexts. J Pain Symptom Manage 2014 Nov;48(5): 784–796. doi:10.1016/j.jpainsymman.2013.12.247.

<sup>7</sup> Schumacher KL, Plano Clark VL, West CM, et al. Pain medication management processes used by oncology outpatients and family caregivers Part I: Health systems contexts. J Pain Symptom Manage 2014 Nov;48(5):770–783. doi:10.1016/j.jpainsymman.2013.12.242.

<sup>8</sup> ER/LA Opioid Analgesics REMS Program Companies ("RPC"). Search page for CE providers. Available at: <u>https://search.er-la-opioidrems.com/Guest/GuestPageExternal.aspx</u> Accessed 5/12/2016.

<sup>9</sup> Dowell D, Haegerich T, Chou R. CDC guideline for prescribing opioids for chronic pain – United States, 2016. MMWR Recomm Rep 2016;65(1):1-49. Available at: <u>http://www.cdc.gov/mmwr/volumes/65/rr/pdfs/rr6501e1.pdf</u>. Accessed 5/12/2016.

<sup>10</sup> The Official Website of the Governor of Massachusetts. Press Release. Governor Baker signs landmark opioid legislation into law. March 14, 2016. Available at: <u>http://www.mass.gov/governor/press-office/press-releases/fy2016/governor-signs-landmark-opioid-legislation-into-law.html</u>. Accessed 5/12/2016.

<sup>11</sup> The 189<sup>th</sup> General Court of the Commonwealth of Massachusetts. Session Law, Acts, 2016, Chapter 52. An act relative to substance use, treatment, education and prevention. Available at <a href="https://malegislature.gov/Laws/SessionLaws/Acts/2016/Chapter52">https://malegislature.gov/Laws/SessionLaws/Acts/2016/Chapter52</a>. Accessed 5/12/2016.

<sup>&</sup>lt;sup>1</sup> Husain SA, Brown MS, Maurera MA. Do national drug control laws ensure the availability of opioids for medical and scientific purposes? Bull World Health Organ 2014;92:108–116. Available at: <u>http://www.who.int/bulletin/volumes/92/2/13-121558.pdf</u>. Accessed 5/12/2016.

<sup>12</sup> Paice JA, Portenoy R, Lacchetti C, et al. Management of chronic pain in survivors of adult cancers: American Society of Clinical Oncology Clinical Practice Guideline. [in press]

<sup>13</sup> U.S. Food and Drug Administration. Disposal of unused medicines: what you should know. Available at:

http://www.fda.gov/Drugs/ResourcesForYou/Consumers/BuyingUsingMedicineSafely/EnsuringSafeUseo fMedicine/SafeDisposalofMedicines/ucm186187.htm#Flush\_List. Accessed 5/12/2016.

<sup>14</sup> Commonwealth of Virginia Department of Health Professions: Report on the Frequency of Reporting to the Prescription Monitoring Program Pursuant to Senate Bill 638 of the 2014 General Assembly. Available at

https://www.dhp.virginia.gov/dhp\_programs/pmp/docs/Report2014EducationandHealthPMPReporting. pdf. Accessed 5/12/2016.

<sup>15</sup> Hausmann LR, Gao S, Lee ES, Kwoh CK. Racial disparities in the monitoring of patients on chronic opioid therapy. Pain 2013 Jan;154(1):46-52. Abstract available at: <u>http://www.ncbi.nlm.nih.gov/pubmed/23273103</u>. Accessed 5/12/2015.

<sup>16</sup> Rossiter LF, Kirson NY, Shei A, et al. Medical cost savings associated with an extended-release opioid with abuse-deterrent technology in the US. J Med Econ 2014 Mar;17(4):279-87. Available at <a href="http://www.tandfonline.com/doi/pdf/10.3111/13696998.2014.897628">http://www.tandfonline.com/doi/pdf/10.3111/13696998.2014.897628</a>. Accessed 5/12/2016.

<sup>17</sup> Utah Retirement Systems (Utah State retirement Board) [US]. Public Employees Health Program (PEHP) report on abuse deterrent opioid analgesic drug products. Available at <u>https://www.pehp.org/mango/pdf/pehp/pdc/pehp%20report%20on%20abuse%20deterrent%20opioid</u> <u>%20analgesic%20drug%20products-%20oct%202015\_FE8C9AEB.pdf</u>. Accessed 5/12/2016.

<sup>18</sup> Cicero TJ, Ellis MS, Surratt HL. Effect of abuse-deterrent formulation of Oxycontin. N Engl J Med 2012 Jul;367:187-89. Available at <u>http://www.nejm.org/doi/pdf/10.1056/NEJMc1204141</u>. Accessed 5/12/2016.

<sup>19</sup> Centers for Medicare & Medicaid Services. Fact sheets: Strengthening Medicare Advantage and Part D. 4 April 2016. Available at: <u>https://www.cms.gov/Newsroom/MediaReleaseDatabase/Fact-sheets/2016-Fact-sheets/2016-04-04.html</u>.

<sup>20</sup> 114<sup>th</sup> Congress (2015-2016). H.R.2463, Dispose Responsibly of your Pills Act of 2015 (DROP Act). DROP Act.

<sup>21</sup> Chou RI, Fanciullo GJ, Fine PG, et al; American Pain Society-American Academy of Pain Medicine Opioids Guidelines Panel. Clinical guidelines for the use of chronic opioid therapy in chronic noncancer pain. J Pain. 2009 Feb;10(2):113-30. doi: 10.1016/j.jpain.2008.10.008.

<sup>22</sup> Caraceni A, Hanks G, Kaasa S, et al for the European Palliative Care Research Collaborative (EPCRC), on behalf of the European Association for Palliative Care (EAPC). Use of opioid analgesics in the treatment of cancer pain: evidence-based recommendations from the EAPC. Lancet Oncol 2012;13:e58–68.

<sup>23</sup> Drug Enforcement Agency (DEA) Intelligence Report. National Heroin Threat Assessment Summary (Unclassified). DEA-DCT-DIR-039-15, April 2015. Available at

http://www.dea.gov/divisions/hq/2015/hq052215 National Heroin Threat Assessment Summary.pdf. Accessed 5/12/2016.

<sup>24</sup> Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration. Results from the 2014 National Survey on drug use and health: detailed tables. Available at: <u>http://www.samhsa.gov/data/sites/default/files/NSDUH-DetTabs2014/NSDUH-DetTabs2014.pdf</u>. Accessed 5/12/2016.

<sup>25</sup> Yokell MA, Delgado MK, Zaller ND, et al. Presentation of prescription and nonprescription opioid overdoses to US emergency departments. *JAMA Intern Med.* 2014;174(12):2034-2037. doi:10.1001/jamainternmed.2014.5413.



AND GYNECOLOGISTS

#### American Congress of Obstetricians and Gynecologists District VIII, Hawaii (Guam & American Samoa) Section

TO: Rep. Della Au Belatti, Chair Rep. Bertrand Kobayashi, Vice-Chair

DATE:	Thursday, March 16, 2017
TIME:	8:30 AM
PLACE:	Conference Room 329

FROM: Hawaii Section, ACOG Dr. Greigh Hirata, MD, FACOG, Chair Dr. Jennifer Salcedo, MD, MPH, MPP, FACOG, Vice-Chair Lauren Zirbel, Community and Government Relations

#### Re: SB 505 Relating to Health - Opioid Informed Consent

#### Position: Oppose

Dear Members,

While the Hawaii Section of the American Congress of Obstetricians and Gynecologists (HI ACOG) acknowledges the severe public health consequences of the current opioid epidemic and substance use disorders, we are unable to support SB 505 due to concerns of interference in the physician-patient relationship, patient confidentiality, and the potential for criminal liability for physicians who make errors in complying with the bill's requirements.

As currently written, we are concerned that placing this measure in Section 329 could expose physicians who make errors in adhering to the bill's requirements to criminal prosecution. Additionally, while we strongly support limiting the prescription of opioids and benzodiazepines to medically appropriate indications and durations of therapy, the overly prescriptive requirements in the bill present an interference in the physician-patient relationship that set a dangerous precedent. Further, the requirement to provide individual patient consents for opioid therapy to the Department of Health presents the concern for significant violation of patient confidentiality.

We appreciate the efforts to address this important health concern, and hope that the legislature will consider directing its efforts at clinician and patient education, increasing patient access to and insurance coverage of other pain management treatments, and increasing access to treatment for substance use disorders.

Thank you for the opportunity to testify.



From:mailinglist@capitol.hawaii.govSent:Thursday, March 16, 2017 7:51 AMTo:HLTtestimonyCc:dabitbol@chowproject.orgSubject:\*Submitted testimony for SB505 on Mar 16, 2017 08:30AM\*

#### <u>SB505</u>

Submitted on: 3/16/2017 Testimony for HLT on Mar 16, 2017 08:30AM in Conference Room 329

Submitted By	Organization	<b>Testifier Position</b>	Present at Hearing	
Heather Lusk	CHOW Project	Oppose	No	

Comments:

Please note that testimony submitted less than 24 hours prior to the hearing, improperly identified, or directed to the incorrect office, may not be posted online or distributed to the committee prior to the convening of the public hearing.

Do not reply to this email. This inbox is not monitored. For assistance please email webmaster@capitol.hawaii.gov