HOUSE OF REPRESENTATIVES THE TWENTY-NINTH LEGISLATURE **REGULAR SESSION OF 2018**

COMMITTEE ON HEALTH & HUMAN SERVICES

Rep. John M. Mizuno, Chair Rep. Bertrand Kobayashi, Vice Chair

Rep. Della Au Belatti Rep. Andria P.L. Tupola

Rep. Lei R. Learmont

NOTICE OF DECISION MAKING

DATE: Wednesday, March 21, 2018

TIME: 10:30 am

PLACE: Conference Room 329

State Capitol

415 South Beretania Street

AGENDA

The following measure(s) were previously heard on March 20, 2018.

SB 2567, SD2, HD1 (HSCR1189-18)

RELATING TO CESSPOOLS.

EEP, HHS, FIN

Status

Status

Establishes a Cesspool Upgrade Task Force within the Department of

Health to consider and recommend the means by which the

Department of Health can ensure that cesspools on properties that are within priority upgrade areas are upgraded within fifteen years.

(SB2567 HD1)

SB 2930, SD2, HD1 (HSCR1188-18)

RELATING TO UNDERGROUND STORAGE TANKS.

EEP, HHS, FIN

Requires the Department of Health to adopt rules on or before 10/13/2018 for underground storage tanks and tank systems that conform with, and are no less stringent than, the federal underground storage tank regulations effective as of 7/15/2015; provided that all field-constructed underground storage tanks with storage capacities greater than 50,000 gallons shall be required to upgrade with

secondary containment. (SB2930 HD1)

As this is a decision making meeting only, no public testimony will be accepted.

If you require special assistance or auxiliary aids and/or services to participate in the House public hearing process (i.e., sign or foreign language interpreter or wheelchair accessibility), please contact the Committee Clerk at 586-6050 or email your request for an interpreter to HouseInterpreter@Capitol.hawaii.gov at least 24 hours prior to the hearing for arrangements. Prompt requests submitted help to ensure the availability of qualified individuals and appropriate accommodations.

For further information, please call the Committee Clerk at 586-6050.

Rep. John M. Mizuno

Chair

