

American Cancer Society Cancer Action Network 2370 Nu`uanu Avenue Honolulu, Hawai`i 96817 808.432.9149 www.acscan.org

House Committee on Higher Education Representative Angus McKelvey, Chair Representative Mark Hashem, Vice Chair

### SB 2049, SD1 - RELATING TO CANCER RESEARCH

Cory Chun, Government Relations Director – Hawaii Pacific American Cancer Society Cancer Action Network

Thank you for the opportunity to provide testimony in support of SB 2049, SD1, which appropriates funds to the University of Hawaii Cancer Center to determine the cause of Hawaii's high incidence rate of liver cancer.

The American Cancer Society Cancer Action Network (ACS CAN) is the nation's leading cancer advocacy organization. ACS CAN works with federal, state, and local government bodies to support evidence-based policy and legislative solutions designed to eliminate cancer as a major health problem.

We recognize that cancer research is the engine behind our ongoing progress in the fight against cancer. Research offers hope to people who face cancer – for better treatments, for more opportunities to prevent and detect the disease early on, and for improved quality of life for those already diagnosed.

Thank you for the opportunity to provide testimony on this important issue.

Dear Senator Dela Cruz and the WAM committee,

My name is Wei Jia, I am a Professor and Associate Director of the University of Hawaii Cancer Center. I strongly support the SB No. 2049, which proposes a three-year study to determine why Hawaii has one of the highest rates of liver cancer in the country. The Bill 2049 intends to support research into whether liver fluke (parasitic worm) infection from eating under-cooked and contaminated foods such as fresh water fish, shrimp and raw watercress and ingesting aflatoxin produced by a fungus that grows on aged food contributes to the higher incidence of the disease.

Hawaii has had the highest or second highest rate of liver cancer in the US in recent years. The associations of liver fluke infection and aflatoxin ingestion with liver cancer have been well established, but these two key risk factors of liver cancer have NOT been systematically investigated in Hawaii. We need support from the WAM committee for conducting such an important study so that effective plans and measures can be developed for liver cancer prevention if any of these two factors are identified in Hawaii that cause liver cancer.

Thank you very much for your support,

Wei Jia

Attached is a detailed plan of this study proposed in SB2049.

### IDENTIFY RISK FACTORS FOR LIVER CANCER IN THE STATE OF HAWAI'I

Wei Jia, Ph.D., Professor, Cancer Epidemiology Program Jun Panee, Ph.D., Associate Professor University of Hawaii Cancer Center

### **BACKGROUND**

### High incidence of liver cancer in the State of Hawaiii

Liver cancer is a cancer that starts in the liver.<sup>1</sup> Hepatocellular carcinoma and intrahepatic cholangiocarcinoma (bile duct cancer) account for approximately 75% and 20% of all liver cancers, respectively.<sup>2</sup> The incidence rate of liver cancer in the State of Hawai'i was 9.6 per 100,000 during 2000-2005, which was the highest in the United States;<sup>3, 4</sup> and this rate increased to 11.3 per 100,000 during 2010-2014, which was the 2<sup>nd</sup> highest in the US. <sup>5</sup> Liver cancer in Hawai'i disproportionally affects Asians and Micronesians.<sup>3, 4</sup>

## Unclear risk factors for the high incidence of liver cancer in Hawai'i

Hepatitis B virus (HBV) and hepatitis C virus (HCV) infection and heavy alcohol consumption are the leading causes of liver cancer in the US.<sup>3, 6</sup> However, these factors are not associated with the high incidence of liver cancer in Hawai'i. For example, the incidences of HBV in Hawai'i have been *much* lower than the national average levels since 1995.<sup>7</sup> Although Hawaii had relatively high incidences of HCV between 1995-1998, the incidence rates have since fallen below or close to the national average levels.<sup>7</sup> Alcohol consumption in Hawaii is also close to the average level of the US. <sup>8, 9</sup> Therefore, the most significant risk factors for liver cancer in Hawai'i may be unique to the population, history, and natural environment of the State. This study aims to examine the associations of liver fluke infection and aflatoxin ingestion with liver cancer in Hawai'i.

### Liver fluke infection and liver cancer

Liver flukes are parasitic flatworms in the Trematoda class. The eggs of these parasites are secreted in the feces of infected hosts and hatched in fresh water, the metacercariae (encysted larva) can attach to the flesh of fish and shrimp, or to the surface of vegetables grown in water. Humans are infected after ingesting raw or under-cooked foods contaminated by the metacercariae. The infection is generally asymptomatic unless it is very heavy. Adult flukes live in the intrahepatic bile ducts for 20-30 years, where they can cause chronic inflammation and epithelial hyperplasia. The associations of liver fluke infection with both cholangiocarcinoma and hepatocellular carcinoma, the two major forms of liver cancer, have been well established.

### Historic liver fluke infection in Hawai'i

Liver flukes are primarily found in Asia (China, South Korea, Vietnam, Laos, and Thailand) and east Russia. The first liver fluke infection in Hawai'i was reported in 1892. Approximately 30% of the cattle slaughtered for the Honolulu market in 1902 had liver flukes. Between 1906 and 1953, at least 19 cases of liver fluke infection were found in humans during surgical operations or in other accidental ways, suggesting that the real prevalence of the infection might have been much higher. Around that time, the physicians speculated that the common habit of eating raw watercress in the Islands was probably the main source of human infection, since watercress might be irrigated with water contaminated with excreta of infected cattle or wild pigs which contained eggs of the parasites. A study conducted in 1955 examined 33 commercial watercress-growing areas in 4 of the larger islands, and liver flukes were found in 1 field, and 20 fields were considered as at risk for liver fluke contamination.

Unfortunately no data on liver flukes in Hawai'i are available after the 1950s. Since liver flukes can be hosted by a variety of wildlife that are abundant in Hawai'i, such as wild pigs, cats, and rats, it is likely that these parasites still persist in the islands. Hawai'i has been flourishing with fresh water aquaculture (fish, prawns and shrimp), and hydroponic and aquaponic farming, and the Asian population still love raw watercress and aqua products. The routes of liver fluke infection still exist in Hawaii, and there is an urgent need for a survey on liver fluke infection in Hawai'i.

### Aflatoxins and liver cancer

Due to their genotoxicity, aflatoxins are among the most potent hepatocarcinogens.<sup>24</sup> They are produced primarily by the fungi *Aspergillus flavus* and *A. parasiticus*, and regularly found in improperly stored staple commodities such as rice, wheat, corn, millet, sorghum, peanuts, cassava, sesame seeds, sunflower seeds, tree nuts, chili peppers, and a variety of spices. <sup>25</sup> About 4.5 billion people worldwide are exposed to dietary aflatoxins, <sup>26</sup> and the exposures are highest in tropical and subtropical regions where food storage conditions are suboptimal. <sup>26, 27</sup> Aflatoxin-producing *Aspergillus flavus* and *A. parasiticus* were found in Hawai'i in 1978, <sup>28</sup> and the year-round high humidity (70-75%)<sup>29, 30</sup> in the Islands permits the growth of these fungi. <sup>31</sup> However, no data were found in the literature regarding aflatoxin exposure of the residents in Hawai'i. This study will address this important need, and evaluate the prevalence of aflatoxin ingestion in the Hawai'i population.

### RESEARCH APPROACH

We *hypothesize* that asymptomatic liver fluke infection (which causes chronic inflammation) and aflatoxin ingestion from contaminated foods (which causes DNA mutation) may both contribute to the high incidence of liver cancer in the State of Hawai'i.

To test this hypothesis, we will accomplish the following three Specific Aims.

Specific Aim 1. To evaluate the prevalence of liver fluke infection and aflatoxin ingestion in the general population of the State of Hawai'i, and analyze their associations with origin of birth, ethnicity, socioeconomic status, and lifestyle.

### Study outline:

We will recruit 1,300 apparently healthy participants (aged 18 to 70 years) from the general population in the Honolulu County. These will include 1,000 Asians and Pacific Islanders, who are carcinoma known hiah incidences hepatocellular have of and intrahepatic cholangiocarcinoma.<sup>32</sup> We will also recruit 300 Caucasians, African Americans, and participants of other ethnicities. Their blood samples will be collected and screened for antigens of liver flukes, including Clonorchis sinensis, Opisthorchis viverrini, Opisthorchis felineus, and Fasciola gigantic. 33, 34 Among all aflatoxins, aflatoxin B1 is the most carcinogenic. 35 We will screen the blood samples for the presence of aflatoxin B1-albumin adduct, a commonly used biomarker for aflatoxin ingestion.<sup>36</sup> All blood screening will be conducted using commercially available assay kits. Ethnicity, origin of birth, socioeconomic status, dietary habit, lifestyle, and other relevant information will also be collected from the participants using standardized or custom-designed questionnaires. The prevalence of liver fluke infection and aflatoxin ingestion will be calculated in the general population as well as in individual ethnic groups, and the associations of the prevalence with participant characteristics will be analyzed using logistic regression.

### Expected outcome:

We expect that a portion of the participants will be found seropositive for liver fluke antigen and/or aflatoxin B1-albumin adduct (this portion might be greater enough to alarm all of us), and both prevalences may be associated with origin of birth, ethnicity, lifestyle, and socioeconomic status.

Specific Aim 2. To assess the prevalence of liver fluke infection and aflatoxin ingestion in liver cancer patients who reside in the State of Hawai'i, and to compare the prevalence with those obtained from the general population of the State.

### Study outline:

We will collaborate with physicians in the local hospitals to recruit 130 patients diagnosed with liver cancer, and their blood will be collected for the screening of liver fluke antigens and aflatoxin B1-albumin adduct. The prevalences will be compared with those of the general population obtained under Specific Aim 1 using Analysis of covariance(ANCOVA).

### Expected outcome:

We expect that the prevalences of both liver fluke infection and aflatoxin ingestion will be higher among liver cancer patients than the general population, suggesting that liver fluke infection and aflatoxin ingestion are likely to be risk factors for liver cancer in the population of Hawai'i.

Specific Aim 3. To examine the prevalence of intrahepatic bile duct dilatation in liver tissues collected from liver cancer patients during hepatectomy, and to compare the values of patients with live fluke infection against those without liver fluke infection. *Study outline*:

Since adult liver flukes reside in the bile ducts, bile duct dilatation is a hallmark of liver fluke infection-associated liver cancer. We will collaborate with surgeons in the local hospitals to collect liver tissues from 30 liver cancer patients, with 15 seropositive and 15 seronegative for liver fluke antigens. The tissues will be fixed with formaldehyde and stained with Hematoxylin and Eosin. The histological and pathological examinations will be carried out in collaboration with pathologists in local hospitals. We will also try to use liver fluke antigen immunostaining to directly detect the presence of liver flukes and/or their eggs in the liver tissues of the infected patients.

### Expected outcome:

We anticipate that intrahepatic bile duct dilatation will be more common in the liver tissues collected from liver fluke-infected patients than those from liver fluke-naïve patients. This result proves that liver fluke infection has a direct role in the pathogenesis of liver cancer in patients reside in the State of Hawaii.

### **PROJECT TIMELINE**

This project will be completed in 3 years, as shown in the Table below.

Number	Year 1	Year 2	Year 3	Total
Participants from	300	500	500	1,300
general population				
Liver cancer patients	30	50	50	130
Liver tissue	6	12	12	30

### **BUDGET AND BUDGET JUSTIFICATION**

We request \$1,000,000 direct cost over the period of 3 years, and the annual budget request is listed below:

	Year 1	Year 2	Year 3	Total
Direct cost	\$340,000	\$380,000	\$380,000	\$ 1,100,000

The itemized budget for Year 1 is as follows:

- \$160,000 for personnel (Dr. Wei Jia, 0.05 FTE; Dr. Jun Panee, 0.3 FTE; Research Coordinators, 1.5 FTE)
- \$30,000 for recruitment advertisement (flyers, websites, radio and television)

- \$30,000 for participant incentives and other participant-related costs
- \$90,000 for laboratory assays and supplies
- \$10,000 for consultation fee (consultation with pathologists and other medical experts)
- \$10,000 for services (phlebotomists and interpreters)
- \$3,500 for conference travel (registration, airfare, and lodge)
- \$6,500 other miscellaneous expenses

The budget increases in Year 2 and Year 3 reflect increased number of participants, salary increase, and price inflation for supplies.

### **DELIVERABLES**

Through this funded research, we expect to achieve the following goals,

- (1) Complete a survey on liver fluke infection in Hawaii;
- (2) Determine if liver fluke infection represents a significant risk or a causal factor of liver cancer in Hawaii:
- (3) Evaluate the status of aflatoxin ingestion in the Hawai'i population, and determine if it contributes to high prevalence of liver cancer in Hawaii.
- (4) Based on the findings in the study, propose strategies/approaches for liver cancer prevention in Hawaii.

### **REFERENCES CITED**

- 1. Liver Cancer. Centers for Disease Control and Prevention; [cited 2017 July 13]; Available from: <a href="https://www.cdc.gov/cancer/liver/index.htm">https://www.cdc.gov/cancer/liver/index.htm</a>.
- 2. Types of liver cancer. Cancer Treatment Centers of America; [cited 2017 July 13]; Available from: http://www.cancercenter.com/liver-cancer/types.
- 3. Hawaii Cancer Facts & Figures 2010. University of Hawaii Cancer Center; 2010 [cited 2017 July 13]; Available from: <a href="http://www.uhcancercenter.org/pdf/hcff-pub-2010.pdf">http://www.uhcancercenter.org/pdf/hcff-pub-2010.pdf</a>.
- 4. Hernandez BY, Green MD, Cassel KD, Pobutsky AM, Vu V, Wilkens LR. Preview of Hawaii Cancer Facts and Figures 2010. Hawaii medical journal. 2010 Sep;69(9):223-4.
- 2010-2014 Cancer Types Grouped by State and Region. Centers for Disease Control and Prevention; [cited 2017 July 13]; Available from: https://nccd.cdc.gov/uscs/cancersbystateandregion.aspx.
- 6. Ward J. Liver Cancer Death Rate Increasing Faster Than All Other Cancers; Implementation of Viral Hepatitis Action Plan Urgently Needed. 2016; Available from: <a href="https://www.hiv.gov/blog/liver-cancer-death-rate-increasing-faster-than-all-other-cancers-implementation-of-viral-hepatitis-action-plan-urgently-needed">https://www.hiv.gov/blog/liver-cancer-death-rate-increasing-faster-than-all-other-cancers-implementation-of-viral-hepatitis-action-plan-urgently-needed</a>.
- 7. Viral Hepatitis Statistics and Surveillance. Centers for Disease Control and Prevention; [cited 2017 July 13]; Available from: <a href="https://www.cdc.gov/hepatitis/statistics/index.htm">https://www.cdc.gov/hepatitis/statistics/index.htm</a>.
- Alcohol consumption per capita from all beverages in the U.S. in 2015, by state (in gallons of ethanol). Statista; [cited 2017 July 13]; Available from:
   <a href="https://www.statista.com/statistics/442848/per-capita-alcohol-consumption-of-all-beverages-in-the-us-by-state/">https://www.statista.com/statistics/442848/per-capita-alcohol-consumption-of-all-beverages-in-the-us-by-state/</a>.
- 9. Alcohol Consumption among Women for 2015. Centers for Disease Control and Prevention; [cited 2017 July 13]; Available from: <a href="https://www.cdc.gov/ncbddd/fasd/monitor-table.html">https://www.cdc.gov/ncbddd/fasd/monitor-table.html</a>.
- 10. Lim JH. Liver flukes: the malady neglected. Korean journal of radiology. 2011 May-Jun;12(3):269-79.
- 11. Bhamarapravati N, Virranuvatti V. Liver diseases in Thailand. An analysis of liver biopsies. The American journal of gastroenterology. 1966 Apr;45(4):267-75.
- 12. Watanapa P, Watanapa WB. Liver fluke-associated cholangiocarcinoma. The British journal of surgery. 2002 Aug;89(8):962-70.
- 13. Haswell-Elkins MR, Satarug S, Tsuda M, et al. Liver fluke infection and cholangiocarcinoma: model of endogenous nitric oxide and extragastric nitrosation in human carcinogenesis. Mutation research. 1994 Mar 01;305(2):241-52.
- 14. Elkins DB, Mairiang E, Sithithaworn P, et al. Cross-sectional patterns of hepatobiliary abnormalities and possible precursor conditions of cholangiocarcinoma associated with Opisthorchis viverrini infection in humans. The American journal of tropical medicine and hygiene. 1996 Sep;55(3):295-301.
- 15. Haswell-Elkins MR, Mairiang E, Mairiang P, et al. Cross-sectional study of Opisthorchis viverrini infection and cholangiocarcinoma in communities within a high-risk area in northeast Thailand. International journal of cancer. 1994 Nov 15;59(4):505-9.
- 16. Sithithaworn P, Haswell-Elkins MR, Mairiang P, et al. Parasite-associated morbidity: liver fluke infection and bile duct cancer in northeast Thailand. International journal for parasitology. 1994 Sep;24(6):833-43.
- 17. Kurathong S, Lerdverasirikul P, Wongpaitoon V, et al. Opisthorchis viverrini infection and cholangiocarcinoma. A prospective, case-controlled study. Gastroenterology. 1985 Jul;89(1):151-6.
- 18. Elkins DB, Haswell-Elkins MR, Mairiang E, et al. A high frequency of hepatobiliary disease and suspected cholangiocarcinoma associated with heavy Opisthorchis viverrini infection in a small

- community in north-east Thailand. Transactions of the Royal Society of Tropical Medicine and Hygiene. 1990 Sep-Oct;84(5):715-9.
- 19. Xia J, Jiang SC, Peng HJ. Association between Liver Fluke Infection and Hepatobiliary Pathological Changes: A Systematic Review and Meta-Analysis. PloS one. 2015;10(7):e0132673.
- 20. Lutz A. Zur Lebensgeschichte des Distoma hepaticum. Centbi f Bakt u Parasitol. 1892;11:783-96.
- 21. Smith JG, Van Dine DL. The common liver fluke in Hawaii (Distoma hepaticum): Honolulu: Hawaii Agricultural Experiment Station; 1905.
- 22. Alicata JE, Bonnet DD. A study of watercress areas in Hawaii as a possible source of human infection with the common liver fluke of cattle: Honolulu: Hawaii Agricultural Experiment Station, University of Hawaii; 1955.
- 23. Clonorchiasis Chinese or Oriental Liver Fluke Disease. 2001; Available from: https://web.stanford.edu/class/humbio103/ParaSites2001/clonorch/ClonorchiasisWebsite.html.
- 24. Eaton DL, Gallagher EP. Mechanisms of aflatoxin carcinogenesis. Annu Rev Pharmacol Toxicol. 1994;34:135-72.
- 25. Fratamico PM, Bhunia AK, Smith JL. Foodborne Pathogens: Microbiology and Molecular Biology. Norwich, England: Caister Academic Press; 2005.
- 26. Williams JH, Phillips TD, Jolly PE, Stiles JK, Jolly CM, Aggarwal D. Human aflatoxicosis in developing countries: a review of toxicology, exposure, potential health consequences, and interventions. Am J Clin Nutr. 2004 Nov;80(5):1106-22.
- 27. Strosnider H, Azziz-Baumgartner E, Banziger M, et al. Workgroup report: public health strategies for reducing aflatoxin exposure in developing countries. Environ Health Perspect. 2006 Dec;114(12):1898-903.
- 28. Ooka JJ, Zuber MS. Aflatoxin-Producing Aspergillus flavus in Hawaii. Plant Dis. 1980;64:550-1.
- 29. Average humidity in Honolulu. World Weather and Climate Information; [cited 2017 July 13]; Available from: <a href="https://weather-and-climate.com/average-monthly-Humidity-perc,Honolulu,Hawaii">https://weather-and-climate.com/average-monthly-Humidity-perc,Honolulu,Hawaii</a>.
- 30. Monthly Humidity Averages for Hawaii. Current Results-weather and science facts; [cited 2017 July 13]; Available from: <a href="https://www.currentresults.com/Weather/Hawaii/humidity-by-month.php">https://www.currentresults.com/Weather/Hawaii/humidity-by-month.php</a>.
- 31. Pratiwi C, Rahayu WP, Lioe HN, Herawati D, Broto W, Ambarwati S. The effect of temperature and relative humidity for Aspergillus avus BIO 2237 growth and a atoxin production on soybeans. International Food Research Journal. 2015;22:82-7.
- 32. Altekruse SF, Petrick JL, Rolin AI, et al. Geographic variation of intrahepatic cholangiocarcinoma, extrahepatic cholangiocarcinoma, and hepatocellular carcinoma in the United States. PLoS One. 2015;10(3):e0120574.
- 33. Furst T, Keiser J, Utzinger J. Global burden of human food-borne trematodiasis: a systematic review and meta-analysis. Lancet Infect Dis. 2012 Mar;12(3):210-21.
- 34. E. AJ, Swanson LE. Fasciola gigantica, a liver fluke of cattle in Hawaii, and the snail, Fossaria ollula, its important intermediate host. Journal of Parasitology. 1937;23:106-7.
- 35. Sengstag C, Weibel B, Fasullo M. Genotoxicity of aflatoxin B1: evidence for a recombination-mediated mechanism in Saccharomyces cerevisiae. Cancer Res. 1996 Dec 01;56(23):5457-65.
- 36. Wild CP, Hasegawa R, Barraud L, et al. Aflatoxin-albumin adducts: a basis for comparative carcinogenesis between animals and humans. Cancer Epidemiol Biomarkers Prev. 1996 Mar;5(3):179-89.

# SB-2049-SD-1

Submitted on: 3/10/2018 10:26:57 AM

Testimony for HED on 3/13/2018 2:00:00 PM

Submitted By	Organization	Testifier Position	Present at Hearing
Lucien Wong	Individual	Support	Yes

### Comments:

To determine why Hawaii has the highest rate of liver/bile duct cancer (see below) in the country, SB2049 would provide funding to UHCC for this specific research. The funds would be expended for local jobs, mostly scientists, at the UHCC one of the top cancer research centers in the US, and could save lives as liver/bile duct cancer is almost always fatal.

For the reasons stated I ask that you pass SB2049.

Mahalo

Lucien Wong

1007 Koko Uka Place

Honolulu HI 96825

## Why the highest rate of liver cancer in the country?

Dr. Wei Jia at the UHCC said "According to The U.S. Center for Disease Control (CDC) and the University of Hawai'i Cancer Center, in recent years Hawai'i has had the highest or second highest rate of liver cancer in the country.

Every year in Hawaii there are 184 newly diagnosed cases of liver including bile duct cancer diagnosed according to the Hawaii Tumor Registry. And from 2004 to 2013, for which the data is available, this cancer increased 2.1% for males and 1.3% for females each year while the incidence for many other cancers such as colon, lung, stomach and prostrate declined. There are currently aboutand b 1,000 patients in Hawaii fighting liver

ile duct cancer which are almost always fatal." The causes of this high incidence of cancer are not yet known.

### Are Liver Flukes one of the reasons?

Liver flukes are are one of the main causes of liver/bile duct cancer in various parts of tropical Far East. This has been well researched and widely reported (e.g. <a href="https://www.smithsonianmag.com/science-nature/how-a-liver-fluke-causes-cancer-18173277/">https://www.smithsonianmag.com/science-nature/how-a-liver-fluke-causes-cancer-18173277/</a>).

Research shows that the most common way to get a liver fluke infection is by eating uncooked fresh water fish or watercress. "A liver fluke is a parasitic worm. Infections in humans usually occur after eating contaminated raw or undercooked freshwater fish or watercress. After liver flukes have been ingested, they travel from your intestines to your bile ducts in your liver where they then live and grow." <a href="https://www.healthline.com/health/liver-fluke">https://www.healthline.com/health/liver-fluke</a>

### Are There Liver Flukes in Hawaii?

A UH research study entitled *Parasite Infections of Man and Animals in Hawaii* by Joseph E. Alicata a professor at the Hawaii Agricultural Experiment Station, College of Tropical Agriculture, University of Hawaii, November 1964, clearly shows that liver flukes are relatively common in Hawaii found in various animals and snails in and near fresh water habitats such as streams, ponds and wet soil. <a href="https://www.ctahr.hawaii.edu/oc/freepubs/pdf/tb-61.pdf">https://www.ctahr.hawaii.edu/oc/freepubs/pdf/tb-61.pdf</a>

According to one report: "There are twelve watercress farms in Oahu, each growing a different variety of watercress, but all twelve are in the vicinity of the Pearl Harbor Spring (the rest around Pearl City and Waipahu).'

http://hawaiiindependent.net/story/sumida-farms-embraces-the-past-and-future-of-agriculture-in-hawaii

Research should be done at the UH Cancer Center immediately to determine whether residents of Hawaii are at risk of liver/bile duct cancer by eating uncooked watercress which may be infected with liver flukes. There are other possible causes such as eating foods with aflatoxins, produced by a fungus abundant in warm and humid regions, that can grow on foods such as grains e.g. rice and nuts that have been stored improperly. This too should be researched by UHCC.

# SB-2049-SD-1

Submitted on: 3/10/2018 4:54:45 PM

Testimony for HED on 3/13/2018 2:00:00 PM

Submitted By	Organization	Testifier Position	Present at Hearing
JOHN KNOX	Individual	Support	No

### Comments:

Aloha Chair McKelvey, Vice Chair Hashem, and Committee Members --

I am John Knox, a Waimanalo resident and a senior citizen who is now going through the stage of life where I see many old friends and acquaintances developing the conditions that will ultimately take us away. Few of the options look attractive, but cancer is clearly one of the worst. The fact that Hawai'i has the nation's highest incidence of liver and bile duct cancer should make us sit up and take notice -- and try to find out why. Therefore, I write in strong support of SB2049, SD1, and urge you to provide the appropriate research funding. Mahalo!

-- J.M. Knox, 41-858 Laumilo St., Waimanalo HI 96795, mobile 808-342-3749

<u>SB-2049-SD-1</u> Submitted on: 3/12/2018 1:56:04 PM

Testimony for HED on 3/13/2018 2:00:00 PM

Submitted By	Organization	Testifier Position	Present at Hearing
Melodie Aduja	OCC Legislative Priorities Committee, Democratic Party of Hawai'i	Support	No

Comments:

<u>SB-2049-SD-1</u> Submitted on: 3/12/2018 8:02:51 AM

Testimony for HED on 3/13/2018 2:00:00 PM

Submitted By	Organization	Testifier Position	Present at Hearing
Rebeca Zamora	Individual	Support	No

Comments:

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Alberto Bodriguez Cruz Print Name

Ewa Beach, Hawaii 96 706
City Zip Code

alberto, rodriguez 740 quailo com Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

Justina	Clanton	
Print Name	+	
Millani	, Hawaii	96789
City	-	Zip Code
justinak(	Ohawaii.edu	
Email Addre	SS	

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

Chelsea Conrac Print Name	<u>us</u>
<u>Honolulu</u> , Hawaii City	NG GZZ Zip Code
cjeg@hawaij.edu Emall Address	

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

Meldrick	Rovida	
Print Name	, , , , , , , , , , , , , , , , , , , ,	
Hondylu	, Hawaii	9/00/0
City		Zip Code
— meidri	ck@hav	vari edu
Email Address		

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

 $\frac{1}{2}$ , Hawaii  $\frac{9682 - 13}{2}$ 

albertto Chavaii. edu.

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Honx Julu . Hawai

Zip Code

- lauren/c@hawaii-edu

Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

tonolulu . Hawai

Zip Code

Thomas by howaii.edu

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Brien Haun Print Name

Honolulu, Hawaii 96822 City Zip Code

- bhan@hawaii.edn Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

lowluh , Hawaii

Zip Code

Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Gwen Navarete Klappenich Print Name

Ewa Beach, Hawaii 96706

Zip Code

<u>— Gnklapp@ortlook.com</u> Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Eleanove Chuang Print Name

Honolulu, Hawaii 96848
City Zip Code

Email Address ejemarathon@yahoo.com

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Honolyly, Hawaii 7818

City Zip Code

**Email Address** 

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

Molin Mu		
Print Name		
Honolulu,	Hawaii	96812
City		Zip Code
molinmo@hau	vali-ce	du
Email Address		

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

HNN NGO Print Name

Honolulu, Hawaii 96826
City Zip Code

Annayo Varraii. rdu

Email Address

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Constance Perry Print Name Horolulu, Hawaii 968

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Teleisia Tuipulotu

Humia, Hawaii

Zip Code

City

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Ashley Van Allen
Print Name

Honolulu, Hawaii a6822

City Zip Code

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Femble (UM)
Print Name

HONOLUL , Hawaii 96/16
City Zip Code

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Hopolulo, Hawaii 96813
City Zip Code

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Africa Pasare

Print Name

Walliam, Hawaii 96786

Zip Code

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Tiffany M. Marquez Print Name

Waiange, Hawaii 94792
Zip Code

I am writing in support of SB2049, which would appropriate \$340,000 for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

<u>Jacqueline</u> Print Name	Dy		
<u>Kapdei</u>	, Hawaii	96707 Zip Code	

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Litue, Hawaii

City

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Kalaher, Hawaii

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer. including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

nt Name

Koloa, Hawaii

Zin Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Kahai HosaKa
Print Name

KeKaha, Hawaii 96752

City Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Wrimen, Hawaii 96796

City Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Nick Panaugahan
Print Name

Eleck, Hawaii 967/6
City Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Uri Martos	
Print Name	
Lawai , Hawaii	96765
City	Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Hangye, Hawaii

City

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name/

Hawaii

ty Zip Coo

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Davlene Muyatka Print Name Klikala, Hawaii 96762 Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

James, Hawaii

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Little, Hawaii

Tip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Ralave, Hawaii

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Kalaheo, Hawaii 96741
City Zin Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

Hawaii

ity Zip Coo

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer, including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

Print Name

, Hawaii

Zip Code

I am writing in support of SB2049, SD1 which would appropriate funds for the University of Hawai'i Cancer Center to determine the reasons that Hawai'i has the highest incidence of liver and bile duct cancer in the country.

According to the American Cancer Society's Cancer Facts and Figures 2018, an estimated 180 Hawaii residents will die from liver cancer this year. This bill would specifically allow the Hawai'i Cancer Center to examine risk factors tied to liver cancer. including liver fluke infection, aflatoxin ingestion, and intrahepatic bile duct dilation in the general population and liver cancer patients in Hawai'i, and examine any associations with participant characteristics, such as ethnicity. This research will allow further clarity on whether the state's high rates of liver cancer are due to hepatitis B virus, hepatitis C virus, and heavy alcohol consumption or the other risk factors listed above.

I urge you to support SB2049, SD1 as it would appropriate funding to support scientific research on liver cancer and help to provide further information as to the reasons why Hawai'i has the highest incidence of liver and bile duct cancer in the country.

City, Hawaii 96766
Zip Code