A BILL FOR AN ACT

RELATING TO THE UNIFORM CONTROLLED SUBSTANCES ACT.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

SECTION 1. Section 329-14, Hawaii Revised Statutes, is 1 2 amended as follows: 3 1. By amending subsection (b) to read: 4 "(b) Any of the following opiates, including their 5 isomers, esters, ethers, salts, and salts of isomers, esters, 6 and ethers, unless specifically excepted, whenever the existence of these isomers, esters, ethers, and salts is possible within 7 8 the specific chemical designation: 9 (1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-10 phenethyl) -4-piperidinyl] -N-phenylacetamide); 11 Acetylmethadol; (2) 12 (3) Allylprodine; Alphacetylmethadol (except levo-alphacetylmethadol, 13 (4)14 levomethadyl acetate, or LAAM); 15 (5) Alphameprodine; 16 (6) Alphamethadol;

```
1
         (7)
               Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-
2
               phenyl)ethyl-4-piperidyl] propionanilide; 1-(1-methyl-
3
               2-phenylethyl)-4-(N-propanilido) piperidine);
4
         (8)
               Alpha-methylthiofentanyl (N-[1-methyl-2-(2-
5
               thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
6
         (9)
               Benzethidine;
7
        (10)
              Betacetylmethadol;
8
               Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-phenethyl)-4-
        (11)
9
               piperidinyl] -N-phenylpropanamide);
10
               Beta-hydroxy-3-methylfentanyl (N-[1-(2-hydroxy-2-
        (12)
11
               phenethyl)-3-methyl-4-piperidinyl]-N-
12
               phenylpropanamide);
13
        (13)
              Betameprodine;
14
        (14)
              Betamethadol;
15
        (15)
               Betaprodine;
16
        (16)
              Clonitazene;
17
        (17)
              Dextromoramide;
18
        (18)
              Diampromide;
19
        (19)
               Diethylthiambutene;
20
        (20)
              Difenoxin;
21
        (21)
               Dimenoxadol;
```

```
1
        (22)
               Dimepheptanol;
 2
         (23)
               Dimethylthiambutene;
 3
        (24)
               Dioxaphetyl butyrate;
 4
        (25)
               Dipipanone;
 5
         (26)
               Ethylmethylthiambutene;
 6
        (27)
               Etonitazene;
 7
        (28)
               Etoxeridine;
8
        (29)
               Furethidine;
9
        (30)
               Hydroxypethidine;
10
        (31)
               Ketobemidone;
11
        (32)
               Levomoramide;
12
        (33)
               Levophenacylmorphan;
13
        (34)
               3-Methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-4-
14
               piperidyl] -N-phenylpropanamide);
15
         (35)
               3-methylthiofentanyl (N-[3-methyl-1-(2-thienyl)ethyl-
16
               4-piperidinyl] -N-phenylpropanamide);
17
        (36)
               Morpheridine;
18
        (37)
               MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
19
        (38)
               Noracymethadol;
20
        (39)
               Norlevorphanol;
21
        (40)
               Normethadone;
```

```
1
        (41)
              Norpipanone;
2
              Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-
        (42)
3
              phenethyl)-4-piperidinyl] propanamide;
4
        (43)
              PEPAP (1-(-2-phenethyl)-4-phenyl-4-acetoxypiperidine;
5
              Phenadoxone;
        (44)
6
        (45)
              Phenampromide;
7
              Phenomorphan;
        (46)
8
        (47)
              Phenoperidine;
9
        (48)
             Piritramide;
10
        (49)
              Proheptazine;
11
        (50)
             Properidine;
12
        (51)
              Propiram;
13
        (52)
              Racemoramide;
14
              Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-
        (53)
15
              piperidinyl] -propanamide);
16
        (54)
              Tilidine;
17
        (55)
              Trimeperidine;
18
              N-[1-benzyl-4-piperidyl]-N-phenylpropanamide
        (56)
19
               (benzylfentanyl), its optical isomers, salts, and
20
              salts of isomers;
```

```
1
        (57)
             N-[1-(2-thienyl)methyl-4-piperidyl]-N-
2
              phenylpropanamide (thenylfentanyl), its optical
3
              isomers, salts, and salts of isomers;
              N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide,
4
        (58)
5
              (acetyl fentanyl), its optical, positional, and
6
              geometric isomers, salts, and salts of isomers;
7
              AH-7921 (3,4-dichloro-N-[(1-dimethylamino)
        (59)
              cyclohexylmethyl]benzamide), its isomers, esters,
8
9
              ethers, salts, and salts of isomers, esters, and
10
              ethers;
11
              N-(1-phenethylpiperidin-4-yl)-N-phenylbutyramide, its
        (60)
              isomers, esters, ethers, salts, and salts of isomers,
12
13
              esters, and ethers (Other names: Butyryl fentanyl);
14
              N-[1-[2-hydroxy-2-(thiophen-2-yl)ethyl]piperidin-4-
        (61)
15
              yl]-N-phenylpropionamide, its isomers, esters, ethers,
16
              salts and salts of isomers, esters, and ethers (Other
17
              names: beta-hydroxythiofentanyl);
18
              N-(1-phenthylpiperidin-4-y1)-N-phenylfuran-2-
        (62)
19
              carboxamide, its isomers, esters, ethers, salts, and
              salts of isomers, esters, and ethers (Other names:
20
21
              Furanyl fentanyl);
```

```
1
              3,4-dicholoro-N-[2-(dimethylamino)cyclohexyl]-N-
        (63)
2
              methylbenzamide, its isomers, esters, ethers, salts,
              and salts of isomers, esters, and ethers (Other names:
3
4
              U-47700);
5
        (64)
              4-fluoroisobutyryl fentanyl or para-fluoroisobutyryl
6
              fentanyl [N-(4-fluorophenyl)-N-(1-phenethylpiperidin-
7
              4-yl)isobutyramide];
8
        (65)
              Acryl fentanyl or acryloylfentanyl [N-(1-
9
              phenethylpiperidin-4-yl)-N-phenylacrylamide];
10
        (66)
              Ocfentanil [N-(2-fluorophenyl)-2-methoxy-N-(1-
11
              phenethylpiperidin-4-yl)acetamide];
12
        (67)
              Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
13
              phenylcyclopropanecarboxamide;
14
        (68)
              Methoxyacetyl fentanyl (2-methoxy-N-(1-
15
              phenethylpiperidin-4-yl)-N-phenylacetamide);
16
        (69)
              Ortho-fluorofentanyl (N-(2-fluorophenyl)-N-(1-
17
              phenethylpiperidin-4-yl)propionamide) (Other name: 2-
18
              fluorofentanyl); [and]
19
              Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-N-(1-
        (70)
20
              phenethylpiperidin-4-yl)butyramide) [-];
```

```
N-(1-(2-fluorophenethyl)piperidin-4-yl)-N-(2-
 1
        (71)
 2
              fluorophenyl) propionamide (2'-fluoro ortho-
 3
              fluorofentanyl; 2'-fluoro 2-fluorofentanyl);
 4
        (72)
              N-(1-(4-methylphenethyl)piperidin-4-yl)-N-
 5
              phenylacetamide(4'-methyl acetyl fentanyl);
 6
        (73)
              N-(1-phenethylpiperidin-4-yl)-N,3-diphenylpropanamide
 7
              (\beta'-phenyl fentanyl; beta'-Phenyl fentanyl; 3-
8
              phenylpropanoyl fentanyl);
9
              N-phenyl-N-(1-(2-phenylpropyl)piperidin-4-
        (74)
10
              yl) propionamide \beta-methyl fentanyl);
11
              N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-
        (75)
12
              yl)butyramide(ortho-fluorobutyryl fentanyl; 2-
13
              fluorobutyryl fentanyl);
14
        (76)
              N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-
15
              yl)acetamide(ortho-methyl acetylfentanyl; 2-methyl
16
              acetylfentanyl);
17
        (77) 2-methoxy-N-(2-methylphenyl)-N-(1-phenethylpiperidin-
18
              4-yl)acetamide (ortho-methyl methoxyacetylfentanyl; 2-
19
              methyl methoxyacetyl fentanyl);
```

```
1
              N-(4-methylphenyl)-N-(1-phenethylpiperidin-4-
        (78)
2
              yl)propionamide (para-methylfentanyl; 4-
3
              methylfentanyl);
4
        (79)
              N-(1-phenethylpiperidin-4-yl)-N-phenylbenzamide
5
              (phenyl fentanyl; benzoyl fentanyl);
6
              N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-
        (80)
7
              carboxamide (thiofuranyl fentanyl); 2-thiofuranyl
8
              fentanyl; thiophene fentanyl;
9
              Ethyl (1-phenethylpiperidin-4-yl)(phenyl)carbamate
        (81)
10
              (fentanyl carbamate);
        (82) N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-
11
12
              yl)acrylamide(ortho-fluoroacryl fentanyl);
13
              N-(2-fluorophenyl)-N-(1-phenethylpiperidin-4-
        (83)
14
              yl)isobutyramide (ortho-fluoroisobutyryl fentanyl);
15
              and
16
        (84) N-(4-fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-
17
              2-carboxamide (para-fluoro furanyl fentanyl)."
         2. By amending subsections (f) and (q) to read:
18
               Stimulants. Unless specifically excepted or unless
19
         "(f)
20
    listed in another schedule, any material, compound, mixture, or
    preparation which contains any quantity of the following
21
```

```
1
    substances having a stimulant effect on the central nervous
2
    system, including its salts, somers, and salts of isomers:
3
         (1)
              Aminorex;
4
         (2)
             Cathinone;
              Fenethylline;
5
         (3)
6
         (4)
              Methcathinone;
7
         (5)
              N-ethylamphetamine;
8
         (6)
              4-methylaminorex;
9
         (7)
              N, N-dimethylamphetamine; [and]
              Substituted cathinones, any compound, except bupropion
10
         (8)
11
              or compounds listed under a different schedule,
12
              structurally derived from 2-aminopropan-1-one by
13
              substitution at the 1-position with either phenyl,
14
              naphthyl, or thiophene ring systems, whether or not
15
              the compound is further modified in any of the
16
              following ways:
17
                   By substitution in the ring system to any extent
              (A)
18
                   with alkyl, alkylenedioxy, alkoxy, haloalkyl,
19
                   hydroxyl, or halide substituents, whether or not
20
                   further substituted in the ring system by one or
21
                   more other univalent substituents;
```

1	(B) By substitution at the 3-position with an acyclic
2	alkyl substituent; or
3	(C) By substitution at the 2-amino nitrogen atom with
4	alkyl, dialkyl, benzyl, or methoxybenzyl groups,
5	or by inclusion of the 2-amino nitrogen atom in a
6	cyclic structure.
7	Some other trade names: Mephedrone (2-methylamino-1-p-
8	tolylpropan-1-one), also known as 4-
9	methylmethcathinone (4-MMC), methylephedrone or MMCAT;
10	Methylenedioxypyrovalerone (MDPV, MDPK); methylone or
11	3,4-methylenedioxymethcathinone; and 1-
12	(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-one,
13	monohydrochloride, also known as Ethylone, bk-MDEA
14	hydrochloride, MDEC; 3,4-Methylenedioxy-N-
15	ethylcathinone; bk-Methylenedioxyethylamphetamine, 4-
16	methyl-N-ethylcathinone (4-MEC); 4-methyl-alpha-
17	pyrrolidinopropiophenone (4-MePPP); alpha-
18	pyrrolidinopentiophenone ([alpha]-PVP); 1-(1,3-
19	benzodioxol-5-yl)-2-(methylamino)butan-1-one
20	(butylone, bk-MBDB e); 2-(methylamino)-1-phenylpentan-
21	1-one (pentedrone); 1-(1,3-benzodioxol-5-yl)-2-

1		(methylamino)pentan-1-one (pentylone, bk-MBDP); 4-
2		fluoro-N-methylcathinone (4-FMC, flephedrone); 3-
3		fluoro-N-methylcathinone (3-FMC); 1-(naphthalen-2-yl)
4		2-(pyrrolidin-1-yl)pentan-1-one (naphyrone); alpha-
5		pyrrolidinobutiophenone ([alpha]-PBP) and their
6		optical, positional, and geometric isomers, salts and
7		salts of isomers, whenever the existence of such
8		salts, isomers, and salts of isomers is possible $[\div]$:
9	(9)	4,4'-dimethylaminorex (common name: 4,4'-DMAR)
10		including its salts, isomers, and salts of isomers;
11		and
12	(10)	1-(4-methoxyphenyl)-N-methylpropan-2-amine (para-
13		methoxymethamphetamine, PMMA), including its salts,
14		isomers, and salts of isomers whenever the existence
15		of such salts, isomers, and salts of isomers is
16		possible within the specific chemical designation.
17	(g)	Any of the following cannabinoids, their salts,
18	isomers,	and salts of isomers, unless specifically excepted,
19	whenever	the existence of these salts, isomers, and salts of
20	isomers i	s possible within the specific chemical designation:

1	(1)	retranydrocannabinois; meaning tetranydrocannabinois
2		naturally contained in a plant of the genus Cannabis
3		(cannabis plant), as well as synthetic equivalents of
4		the substances contained in the plant, or in the
5		resinous extractives of Cannabis, sp. or synthetic
6		substances, derivatives, and their isomers with
7		similar chemical structure and pharmacological
8		activity to those substances contained in the plant,
9		such as the following: Delta 1 cis or trans
10		tetrahydrocannabinol, and their optical isomers; Delta
11		6 cis or trans tetrahydrocannabinol, and their optical
12		isomers; and Delta 3,4 cis or trans-
13		tetrahydrocannabinol, and its optical isomers (since
14		nomenclature of these substances is not
15		internationally standardized, compounds of these
16		structures, regardless of numerical designation of
17		atomic positions, are covered);
18	(2)	Naphthoylindoles; meaning any compound containing a 3-
19		(1-naphthoyl) indole structure with substitution at the
20		nitrogen atom of the indole ring by a alkyl,
21		haloalkyl, alkenyl, cycloalkylmethyl,cycloalkylethyl,

1		1-(N-methyl-2-piperidinyl)methyl or 2-(4-
2		morpholinyl)ethyl group, whether or not further
3		substituted in the indole ring to any extent and
4		whether or not substituted in the naphthyl ring to any
5		extent;
6	(3)	Naphthylmethylindoles; meaning any compound containing
7		a 1H-indol-3-yl-(1-naphthyl) methane structure with
8		substitution at the nitrogen atom of the indole ring
9		by a alkyl, haloalkyl, alkenyl, cycloalkylmethyl,
10		cycloalkylethyl, 1-(N-methyl-2-piperidinyl) methyl or
11		2-(4-morpholinyl) ethyl group whether or not further
12		substituted in the indole ring to any extent and
13		whether or not substituted in the naphthyl ring to any
14		extent;
15	(4)	Naphthoylpyrroles; meaning any compound containing a
16		3-(1-naphthoyl)pyrrole structure with substitution at
17		the nitrogen atom of the pyrrole ring by a alkyl,
18		haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
19		1-(N-methyl-2-piperidinyl) methyl or 2-(4-morpholinyl)
20		ethyl group whether or not further substituted in the

1		pyrrole ring to any extent, whether or not substituted
2		in the naphthyl ring to any extent;
3	(5)	Naphthylmethylindenes; meaning any compound containing
4		a naphthylideneindene structure with substitution at
5		the 3-position of the indene ring by a alkyl,
6		haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
7		1-(N-methyl-2-piperidinyl) methyl or 2-(4-morpholinyl)
8		ethyl group whether or not further substituted in the
9		indene ring to any extent, whether or not substituted
10		in the naphthyl ring to any extent;
11	(6)	Phenylacetylindoles; meaning any compound containing a
12		3-phenylacetylindole structure with substitution at
13		the nitrogen atom of the indole ring by a alkyl,
14		haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
15		1-(N-methyl-2-piperidinyl) methyl or 2-(4-morpholinyl)
16		ethyl group whether or not further substituted in the
17		indole ring to any extent, whether or not substituted
18		in the phenyl ring to any extent;
19	(7)	Cyclohexylphenols; meaning any compound containing a
20		2-(3-hydroxycyclohexyl) phenol structure with
21		substitution at the 5-position of the phenolic ring by

```
1
              a alkyl, haloalkyl, alkenyl, cycloalkylmethyl,
2
              cycloalkylethyl, 1-(N-methyl-2-piperidinyl) methyl or
              2-(4-morpholinyl) ethyl group whether or not
3
              substituted in the cyclohexyl ring to any extent;
4
5
         (8)
              Benzoylindoles; meaning any compound containing a 3-
6
              (benzoyl) indole structure with substitution at the
7
              nitrogen atom of the indole ring by a alkyl,
              haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
8
9
              1-(N-methyl-2-piperidinyl) methyl, or 2-(4-
10
              morpholinyl) ethyl group whether or not further
11
              substituted in the indole ring to any extent and
12
              whether or not substituted in the phenyl ring to any
13
              extent;
14
         (9)
             [2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)
15
              pyrrolo[1,2,3-de]-1, 4-benzoxazin-6-yl]-1-
16
              naphthalenylmethanone (another trade name is WIN
17
              55,212-2);
             (6a,10a)-9-(hydroxymethyl)-6, 6-dimethyl-3-(2-
18
        (10)
19
              methyloctan-2-yl)-6a,7,10,10a-
              tetrahydrobenzo[c]chromen-1-ol (Other trade names are:
20
21
              HU-210/HU-211);
```

```
1
        (11)
              Tetramethylcyclopropanoylindoles; meaning any compound
2
              containing a 3-tetramethylcyclopropanoylindole
3
              structure with substitution at the nitrogen atom of
4
              the indole ring by an alkyl, haloalkyl, cyanoalkyl,
5
              alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-
6
              methyl-2-piperidinyl) methyl, 2-(4-morpholinyl) ethyl,
7
              1-(N-methyl-2-pyrrolidinyl) methyl, 1-(N-methyl-3-
              morpholinyl) methyl, or tetrahydropyranylmethyl group,
8
9
              whether or not further substituted in the indole ring
10
              to any extent and whether or not substituted in the
11
              tetramethylcyclopropyl ring to any extent;
        (12)
              N-(1-adamantyl)-1-pentyl-1H-indazole-3-carboxamide,
12
              its optical, positional, and geometric isomers, salts,
13
14
              and salts of isomers (Other names: APINACA, AKB48);
              Quinolin-8-yl 1-pentyl-1H-indole-3-carboxylate, its
15
        (13)
16
              optical, positional, and geometric isomers, salts, and
17
              salts of isomers (Other names: PB-22; QUPIC);
18
              Quinolin-8-yl 1-(5fluoropentyl)-1H-indole-3-
        (14)
19
              carboxylate, its optical, positional, and geometric
              isomers, salts, and salts of isomers (Other names: 5-
20
21
              fluoro-PB-22; 5F-PB-22);
```

```
1
              N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(4-
        (15)
2
              fluorobenzyl)-1H-indazole-3-carboxamide, its optical,
3
              positional, and geometric isomers, salts, and salts of
4
              isomers (Other names: AB-FUBINACA);
5
        (16)
              N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-
6
              indazole-3-carboxamide, its optical, positional, and
7
              geometric isomers, salts, and salts of isomers (Other
8
              names: ADB-PINACA);
9
        (17)
              N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-
10
              (cyclohexylmethyl) -1H-indazole-3-carboxamide, its
11
              optical, positional, and geometric isomers, salts, and
              salts of isomers (Other names: AB-CHMINACA);
12
              N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-
13
        (18)
14
              indazole-3-carboxamide, and geometric isomers, salts,
              and salts of isomers (Other names: AB-PINACA);
15
16
             [1-(5-fluoropentyl)-1H-indazol-3-yl](naphthalen-1-
        (19)
17
              yl) methanone, and geometric isomers, salts, and salts
18
              of isomers (Other names: THJ-2201);
19
        (20)
              Methyl (1-(4-fluorobenzyl)-1H-indazole-3-carbonyl)-L-
              valinate, and geometric isomers, salts, and salts of
20
              isomers (Other names: FUB-AMB, Methyl 2-(1-(4-
21
```

```
1
              fluorobenzyl) -1H-indazole-3-carboxamido) -3-
 2
              methylbutanoate, MMB-FUBINACA, AMB-FUBINACA);
 3
        (21)
              (S)-methyl 2-(1-(5-fluoropentyl)-1H-indazole-3-
 4
              carboxamido) - 3-methylbutanoate, and geometric isomers,
 5
              salts, and salts of isomers (Other names: 5-fluoro-
 6
              AMB, 5-fluoro-AMP);
7
        (22)
              N-((3s,5s,7s)-adamantan-1-y1)-1-(5-fluoropenty1)-1H-
8
              indazole-3-carboxamide, and geometric isomers, salts,
9
              and salts of isomers (Other names: AKB48 N-(5-
10
              fluoropentyl) analog, 5F-AKB48, APINACA 5-fluoropentyl
11
              analog, 5F-APINACA);
12
        (23)
              N-adamantyl-1-fluoropentylindole-3-Carboxamide, and
              geometric isomers, salts, and salts of isomers (Other
13
14
              names: STS-135, 5F-APICA; 5-fluoro-APICA);
15
              Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-
        (24)
              carboxylate, and geometric isomers, salts, and salts
16
17
              of isomers (Other names: NM2201);
18
              N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-
        (25)
19
              (cyclohexylmethyl)-1H-indazole-3-carboxamide, and
              geometric isomers, salts, and salts of isomers (Other
20
21
              names: MAB-CHMINACA and ADB-CHMINACA);
```

```
1
              Methyl 2-[1-(5-fluoropentyl)-1H-indazole-3-
        (26)
2
              carboxamido] -3,3-dimethylbutanoate (Other names: 5F-
3
              ADB, 5-flouro-ADB, and 5F-MDMB-PINACA), its optical,
4
              positional, and geometric isomers, salts, and salts of
5
              isomers; [and]
6
        (27)
             1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)indazole-3-
7
              carboxamide (CUMYL-4CN-BINACA), its optical,
              positional, and geometric isomers, salts, and salts of
8
9
              isomers; also known as SGT-78, 4-CN-CUMYL-BINACA;
10
              CUMYL-CB-PINACA; CUMYL-CYBINACA; 4-cyano CUMYL-
11
              BUTINACA [-];
12
        (28)
              Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-3-
13
              carboxylate (Other names: NM2201 or CBL2201);
14
        (29)
              N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-
15
              fluoropentyl)-1H-indazole-3-carboxamide (Other names:
16
              5F-AB-PINACA);
17
        (30) 1-(4-cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-
18
              3-carboxamide (Other names: 4-CN-CUMYL-BUTINACA, 4-
19
              cyano-CUMYL-BUTINACA; 4-CN-CUMYL BINACA, CUMYL-4CN-
20
              BINACA, or SGT-78);
```

```
1
              Methyl 2-(1-(cyclohexylmethyl)-1H-indole-3-
        (31)
2
              carboxamido) - 3 - methylbutanoate (Other names: MMB-
3
              CHMICA or AMB-CHMICA);
              1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-
 4
        (32)
5
              pyrrolo[2,3-b]pyridine-3-carboxamide (Other names: 5F-
6
              CUMYL-P7AICA); and
7
              Methyl 3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1H-indazole-
        (33)
8
              3-carboxamido) butanoate (MDMB-4en-PINACA)."
9
         SECTION 2. Section 329-16, Hawaii Revised Statutes, is
10
    amended by amending subsection (c) to read as follows:
11
         "(c) Any of the following opiates, including their
12
    isomers, esters, ethers, salts, and salts of isomers, whenever
13
    the existence of these isomers, esters, ethers, and salts is
14
    possible within the specific chemical designation:
15
         (1) Alfentanil;
16
         (2)
             Alphaprodine;
17
         (3) Anileridine;
18
         (4) Bezitramide;
19
         (5)
              Bulk Dextropropoxyphene (nondosage form);
20
         (6)
             Carfentanil:
21
         (7)
             Dihydrocodeine;
```

```
1
         (8)
              Diphenoxylate;
2
         (9) Fentanyl;
3
        (10) Isomethadone;
4
        (11)
             Levo-alphacetylmethadol (LAAM);
5
        (12) Levomethorphan;
6
        (13)
             Levorphanol;
7
        (14) Metazocine;
8
        (15) Methadone;
9
              Methadone-Intermediate, 4-cyano-2-dimethylamino-4, 4-
        (16)
10
              diphenyl butane;
11
              Moramide-Intermediate, 2-methyl-3-morpholino-1, 1-
        (17)
12
              diphenyl-propane-carboxylic acid;
13
        (18) Pethidine (Meperidine);
14
        (19) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-
15
              phenylpiperidine;
16
        (20) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-
17
              carboxylate;
        (21) Pethidine-Intermediate-C, 1-methyl-4-phenylpiperidine-
18
              4-carboxylic acid;
19
20
        (22) Phenazocine;
21
        (23) Piminodine;
```

```
1
        (24)
              Racemethorphan;
 2
        (25)
             Racemorphan;
3
        (26)
             Remifentanil;
 4
        (27) Sufentanil;
5
        (28)
             Tapentadol; [and]
6
        (29)
              Thiafentanil [-]; and
7
        (30) Oliceridine, including the free base form, and its
8
              salts, to include the fumarate salt, by definition."
9
         SECTION 3. Section 329-20, Hawaii Revised Statutes, is
10
    amended as follows:
11
         1. By amending subsection (b) to read:
12
         "(b) Depressants. Any material, compound, mixture, or
13
    preparation which contains any quantity of the following
14
    substances, including its salts, isomers, esters, ethers, and
    salts of isomers, whenever the existence of these isomers,
15
16
    esters, ethers, and salts is possible within the specific
17
    chemical designation, that has a degree of danger or probable
18
    danger associated with a depressant effect on the central
19
    nervous system:
20

    Alprazolam;

21
         (2) Barbital;
```



```
1
         (3)
              Bromazepam;
2
         (4)
             Butorphanol;
3
         (5) Camazepam;
4
         (6) Carisoprodol;
5
         (7) Chloral betaine;
6
         (8)
             Chloral hydrate;
7
         (9)
             Chlordiazepoxide;
8
        (10) Clobazam;
9
        (11)
             Clonazepam;
10
        (12) Clorazepate;
11
        (13)
             Clotiazepam;
12
        (14)
             Cloxazolam;
13
        (15)
              Delorazepam;
14
              Dichloralphenazone (Midrin);
        (16)
15
        (17)
             Diazepam;
16
        (18)
             Estazolam;
17
        (19)
             Ethchlorvynol;
18
        (20) Ethinamate;
        (21) Ethyl loflazepate;
19
20
        (22) Fludiazepam;
21
        (23) Flunitrazepam;
```

```
1
        (24)
              Flurazepam;
        (25) Fospropofol (Lusedra);
2
3
        (26) Halazepam;
4
        (27) Haloxazolam;
5
        (28) Ketazolam;
6
        (29) Loprazolam;
7
        (30) Lorazepam;
8
        (31) Lormetazepam;
9
        (32)
             Mebutamate;
10
        (33)
             Medazepam;
11
        (34)
              Meprobamate;
12
        (35)
             Methohexital;
13
        (36)
              Methylphenobarbital (mephorbarbital);
14
        (37) Midazolam;
15
        (38)
             Nimetazepam;
        (39) Nitrazepam;
16
17
        (40) Nordiazepam;
        (41) Oxazepam;
18
19
        (42) Oxazolam;
20
        (43) Paraldehyde;
21
        (44) Petrichloral;
```

```
1
        (45)
             Phenobarbital;
2
        (46)
             Pinazepam;
3
        (47)
              Prazepam;
4
        (48)
              Quazepam;
5
        (49)
              Suvorexant;
        (50)
6
              Temazepam;
7
        (51)
              Tetrazepam;
8
        (52)
              Triazolam;
9
        (53)
              Zaleplon;
10
              Zolpidem;
        (54)
11
        (55)
              Zopiclone (Lunesta); [and]
12
        (56)
              Brexanolone [-];
13
              Remimazolam, including its salts, isomers, and salts
        (57)
14
              of isomers whenever the existence of such salts,
15
               isomers, and salts of isomers is possible; and
16
        (58)
              Lemborexant ((1R,2S)-2-[(2,4-dimethylpyrimidin-5-
17
              yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-
              yl)cyclopropane-1-carboxamide), including its salts,
18
19
               isomers, and salts of isomers whenever the existence
              of such salts, isomers, and salts of isomers is
20
21
              possible."
```

```
1
         2. By amending subsection (d) to read:
2
         "(d) Stimulants. Unless listed in another schedule, any
3
    material, compound, mixture, or preparation which contains any
4
    quantity of the following substances having a stimulant effect
5
    on the central nervous system, including its salts, isomers, and
    salts of such isomers whenever the existence of such salts,
7
    isomers, and salts of isomers is possible within the specific
    chemical designation:
8
9
              Cathine ((+)-norpseudoephedrine);
         (1)
10
         (2)
             Diethylpropion;
11
         (3) Fencamfamin;
12
         (4) Fenproporex;
13
         (5) Mazindol;
14
         (6) Mefenorex;
15
         (7) Modafinil;
16
         (8)
             Phentermine;
              Pemoline (including organometallic complexes and
17
         (9)
18
              chelates thereof);
19
        (10) Pipradrol;
20
        (11) Sibutramine;
        (12) SPA (1-dimethylamino-1,2-diphenylethane, lefetamine);
21
```

```
1
        (13) Lorcaserin; [and]
2
        (14) Solriamfetol[-]; and
3
        (15) Serdexmethylphenidate, including its salts, isomers,
4
              and salts of isomers."
5
         SECTION 4. Section 329-22, Hawaii Revised Statutes, is
    amended by amending subsection (d) to read as follows:
6
7
               Depressants. Unless specifically exempted or
8
    excluded or unless listed in another schedule, any material,
9
    compound, mixture, or preparation that contains any quantity of
10
    the following substances having a depressant effect on the
    central nervous system, including its salts, isomers, and salts
11
12
    of isomers:
              Lacosamide [(R)-2-acetoamido-N-benzyl-3-methoxy-
13
         (1)
14
              propionamide], (Vimpat);
15
         (2)
             Pregabalin [(S)-3-(aminomethyl)-5-methylhexanoic
16
              acid]; [and]
17
         (3) Brivaracetam ((2S)-2-[(4R)-2-oxo-4-propylpyrrolidin-1-
              yl]butanamide) (Other names: BRV; UCB-34714; Briviact)
18
19
              and its salts [-]; and
20
         (4) Lasmiditan (2,4,6-trifluoro-N-(6-(1-methylpiperidine-
21
              4-carbonyl)pyridine-2-yl-benzamide)."
```

- 1 SECTION 5. Statutory material to be repealed is bracketed
- 2 and stricken. New statutory material is underscored.
- 3 SECTION 6. This Act shall take effect upon its approval.

Report Title:

Uniform Controlled Substances Act

Description:

Updates the Uniform Controlled Substances Act, chapter 329, Hawaii Revised Statutes, to make it consistent with amendments in the federal controlled substances law as required by section 329-11, Hawaii Revised Statutes. (SD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.