

---

---

# SENATE CONCURRENT RESOLUTION

URGING MARINE CORPS BASE HAWAII TO UPGRADE THE CAPACITY OF ITS  
SEWAGE TREATMENT PLANT AND REDUNDANCY OF THE COMPONENTS TO  
ENSURE THAT FINAL EFFLUENT QUALITY IS IN COMPLIANCE WITH  
STATE PERMITTING REQUIREMENTS.

1           WHEREAS, Marine Corps Base Hawaii discharges approximately  
2 one and a half million gallons of treated wastewater a day, or  
3 ten percent of the total effluent going to the ocean outfall,  
4 into Kailua Bay, which is intensively used by swimmers,  
5 paddlers, divers, and surfers; and

6  
7           WHEREAS, Marine Corps Base Hawaii must comply with final  
8 effluent bacteria limitations set forth by the Department of  
9 Health through the issuance of a National Pollutant Discharge  
10 Eliminations System permit in order to protect water quality and  
11 human health; and

12  
13           WHEREAS, Marine Corps Base Hawaii exceeded those  
14 limitations in August 2020, March 2021, July 2021, August 2021,  
15 October 2021, and February 2022 due to a lack of treatment; and

16  
17           WHEREAS, the Marine Corps Base Hawaii water reclamation  
18 facility infrastructure was originally constructed in 1947 and  
19 does not currently include system redundancy to support  
20 necessary system maintenance; and

21  
22           WHEREAS, the 2019 Water Quality Plan by the Department of  
23 Health sets forth the goal of increasing water reuse for  
24 irrigation and industrial purposes in order to conserve water  
25 and reduce discharge into the ocean; and

26  
27           WHEREAS, Marine Corps Base Hawaii is the largest water  
28 consumer in Windward Oahu, utilizing fresh potable water to  
29 irrigate landscaping and golf course areas; and



1  
2 WHEREAS, Maui County and Kauai County have met the goals  
3 for reuse of wastewater, while the City and County of Honolulu  
4 and Hawaii County have made progress toward reuse goals; now,  
5 therefore,  
6

7 BE IT RESOLVED by the House of Representatives of the  
8 Thirty-first Legislature of the State of Hawaii, Regular Session  
9 of 2022, the Senate concurring, that Marine Corps Base Hawaii is  
10 urged to upgrade the capacity of its sewage treatment plant and  
11 redundancy of the components to ensure that final effluent  
12 quality is in compliance with state permitting requirements; and  
13

14 BE IT FURTHER RESOLVED that Marine Corps Base Hawaii is  
15 requested to reestablish its water reuse system to irrigate  
16 Klipper Golf Course and increase distribution to other parts of  
17 the base to reduce the use of drinking water when reused  
18 wastewater could be used instead and reduce the amount of  
19 discharge into Kailua Bay; and  
20

21 BE IT FURTHER RESOLVED that all Department of Defense  
22 installation services in Hawaii are requested to seek to migrate  
23 from R2 to R1 treatment standards, maximizing irrigation,  
24 reducing potable water consumption on military bases, and  
25 reducing discharge into Hawaii's waters; and  
26

27 BE IT FURTHER RESOLVED that certified copies of this  
28 Concurrent Resolution be transmitted to the Commanding Officer  
29 of Marine Corps Base Hawaii and Adjutant General.  
30  
31  
32

