JAN 2 4 2024

A BILL FOR AN ACT

RELATING TO THE UNIFORM CONTROLLED SUBSTANCE ACT.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

```
1
         SECTION 1. Section 329-14, Hawaii Revised Statutes, is
2
    amended by amending subsection (b) to read as follows:
3
               Any of the following opiates, including their
    isomers, esters, ethers, salts, and salts of isomers, esters,
4
5
    and ethers, unless specifically excepted, whenever the existence
6
    of these isomers, esters, ethers, and salts is possible within
7
    the specific chemical designation:
8
              Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-
         (1)
9
              phenethyl) -4-piperidinyl] -N-phenylacetamide);
10
         (2)
              Acetylmethadol;
              Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-
11
         (3)
              phenylacetamide), its optical, positional, and
12
              geometric isomers, salts, and salts of isomers;
13
              Acryl fentanyl [N-(1-phenethylpiperidin-4-yl)-N-
14
         (4)
              phenylacrylamide] (Other name: acryloylfentanyl);
15
              AH-7921 (3,4-dichloro-N-[(1-
16
         (5)
17
              dimethylamino)cyclohexylmethyl]benzamide);
18
              Allylprodine;
         (6)
```

<u>S</u>.B. NO.<u>3145</u>

```
Alphacetylmethadol (except levo-alphacetylmethadol,
1
          (7)
2
               levomethadyl acetate, or LAAM);
               Alphameprodine;
3
          (8)
4
               Alphamethadol;
          (9)
5
               Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-
         (10)
6
               phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-
               2-phenylethyl) -4-(N-propanilido)piperidine);
7
8
               Alpha-methylthiofentanyl (N-[1-methyl-2-(2-
         (11)
9
               thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
10
               Alpha' -methyl butyryl fentanyl (2-methyl- N - (1-
        (12)
11
               phenethylpiperidin-4-yl) - N -phenylbutanamide);
12
       \left[\frac{(12)}{(13)}\right] (13) Benzethidine;
       [(13)] (14) Benzylfentanyl (N-[1-benzyl-4-piperidyl]-N-
13
14
               phenylpropanamide), its optical isomers, salts, and
               salts of isomers;
15
        [<del>(14)</del>] (15) Betacetylmethadol;
16
17
        \left[\frac{(15)}{(16)}\right] (16) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-
               phenethyl) -4-piperidinyl] -N-phenylpropanamide);
18
        [(16)] (17) Beta-hydroxy-3-methylfentanyl (N-[1-(2-hydroxy-
19
               2-phenethyl)-3-methyl-4-piperidinyl]-N-
20
21
               phenylpropanamide);
```

```
1
        [\frac{17}{17}] (18) Beta-hydroxythiofentanyl (N-[1-[2-hydroxy-2-
                (thiophen-2-yl)ethyl]piperidin-4-yl]-N-
2
3
                phenylpropionamide);
4
        [\frac{(18)}{(19)}] (19) Betameprodine;
5
        [\frac{(19)}{(20)}] (20) Betamethadol;
        \left[\frac{(20)}{(21)}\right] (21) Beta-methyl fentanyl (N-phenyl-N-(1-(2-
6
7
                phenylpropyl)piperidin-4-yl)propionamide) (Other
8
                name:
                        [beta] -methyl fentanyl);
9
        [(21)] (22) Beta'-phenyl fentanyl (N-(1-phenethylpiperidin-
10
                4-yl)-N,3-diphenylpropanamide) (Other names: [beta]'-
11
                phenyl fentanyl; 3-phenylpropanoyl fentanyl);
12
        [<del>(22)</del>] (23) Betaprodine;
13
               Brorphine 1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-
         (24)
14
                1,3-dihydro-2 H -benzo[ d]imidazol-2-one;
15
                (25) Butyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-
        [\frac{(23)}{}]
16
                N-phenylbutyramide);
17
        [\frac{(24)}{}] (26) Clonitazene;
18
        [(25)] (27) Cyclopropyl fentanyl (N-(1-phenethylpiperidin-4-
19
                yl)-N-phenylcyclopropanecarboxamide);
20
        [\frac{(26)}{}] (28) Dextromoramide;
21
        \left[\frac{(27)}{(29)}\right] (29) Diampromide;
22
        [<del>(28)</del>] (30) Diethylthiambutene;
```

```
1
         \left[\frac{(29)}{(31)}\right] (31) Difenoxin;
 2
         [(30)] (32) Dimenoxadol;
 3
         [\frac{(31)}{(33)}] (33) Dimepheptanol;
 4
                2',5'-dimethoxyfentanyl (N-(1-(2,5-
         (34)
 5
                dimethoxyphenethyl)piperidin-4-yl)- N -
 6
                phenylpropionamide);
7
         [<del>(32)</del>] (35) Dimethylthiambutene;
8
         [<del>(33)</del>] (36) Dioxaphetyl butyrate;
9
         [<del>(34)</del>] (37) Dipipanone;
10
         [<del>(35)</del>] (38) Ethylmethylthiambutene;
11
         [<del>(36)</del>] (39) Etonitazene;
12
         [<del>(37)</del>] (40) Etoxeridine;
13
         [(38)] (41) Fentanyl carbamate (ethyl (1-phenethylpiperidin-
14
                4-yl) (phenyl) carbamate);
15
         [<del>(39)</del>] (42) 4-fluoroisobutyryl fentanyl [N-(4-fluorophenyl)-
16
                N-(1-phenethylpiperidin-4-yl)isobutyramide] (Other
17
                name: para-fluoroisobutyryl fentanyl);
18
         [\frac{(40)}{(43)}]
                       2'-fluoro ortho-fluorofentanyl (N-(1-(2-
19
                fluorophenethyl)piperidin-4-yl)-N-(2-
20
                fluorophenyl)propionamide) (Other name: 2'-fluoro 2-
21
                fluorofentanyl);
```

S.B. NO. <u>3145</u>

```
1
        [\frac{(41)}{(41)}] (44) Furanyl fentanyl (N-(1-phenethylpiperidin-4-y1)-
2
                N-phenylfuran-2-carboxamide);
        [\frac{45}{3}] 3-furanyl fentanyl ( N -(1-phenethylpiperidin-4-yl)-
3
4
                N -phenylfuran-3-carboxamide);
5
        \left[\frac{42}{42}\right] (46) Furethidine;
6
        [<del>(43)</del>] (47) Hydroxypethidine;
7
               Isovaleryl fentanyl (3-methyl- N -(1-
         (48)
8
                phenethylpiperidin-4-yl) - N -phenylbutanamide);
9
        [\frac{44}{4}] (49) Ketobemidone;
10
        \left[\frac{(45)}{(50)}\right] (50) Levomoramide;
11
        [<del>(46)</del>] (51) Levophenacylmorphan;
12
               Meta -fluorofentanyl (N -(3-fluorophenyl) - N -(1-
         (52)
13
                phenethylpiperidin-4-yl)propionamide);
14
               Meta -fluoroisobutyryl fentanyl ( N -(3-fluorophenyl) -
         (53)
15
                N - (1-phenethylpiperidin-4-yl)isobutyramide);
16
        [\frac{(47)}{}] (54) Methoxyacetyl fentanyl (2-methoxy-N-(1-
17
                phenethylpiperidin-4-yl)-N-phenylacetamide);
18
                Metonitazene N, N -diethyl-2-(2-(4-methoxybenzyl)-5-
         (55)
19
                nitro-1 H -benzimidazol-1-yl)ethan-1-amine;
20
        [\frac{(48)}{(56)}] (56) 4'-methyl acetyl fentanyl (N-(1-(4-
21
                methylphenethyl)piperidin-4-yl)-N-phenylacetamide);
```

S.B. NO. <u>3145</u>

```
1
        [\frac{(49)}{(57)}]
                       3-methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-
2
                4-piperidyl]-N-phenylpropanamide);
3
        [\frac{(50)}{}] (58)
                       3-methylthiofentanyl (N-[3-methyl-1-(2-
4
                thienyl) ethyl-4-piperidinyl]-N-phenylpropanamide);
5
        \left[\frac{(51)}{(51)}\right] (59) Morpheridine;
                      MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
6
        [<del>(52)</del>] (60)
7
        [(53)] (61) Noracymethadol;
8
        [\frac{(54)}{(62)}] (62) Norlevorphanol;
9
        [<del>(55)</del>] (63) Normethadone;
10
        [<del>(56)</del>] (64) Norpipanone;
11
        [\frac{(57)}{(57)}] (65) Ocfentanil [N-(2-fluorophenyl)-2-methoxy-N-(1-
12
                phenethylpiperidin-4-yl)acetamide];
13
        [(58)] (66) Ortho-fluoroacryl fentanyl (N-(2-fluorophenyl)-
14
                N-(1-phenethylpiperidin-4-yl)acrylamide);
15
        [\frac{(59)}{(59)}] (67) Ortho-fluorobutyryl fentanyl (N-(2-
16
                fluorophenyl) -N-(1-phenethylpiperidin-4-yl)butyramide)
17
                (Other name: 2-fluorobutyryl fentanyl);
18
               Ortho -fluorofuranyl fentanyl (N - (2-fluorophenyl) - N
         (68)
19
                -(1-phenethylpiperidin-4-yl)furan-2-carboxamide);
20
        [-(60)] (69) Ortho-fluorofentanyl (N-(2-fluorophenyl)-N-(1-
21
                phenethylpiperidin-4-yl)propionamide) (Other name: 2-
22
                fluorofentanyl);
```

```
1
        [\frac{(61)}{(70)}] (70) Ortho-fluoroisobutyryl fentanyl (N-(2-
2
               fluorophenyl) -N-(1-phenethylpiperidin-4-
3
               yl) isobutyramide);
4
        [(62)] (71) Ortho-methyl acetylfentanyl (N-(2-methylphenyl)-
5
               N-(1-phenethylpiperidin-4-yl)acetamide) (Other
6
               name: 2-methyl acetylfentanyl);
        [<del>(63)</del>] (72) Ortho-methyl methoxyacetyl fentanyl (2-methoxy-
7
8
               N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-
               yl)acetamide) (Other name: 2-methyl methoxyacetyl
9
10
               fentanyl);
        [<del>(64)</del>] (73) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-
11
12
               N-(1-phenethylpiperidin-4-yl)butyramide);
13
        [<del>(65)</del>] (74) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-
14
               phenethyl) -4-piperidinyl]propanamide;
        [\frac{(66)}{(75)}] (75) Para-fluoro furanyl fentanyl (N-(4-
15
               fluorophenyl) -N-(1-phenethylpiperidin-4-yl)furan-2-
16
17
               carboxamide);
18
               Para -methylcyclopropyl fentanyl ( N - (4-methylphenyl) -
        (76)
19
               N-(1-phenethylpiperidin-4-yl)cyclopropanecarboxamide);
        [\frac{(67)}{(77)}] (77) Para-methylfentanyl (N-(4-methylphenyl)-N-(1-
20
21
               phenethylpiperidin-4-yl)propionamide) (Other name: 4-
               methylfentanyl);
22
```

```
Para -methoxyfuranyl fentanyl (N - (4-methoxyphenyl) -
1
         (78)
2
                 N - (1-phenethylpiperidin-4-yl)furan-2-carboxamide);
         [\frac{(68)}{(68)}] (79) PEPAP (1-(-2-phenethyl)-4-phenyl-4-
3
4
                 acetoxypiperidine);
5
         [<del>(69)</del>] (80)
                        Phenadoxone;
6
                         Phenampromide;
         [\frac{(70)}{}] (81)
7
         \left[\frac{71}{1}\right] (82) Phenomorphan;
8
         \left[\frac{(72)}{(83)}\right] (83) Phenoperidine;
9
         [<del>(73)</del>] (84) Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-
10
                 N-phenylbenzamide) (Other name: benzoyl fentanyl);
11
         [\frac{(74)}{}] (85)
                        Piritramide;
12
         [<del>(75)</del>] (86)
                        Proheptazine;
13
         [<del>(76)</del>] (87) Properidine;
14
         \left[\frac{77}{7}\right] (88) Propiram;
15
         \left[\frac{78}{8}\right] (89) Racemoramide;
16
         [<del>(79)</del>] (90)
                        Thenylfentanyl (N-[1-(2-thienyl)methyl-4-
17
                 piperidyl]-N-phenylpropanamide), its optical isomers,
                 salts, and salts of isomers;
18
         [(80)] (91) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-
19
20
                 piperidinyl]-propanamide);
```

```
1
        [(81)] (92) Thiofuranyl fentanyl (N-(1-phenethylpiperidin-4-
2
               yl)-N-phenylthiophene-2-carboxamide) (Other names:
3
               thiofuranyl fentanyl; thiophene fentanyl);
4
        [<del>(82)</del>] (93) Tilidine;
5
        [\frac{(83)}{(94)}] (94) Trimeperidine; and
        [<del>(84)</del>] (95) U-47700 (3,4-dichloro-N-[2-
6
7
               (dimethylamino)cyclohexyl]-N-methylbenzamide."
         SECTION 2. Section 329-14, Hawaii Revised Statutes, is
8
9
    amended by amending subsection (d) to read as follows:
10
               Hallucinogenic substances. Unless specifically
11
    excepted or unless listed in another schedule, any material,
12
    compound, mixture, or preparation that contains any quantity of
13
    the following hallucinogenic substances, including their salts,
    isomers, and salts of isomers whenever the existence of these
14
15
    salts, isomers, and salts of isomers is possible within the
16
    specific chemical designation:
17
              Alpha-ethyltryptamine (AET);
          (1)
               2,5-dimethoxy-4-ethylamphetamine (DOET);
18
          (2)
               2,5-dimethoxyamphetamine (2,5-DMA);
19
          (3)
20
               3,4-methylenedioxy amphetamine;
          (4)
21
               3,4-methylenedioxymethamphetamine (MDMA);
          (5)
```

```
1
          (6)
              N-hydroxy-3,4-methylenedioxyamphetamine (N-hydroxy-
 2
               MDA);
               3,4-methylenedioxy-N-ethylamphetamine (MDE);
3
          (7)
               5-methoxy-3,4-methylenedioxy-amphetamine;
 4
          (8)
5
          (9)
               4-bromo-2,5-dimethoxy-amphetamine (4-bromo-2,5-DMA);
6
        (10)
              4-Bromo-2,5-dimethoxyphenethylamine (Nexus);
7
              3,4,5-trimethoxy amphetamine;
        (11)
8
        (12)
              Bufotenine;
9
        (13)
              4-methoxyamphetamine (PMA);
10
        (14)
              Diethyltryptamine;
11
        (15)
              Dimethyltryptamine;
12
        (16)
              4-methyl-2,5-dimethoxy-amphetamine;
13
        (17)
              Gamma hydroxybutyrate (GHB) (some other names include
14
              gamma hydroxybutyric acid; 4-hydroxybutyrate; 4-
15
              hydroxybutanoic acid; sodium oxybate; sodium
16
              oxybutyrate);
17
              Ibogaine;
        (18)
18
              Lysergic acid diethylamide;
        (19)
19
        (20)
              Marijuana;
20
        (21)
              Parahexyl;
21
        (22)
              Mescaline;
22
        (23)
              Peyote;
```

```
1
        (24)
              N-ethyl-3-piperidyl benzilate;
2
              N-methyl-3-piperidyl benzilate;
        (25)
              Psilocybin;
3
        (26)
4
        (27)
              Psilocyn;
5
              1-[1-(2-Thienyl) cyclohexyl] Pyrrolidine (TCPy);
        (28)
              Ethylamine analog of phencyclidine (PCE);
6
        (29)
7
              Pyrrolidine analog of phencyclidine (PCPy, PHP);
        (30)
              Thiophene analog of phencyclidine (TPCP; TCP);
8
        (31)
              Gamma-butyrolactone, including butyrolactone;
9
        (32)
10
              butyrolactone gamma; 4-butyrolactone; 2(3H)-furanone
11
              dihydro; dihydro-2(3H) furanone; tetrahydro-2-furanone;
12
              1,2-butanolide; 1,4-butanolide; 4-butanolide; gamma-
13
              hydroxybutyric acid lactone; 3-hydroxybutyric acid
14
              lactone and 4-hydroxybutanoic acid lactone with
              Chemical Abstract Service number 96-48-0 when any such
15
16
              substance is intended for human ingestion;
17
              1,4 butanediol, including butanediol; butane-1,4-diol;
        (33)
              1,4- butylenes glycol; butylene glycol; 1,4-
18
              dihydroxybutane; 1,4- tetramethylene glycol;
19
              tetramethylene glycol; tetramethylene 1,4- diol with
20
21
              Chemical Abstract Service number 110-63-4 when any
              such substance is intended for human ingestion;
22
```

```
1
              2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7),
        (34)
              its optical isomers, salts, and salts of isomers;
2
3
              N-benzylpiperazine (BZP; 1-benzylpiperazine) its
        (35)
4
              optical isomers, salts, and salts of isomers;
5
        (36)
              1-(3-trifluoromethylphenyl)piperazine (TFMPP), its
6
              optical isomers, salts, and salts of isomers;
7
        (37)
              Alpha-methyltryptamine (AMT);
8
        (38)
              5-methoxy-N, N-diisopropyltryptamine (5-MeO-DIPT);
9
              Salvia divinorum;
        (39)
10
        (40)
              Salvinorin A:
11
        (41)
              Divinorin A;
12
              5-Methoxy-N, N-Dimethyltryptamine (5-MeO-DIPT) (some
        (42)
13
              trade or other names: 5-methoxy-3-[2-
14
              (dimethylamino)ethyl]indole; 5-MeO-DMT);
15
        (43)
              2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
              2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
16
        (44)
17
              2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
        (45)
18
        (46)
              2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
19
        (47)
              2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-
20
              2);
21
        (48)
              2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine
22
              (2C-T-4);
```

```
1
        (49)
              2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
              2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
2
        (50)
              2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
3
        (51)
              2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-iodo-2,5-dimethoxyphenyl)
4
        (52)
              methoxybenzyl) ethanamine, its optical, positional, and
5
              geometric isomers, salts, and salts of isomers (Other
6
                       25I-NBOMe; 2C-I-NBOMe; 25I; Cimbi-5);
7
              names:
8
              2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-
        (53)
9
              methoxybenzyl)ethanamine, its optical, positional, and
10
              geometric isomers, salts, and salts of isomers (Other
                       25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
11
              names:
12
              2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-
        (54)
13
              methoxybenzyl)ethanamine, its optical, positional, and
14
              geometric isomers, salts, and salts of isomers (Other
15
              names:
                       25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
16
        (55)
              N-ethylhexedrone, its optical, positional, and
17
              geometric isomers, salts, and salts of isomers (Other
18
                       [alpha] -ethylaminohexanophenone; 2-
              names:
19
               (ethylamino) -1-phenylhexan-1-one);
20
        (56)
              Alpha-pyrrolidinohexanophenone, its optical,
21
              positional, and geometric isomers, salts, and salts of
22
               isomers (Other names: [alpha]-PHP; [alpha]-
```

```
1
              pyrrolidinohexanophenone; 1-phenyl-2-(pyrrolidin-1-
2
              yl)hexan-1-one);
              4-methyl-alpha-ethylaminopentiophenone, its optical,
3
        (57)
              positional, and geometric isomers, salts, and salts of
4
5
              isomers (Other names: 4-MEAP; 2-(ethylamino)-1-(4-
6
              methylphenyl)pentan-1-one);
7
              4'-methyl-alpha-pyrrolidinohexiophenone, its optical,
        (58)
8
              positional, and geometric isomers, salts, and salts of
9
              isomers (Other names: MPHP; 4'-methyl-alpha-
10
              pyrrolidinohexanophenone; 1-(4-methylphenyl)-2-
11
              (pyrrolidin-1-yl)hexan-1-one);
12
              Alpha-pyrrolidinoheptaphenone, its optical, positional,
        (59)
13
              and geometric isomers, salts, and salts of isomers
              (Other names: PV8; 1-phenyl-2-(pyrrolidin-1-
14
15
              yl)heptan-1-one);
16
        (60)
              4'-chloro-alpha-pyrrolidinovalerophenone, its optical,
              positional, and geometric isomers, salts, and salts of
17
18
              isomers (Other names: 4-chloro-[alpha]-PVP; 4'-
19
              chloro-[alpha]-pyrrolidinopentiophenone; 1-(4-
20
              chlorophenyl) -2-(pyrrolidin-1-yl)pentan-1-one); [and]
21
              2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one
        (61)
22
               (methoxetamine, MXE) [→];
```

```
1
               Eutylone (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-
        (62)
               1-one) (other name: bk-EBDB); and
2
              Zipeprol (1-methoxy-3-[4-(2-methoxy-2-
3
        (63)
               phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol),
4
5
               including its isomers, esters, ethers, salts, and
               salts of isomers, esters and ethers, whenever the
6
7
               existence of such isomers, esters, ethers and salts is
               possible within the specific chemical designation."
8
9
          SECTION 3. Section 329-14, Hawaii Revised Statutes, is
10
    amended by amending subsection (f) to read as follows:
                Stimulants. Unless specifically excepted or unless
11
          "(f)
12
    listed in another schedule, any material, compound, mixture, or
13
    preparation that contains any quantity of the following
    substances having a stimulant effect on the central nervous
14
15
    system, including its salts, isomers, and salts of isomers:
16
               Amineptine
         (1)
17
          \left[\frac{1}{1}\right] (2) Aminorex;
          \left[\frac{(2)}{(3)}\right] (3) Cathinone;
18
          [<del>(3)</del>] (4) 4,4'-dimethylaminorex (common name: 4,4'-DMAR);
19
          [\frac{4}{1}] (5) Fenethylline;
20
```

```
1
          (6)
               Mesocarb (chemical name: N -phenyl- N' -(3-(1-
 2
               phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-
 3
               yl)carbamimidate);
 4
          [<del>(5)</del>] (7) Methcathinone;
 5
          (8)
               Methiopropamine (N -methyl-1-(thiophen-2-yl)propan-2-
 6
               amine);
 7
          [\frac{(6)}{(9)}] (9) 4-methylaminorex;
8
          \left[\frac{7}{10}\right] (10) N-ethylamphetamine;
9
          [<del>(8)</del>] (11) N,N-dimethylamphetamine;
10
          [<del>(9)</del>] (12) Substituted cathinones, any compound, except
11
               bupropion or compounds listed under a different
12
               schedule, structurally derived from 2-aminopropan-1-
13
               one by substitution at the 1-position with either
14
               phenyl, naphthyl, or thiophene ring systems, whether
15
               or not the compound is further modified in any of the
16
               following ways:
17
               (A) By substitution in the ring system to any extent
18
                     with alkyl, alkylenedioxy, alkoxy, haloalkyl,
19
                     hydroxyl, or halide substituents, whether or not
20
                     further substituted in the ring system by one or
21
                     more other univalent substituents;
```

1	(B) By substitution at the 3-position with an acyclic
2	alkyl substituent; or
3	(C) By substitution at the 2-amino nitrogen atom with
4	alkyl, dialkyl, benzyl, or methoxybenżyl groups,
5	or by inclusion of the 2-amino nitrogen atom in a
6	cyclic structure.
7	Some other trade names: Mephedrone (2-methylamino-1-p-
8	tolylpropan-1-one), also known as 4-
9	methylmethcathinone (4-MMC), methylephedrone or MMCAT;
10	Methylenedioxypyrovalerone (MDPV, MDPK); methylone or
11	3,4-methylenedioxymethcathinone; and 1-
12	(benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-one,
13	monohydrochloride, also known as Ethylone, bk-MDEA
14	hydrochloride, MDEC; 3,4-Methylenedioxy-N-
15	ethylcathinone; bk-Methylenedioxyethylamphetamine, 4-
16	methyl-N-ethylcathinone (4-MEC); 4-methyl-alpha-
17	pyrrolidinopropiophenone (4-MePPP); alpha-
18	pyrrolidinopentiophenone ([alpha]-PVP); 1-(1,3-
19	benzodioxol-5-yl)-2-(methylamino)butan-1-one
20	(butylone, bk-MBDB e); 2-(methylamino)-1-phenylpentan-
21	1-one (pentedrone); 1-(1,3-benzodioxol-5-yl)-2-
22	(methylamino)pentan-1-one (pentylone, bk-MBDP); 4-

```
1
              fluoro-N-methylcathinone (4-FMC, flephedrone); 3-
2
              fluoro-N-methylcathinone (3-FMC); 1-(naphthalen-2-yl)-
3
              2-(pyrrolidin-1-yl)pentan-1-one (naphyrone); alpha-
4
              pyrrolidinobutiophenone ([alpha]-PBP) and their
5
              optical, positional, and geometric isomers, salts and
              salts of isomers, whenever the existence of such
6
7
              salts, isomers, and salts of isomers is possible; and
         [(10)] (13) 1-(4-methoxyphenyl)-N-methylpropan-2-amine
8
9
              (Other names: para-methoxymethamphetamine; PMMA)."
10
         SECTION 4. Section 329-20, Hawaii Revised Statutes, is
11
    amended to read as follows:
         "§329-20 Schedule IV. (a) The controlled substances
12
13
    listed in this section are included in schedule IV.
14
              Depressants. Unless specifically excepted or unless
         (b)
    listed in another schedule, any material, compound, mixture, or
15
16
    preparation that contains any quantity of the following
17
    substances, including its salts, isomers, esters, ethers, and
18
    salts of isomers, whenever the existence of these isomers,
19
    esters, ethers, and salts is possible within the specific
20
    chemical designation, that has a degree of danger or probable
21
    danger associated with a depressant effect on the central
22
    nervous system:
```

```
1
         (1)
              Alprazolam;
         (2)
2
              Barbital;
3
              Brexanolone;
         (3)
4
         (4)
              Bromazepam;
5
         (5)
              Butorphanol;
6
         (6)
              Camazepam;
7
         (7)
              Carisoprodol;
8
              Chloral betaine;
          (8)
9
         (9)
              Chloral hydrate;
10
        (10)
              Chlordiazepoxide;
11
        (11)
              Clobazam;
12
        (12)
              Clonazepam;
13
              Clorazepate;
        (13)
14
        (14)
              Clotiazepam;
15
        (15)
              Cloxazolam;
16
        (16)
              Daridorexant;
17
        (17)
              Delorazepam;
18
        (18)
              Diazepam;
19
              Dichloralphenazone (Midrin);
        (19)
20
        (20)
              Estazolam;
21
              Ethchlorvynol;
        (21)
22
        (22)
              Ethinamate;
```

<u>s</u>.B. NO.<u>3145</u>

```
1
        (23)
              Ethyl loflazepate;
2
        (24)
              Fludiazepam;
3
              Flunitrazepam;
        (25)
4
        (26)
              Flurazepam;
5
              Fospropofol (Lusedra);
        (27)
6
        (28)
              Halazepam;
7
              Haloxazolam;
        (29)
8
        (30)
              Ketazolam;
              Lemborexant ((1R,2S)-2-[(2,4-dimethylpyrimidin-5-
9
        (31)
              yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-
10
11
              yl)cyclopropane-1-carboxamide);
12
        (32)
              Loprazolam;
13
        (33)
              Lorazepam;
14
        (34)
              Lormetazepam;
15
        (35)
              Mebutamate:
16
        (36)
              Medazepam;
17
              Meprobamate;
        (37)
18
        (38)
              Methohexital;
              Methylphenobarbital (mephorbarbital);
19
        (39)
20
        (40)
              Midazolam;
21
        (41)
              Nimetazepam;
22
        (42)
              Nitrazepam;
```

```
1
        (43)
              Nordiazepam;
2
        (44)
              Oxazepam;
3
        (45)
              Oxazolam;
        (46)
              Paraldehyde;
4
5
        (47)
              Petrichloral;
              Phenobarbital;
6
        (48)
7
        (49)
              Pinazepam;
8
        (50)
              Prazepam;
9
        (51)
              Quazepam;
10
        (52)
              Remimazolam;
11
              Suvorexant;
        (53)
12
              Temazepam;
        (54)
13
        (55)
              Tetrazepam;
14
        (56)
              Triazolam;
15
              Zaleplon;
        (57)
              Zolpidem; and
16
        (58)
17
        (59)
              Zopiclone (Lunesta).
          [(c) Fenfluramine. Any material, compound, mixture, or
18
    preparation which contains any quantity of the following
19
    substances, including its salts, isomers, and salts of isomers,
20
21
    whenever the existence of such salts, isomers, and salts of
22
    isomers is possible: Fenfluramine.
```

s.B. NO. 3145

```
[<del>(d)</del>] (c) Stimulants. Unless listed in another schedule,
1
    any material, compound, mixture, or preparation which contains
2
3
    any quantity of the following substances having a stimulant
    effect on the central nervous system, including its salts,
4
    isomers, and salts of such isomers whenever the existence of
5
    such salts, isomers, and salts of isomers is possible within the
6
7
    specific chemical designation:
         (1) Cathine ((+)-norpseudoephedrine);
8
9
         (2) Diethylpropion;
         (3) Fencamfamin;
10
11
              Fenproporex;
         (4)
12
              Lorcaserin;
         (5)
              Mazindol;
13
         (6)
14
         (7)
              Mefenorex;
15
              Modafinil;
         (8)
              Pemoline (including organometallic complexes and
16
         (9)
              chelates thereof);
17
18
        (10)
              Phentermine;
19
        (11)
              Pipradrol;
20
        (12)
              Serdexmethylphenidate;
21
              Sibutramine;
        (13)
22
        (14)
              Solriamfetol; and
```

SPA (1-dimethylamino-1,2-diphenylethane, lefetamine). 1 2 [(e)] (d) Other substances. Unless specifically excepted 3 or unless listed in another schedule, any material, compound, 4 mixture, or preparation which contains any quantity of the 5 following substances, including its optical isomers and its salts, isomers, and salts of isomers: 6 7 (1) Pentazocine; and Eluxadoline (5-[[(2S)-2-amino-3-[4-aminocarbonyl)-8 (2) 2,6-dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-9 10 imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic 11 acid. 12 $\left[\frac{f}{f}\right]$ (e) The department of law enforcement may except by 13 rule any compound, mixture, or preparation containing any 14 depressant substance listed in subsection (b) or any stimulant listed in subsection (d) from the application of all or any part 15 16 of this chapter if the compound, mixture, or preparation 17 contains one or more active medicinal ingredients not having a depressant or stimulant effect on the central nervous system, 18 19 and if the admixtures are included therein in combinations, 20 quantity, proportion, or concentration that vitiate the degree 21 of danger or probable danger of the substances which have a depressant or stimulant effect on the central nervous system. 22

1	[-(g)] <u>(f)</u> Narcotic drugs. Unless specifically excepted or
2	unless li	sted in another schedule, any material, compound,
3	mixture,	or preparation containing any of the following narcotic
4	drugs, or	their salts calculated as the free anhydrous base or
5	alkaloid,	in limited quantities as set forth below:
6	(1)	Not more than one milligram of difenoxin and not less
7		than twenty-five micrograms of atropine sulfate per
8		dosage unit;
9	(2)	Dextropropoxyphene (alpha-(+)-4-dimethylamino-1, 2-
10		diphenyl-3-methyl-2-propionoxybutane); and
11	(3)	2-[(dimethylamino)methyl]-1-(3-
12		methoxyphenyl)cyclohexanol, its salts, optical and
13		geometric isomers and salts of these isomers
14		(including tramadol)."
15	SECT	ION 5. Statutory material to be repealed is bracketed
16	and stric	ken. New statutory material is underscored.
17	SECTION 6. This Act, upon its approval, shall take effect	
18	on July 1	, 2024.
19		
20		INTRODUCED BY: ///////////
21		BY REQUEST

Report Title:

Uniform Controlled Substances Act; Amendments

Description:

Updates chapter 329, HRS, to make it consistent with amendments in the Federal Controlled Substances Act as required under section 329-11, HRS.

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.

JUSTIFICATION SHEET

DEPARTMENT:

Law Enforcement

TITLE:

A BILL FOR AN ACT RELATING TO THE UNIFORM

CONTROLLED SUBSTANCES ACT.

PURPOSE:

To update chapter 329, Hawaii Revised Statutes (HRS), to make it consistent with

amendments in the Federal Controlled

Substances Act.

MEANS:

Amend sections 329-14(b), (d), and (f) and

329-20, HRS.

JUSTIFICATION:

Section 329-11, HRS, requires that the Department of Law Enforcement annually recommend changes to the Hawaii Uniform Controlled Substances Act to correspond with

changes to the Federal Controlled Substances

Act.

Impact on the public: This bill is intended
to protect the public by updating Hawaii's
controlled substance schedules consistent

with Federal law.

Impact on the department and other agencies:
These proposed amendments would assist the
Department's Narcotics Enforcement Division
in clarifying regulations of the Uniform

Controlled Substances Act.

GENERAL FUND:

None.

OTHER FUNDS:

None.

PPBS PROGRAM

DESIGNATION:

LAW 502.

OTHER AFFECTED

AGENCIES:

Department of Health Food and Drug Branch; federal, state, and county law enforcement.

EFFECTIVE DATE:

July 1, 2024.