
A BILL FOR AN ACT

RELATING TO THE UNIFORM CONTROLLED SUBSTANCE ACT.

BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF HAWAII:

SECTION 1. Section 329-14, Hawaii Revised Statutes, is amended as follows:

1. By amending subsection (b) to read:

"(b) Any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, unless specifically excepted, whenever the existence of these isomers, esters, ethers, and salts is possible within the specific chemical designation:

(1) Acetyl-alpha-methylfentanyl (N-[1-(1-methyl-2-phenethyl)-4-piperidinyl]-N-phenylacetamide);

(2) Acetylmethadol;

(3) Acetyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylacetamide), its optical, positional, and geometric isomers, salts, and salts of isomers;

(4) Acryl fentanyl [N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamide] (Other name: acryloylfentanyl);



- 1 (5) AH-7921 (3,4-dichloro-N-[(1-
2 dimethylamino)cyclohexylmethyl]benzamide);
- 3 (6) Allylprodine;
- 4 (7) Alphacetylmethadol (except levo-alphacetylmethadol,
5 levomethadyl acetate, or LAAM);
- 6 (8) Alphameprodine;
- 7 (9) Alphamethadol;
- 8 (10) Alpha'-methyl butyryl fentanyl (2-methyl-N-(1-
9 phenethylpiperidin-4-yl)-N-phenylbutanamide);
- 10 ~~[+10+]~~ (11) Alpha-methylfentanyl (N-[1-(alpha-methyl-beta-
11 phenyl)ethyl-4-piperidyl]propionanilide; 1-(1-methyl-
12 2-phenylethyl)-4-(N-propanilido)piperidine);
- 13 ~~[+11+]~~ (12) Alpha-methylthiofentanyl (N-[1-methyl-2-(2-
14 thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
- 15 ~~[+12+]~~ (13) Benzethidine;
- 16 ~~[+13+]~~ (14) Benzylfentanyl (N-[1-benzyl-4-piperidyl]-N-
17 phenylpropanamide), its optical isomers, salts, and
18 salts of isomers;
- 19 ~~[+14+]~~ (15) Betacetylmethadol;
- 20 ~~[+15+]~~ (16) Beta-hydroxyfentanyl (N-[1-(2-hydroxy-2-
21 phenethyl)-4-piperidinyl]-N-phenylpropanamide);



1 [~~(16)~~] (17) Beta-hydroxy-3-methylfentanyl (N-[1-(2-hydroxy-
2 2-phenethyl)-3-methyl-4-piperidinyl]-N-
3 phenylpropanamide);
4 [~~(17)~~] (18) Beta-hydroxythiofentanyl (N-[1-[2-hydroxy-2-
5 (thiophen-2-yl)ethyl]piperidin-4-yl]-N-
6 phenylpropionamide);
7 [~~(18)~~] (19) Betameprodine;
8 [~~(19)~~] (20) Betamethadol;
9 [~~(20)~~] (21) Beta-methyl fentanyl (N-phenyl-N-(1-(2-
10 phenylpropyl)piperidin-4-yl)propionamide) (Other name:
11 [beta]-methyl fentanyl);
12 [~~(21)~~] (22) Beta'-phenyl fentanyl (N-(1-phenethylpiperidin-
13 4-yl)-N,3-diphenylpropanamide) (Other names: [beta]'-
14 phenyl fentanyl; 3-phenylpropanoyl fentanyl);
15 [~~(22)~~] (23) Betaprodine;
16 (24) Brorphine 1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-
17 yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one;
18 [~~(23)~~] (25) Butyryl fentanyl (N-(1-phenethylpiperidin-4-yl)-
19 N-phenylbutyramide);
20 [~~(24)~~] (26) Clonitazene;



2025-1541 SB1452 SD1 SMA.docx



1 [~~(+38)~~] (42) Fentanyl carbamate (ethyl (1-phenethylpiperidin-

2 4-yl) (phenyl) carbamate);

3 [~~(+39)~~] (43) 4-fluoroisobutyryl fentanyl [N-(4-fluorophenyl)-

4 N-(1-phenethylpiperidin-4-yl)isobutyramide] (Other

5 name: para-fluoroisobutyryl fentanyl);

6 [~~(+40)~~] (44) 2'-fluoro ortho-fluorofentanyl (N-(1-(2-

7 fluorophenethyl)piperidin-4-yl)-N-(2-

8 fluorophenyl)propionamide) (Other name: 2'-fluoro 2-

9 fluorofentanyl);

10 [~~(+41)~~] (45) Furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-

11 N-phenylfuran-2-carboxamide);

12 (46) 3-furanyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-

13 phenylfuran-3-carboxamide);

14 [~~(+42)~~] (47) Furethidine;

15 [~~(+43)~~] (48) Hydroxypethidine;

16 (49) Isovaleryl fentanyl (3-methyl-N-(1-phenethylpiperidin-

17 4-yl)-N-phenylbutanamide);

18 [~~(+44)~~] (50) Ketobemidone;

19 [~~(+45)~~] (51) Levomoramide;

20 [~~(+46)~~] (52) Levophenacilmorphan;



- 1 (53) Meta-fluorofentanyl (N-(3-fluorophenyl)-N-(1-
2 phenethylpiperidin-4-yl)propionamide);
- 3 (54) Meta-fluoroisobutyryl fentanyl (N-(3-fluorophenyl)-N-
4 (1-phenethylpiperidin-4-yl)isobutyramide);
- 5 ~~[+47+]~~ (55) Methoxyacetyl fentanyl (2-methoxy-N-(1-
6 phenethylpiperidin-4-yl)-N-phenylacetamide);
- 7 (56) 2-Methyl AP-237 (1-(2-methyl-4-(3-phenylprop-2-en-1-
8 yl)piperazin-1-yl)butan-1-one);
- 9 (57) Metonitazene (N,N-diethyl-2-(2-(4-methoxybenzyl)-5-
10 nitro-1H-benzimidazol-1-yl)ethan-1-amine);
- 11 ~~[+48+]~~ (58) 4'-methyl acetyl fentanyl (N-(1-(4-
12 methylphenethyl)piperidin-4-yl)-N-phenylacetamide);
- 13 ~~[+49+]~~ (59) 3-methylfentanyl (N-[3-methyl-1-(2-phenylethyl)-
14 4-piperidyl]-N-phenylpropanamide);
- 15 ~~[+50+]~~ (60) 3-methylthiofentanyl (N-[3-methyl-1-(2-
16 thienyl)ethyl-4-piperidinyl]-N-phenylpropanamide);
- 17 ~~[+51+]~~ (61) Morpheridine;
- 18 ~~[+52+]~~ (62) MPPP (1-methyl-4-phenyl-4-propionoxypiperidine);
- 19 (63) N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-
20 benzimidazol-1-yl)ethan-1-amine (other name:
21 protonitazene);



- 1 (64) N-pyrrolidino etonitazene (2-(4-ethoxybenzyl)-5-nitro-
2 1(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole) (other
3 name: etonitazepyne);
- 4 [~~+53~~] (65) Noracymethadol;
- 5 [~~+54~~] (66) Norlevorphanol;
- 6 [~~+55~~] (67) Normethadone;
- 7 [~~+56~~] (68) Norpipanone;
- 8 [~~+57~~] (69) Ocfentanil [N-(2-fluorophenyl)-2-methoxy-N-(1-
9 phenethylpiperidin-4-yl)acetamide];
- 10 [~~+58~~] (70) Ortho-fluoroacryl fentanyl (N-(2-fluorophenyl)-
11 N-(1-phenethylpiperidin-4-yl)acrylamide);
- 12 [~~+59~~] (71) Ortho-fluorobutyryl fentanyl (N-(2-
13 fluorophenyl)-N-(1-phenethylpiperidin-4-yl)butyramide)
14 (Other name: 2-fluorobutyryl fentanyl);
- 15 (72) Ortho-fluorofuranyl fentanyl (N-(2-fluorophenyl)-N-(1-
16 phenethylpiperidin-4-yl)furan-2-carboxamide);
- 17 [~~+60~~] (73) Ortho-fluorofentanyl (N-(2-fluorophenyl)-N-(1-
18 phenethylpiperidin-4-yl)propionamide) (Other name: 2-
19 fluorofentanyl);



- 1 [~~(61)~~] (74) Ortho-fluoroisobutyryl fentanyl (N-(2-
2 fluorophenyl)-N-(1-phenethylpiperidin-4-
3 yl)isobutyramide);
- 4 [~~(62)~~] (75) Ortho-methyl acetylfentanyl (N-(2-methylphenyl)-
5 N-(1-phenethylpiperidin-4-yl)acetamide) (Other name:
6 2-methyl acetylfentanyl);
- 7 [~~(63)~~] (76) Ortho-methyl methoxyacetyl fentanyl (2-methoxy-
8 N-(2-methylphenyl)-N-(1-phenethylpiperidin-4-
9 yl)acetamide) (Other name: 2-methyl methoxyacetyl
10 fentanyl);
- 11 [~~(64)~~] (77) Para-fluorobutyryl fentanyl (N-(4-fluorophenyl)-
12 N-(1-phenethylpiperidin-4-yl)butyramide);
- 13 [~~(65)~~] (78) Para-fluorofentanyl (N-(4-fluorophenyl)-N-[1-(2-
14 phenethyl)-4-piperidiny]propanamide;
- 15 [~~(66)~~] (79) Para-fluoro furanyl fentanyl (N-(4-
16 fluorophenyl)-N-(1-phenethylpiperidin-4-yl)furan-2-
17 carboxamide);
- 18 (80) Para-methoxyfuranyl fentanyl (N-(4-methoxyphenyl)-N-
19 (1-phenethylpiperidin-4-yl)furan-2-carboxamide);
- 20 (81) Para-methylcyclopropyl fentanyl (N-(4-methylphenyl)-N-
21 (1-phenethylpiperidin-4-yl)cyclopropanecarboxamide);



- 1 [~~(67)~~] (82) Para-methylfentanyl (N-(4-methylphenyl)-N-(1-
2 phenethylpiperidin-4-yl)propionamide) (Other name: 4-
3 methylfentanyl);
- 4 [~~(68)~~] (83) PEPAP (1-(2-phenethyl)-4-phenyl-4-
5 acetoxypiperidine);
- 6 [~~(69)~~] (84) Phenadoxone;
- 7 [~~(70)~~] (85) Phenampromide;
- 8 [~~(71)~~] (86) Phenomorphan;
- 9 [~~(72)~~] (87) Phenoperidine;
- 10 [~~(73)~~] (88) Phenyl fentanyl (N-(1-phenethylpiperidin-4-yl)-
11 N-phenylbenzamide) (Other name: benzoyl fentanyl);
- 12 [~~(74)~~] (89) Piritramide;
- 13 [~~(75)~~] (90) Proheptazine;
- 14 [~~(76)~~] (91) Properidine;
- 15 [~~(77)~~] (92) Propiram;
- 16 [~~(78)~~] (93) Racemoramide;
- 17 [~~(79)~~] (94) Thenylfentanyl (N-[1-(2-thienyl)methyl-4-
18 piperidyl]-N-phenylpropanamide), its optical isomers,
19 salts, and salts of isomers;
- 20 [~~(80)~~] (95) Thiofentanyl (N-phenyl-N-[1-(2-thienyl)ethyl-4-
21 piperidinyl]-propanamide);



~~[+81+]~~ (96) Thiofuranyl fentanyl (N-(1-phenethylpiperidin-4-yl)-N-phenylthiophene-2-carboxamide) (Other names: 2-thiofuranyl fentanyl; thiophene fentanyl);

~~[+82+]~~ (97) Tilidine;

~~[+83+]~~ (98) Trimeperidine; and

~~[+84+]~~ (99) U-47700 (3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide."

2. By amending subsection (d) to read:

"(d) Hallucinogenic substances. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following hallucinogenic substances, including their salts, isomers, and salts of isomers, whenever the existence of these salts, isomers, and salts of isomers is possible within the specific chemical designation:

(1) Alpha-ethyltryptamine (AET);

(2) 2,5-dimethoxy-4-ethylamphetamine (DOET);

(3) 2,5-dimethoxyamphetamine (2,5-DMA);

(4) 3,4-methylenedioxy amphetamine;

(5) 3,4-methylenedioxymethamphetamine (MDMA);



- 1 (6) N-hydroxy-3,4-methylenedioxyamphetamine (N-hydroxy-
- 2 MDA);
- 3 (7) 3,4-methylenedioxy-N-ethylamphetamine (MDE);
- 4 (8) 5-methoxy-3,4-methylenedioxy-amphetamine;
- 5 (9) 4-bromo-2,5-dimethoxy-amphetamine (4-bromo-2,5-DMA);
- 6 (10) 4-Bromo-2,5-dimethoxyphenethylamine (Nexus);
- 7 (11) 3,4,5-trimethoxy amphetamine;
- 8 (12) Bufotenine;
- 9 (13) 4-methoxyamphetamine (PMA);
- 10 (14) Diethyltryptamine;
- 11 (15) Dimethyltryptamine;
- 12 (16) 4-methyl-2,5-dimethoxy-amphetamine;
- 13 (17) Gamma hydroxybutyrate (GHB) (some other names include
- 14 gamma hydroxybutyric acid; 4-hydroxybutyrate; 4-
- 15 hydroxybutanoic acid; sodium oxybate; sodium
- 16 oxybutyrate);
- 17 (18) Ibogaine;
- 18 (19) Lysergic acid diethylamide;
- 19 (20) Marijuana;
- 20 (21) Parahexyl;
- 21 (22) Mescaline;



- 1 (23) Peyote;
- 2 (24) N-ethyl-3-piperidyl benzilate;
- 3 (25) N-methyl-3-piperidyl benzilate;
- 4 (26) Psilocybin;
- 5 (27) Psilocyn;
- 6 (28) 1-[1-(2-Thienyl) cyclohexyl] Pyrrolidine (TCPy);
- 7 (29) Ethylamine analog of phencyclidine (PCE);
- 8 (30) Pyrrolidine analog of phencyclidine (PCPy, PHP);
- 9 (31) Thiophene analog of phencyclidine (TCPy; TCP);
- 10 (32) Gamma-butyrolactone, including butyrolactone;
- 11 butyrolactone gamma; 4-butyrolactone; 2(3H)-furanone
- 12 dihydro; dihydro-2(3H)furanone; tetrahydro-2-furanone;
- 13 1,2-butanolide; 1,4-butanolide; 4-butanolide; gamma-
- 14 hydroxybutyric acid lactone; 3-hydroxybutyric acid
- 15 lactone and 4-hydroxybutanoic acid lactone with
- 16 Chemical Abstract Service number 96-48-0 when any such
- 17 substance is intended for human ingestion;
- 18 (33) 1,4 butanediol, including butanediol; butane-1,4-diol;
- 19 1,4- butylenes glycol; butylene glycol; 1,4-
- 20 dihydroxybutane; 1,4- tetramethylene glycol;
- 21 tetramethylene glycol; tetramethylene 1,4- diol with



- 1 Chemical Abstract Service number 110-63-4 when any
2 such substance is intended for human ingestion;
- 3 (34) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7),
4 its optical isomers, salts, and salts of isomers;
- 5 (35) N-benzylpiperazine (BZP; 1-benzylpiperazine), its
6 optical isomers, salts, and salts of isomers;
- 7 (36) 1-(3-trifluoromethylphenyl)piperazine (TFMPP), its
8 optical isomers, salts, and salts of isomers;
- 9 (37) Alpha-methyltryptamine (AMT);
- 10 (38) 5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);
- 11 (39) Salvia divinorum;
- 12 (40) Salvinorin A;
- 13 (41) Divinorin A;
- 14 (42) 5-Methoxy-N,N-Dimethyltryptamine (5-MeO-DIPT) (some
15 trade or other names: 5-methoxy-3-[2-
16 (dimethylamino)ethyl]indole; 5-MeO-DMT);
- 17 (43) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
- 18 (44) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
- 19 (45) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
- 20 (46) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);



- 1 (47) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-
2 2);
- 3 (48) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine
4 (2C-T-4);
- 5 (49) 2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
- 6 (50) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
- 7 (51) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
- 8 (52) 2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-
9 methoxybenzyl)ethanamine, its optical, positional, and
10 geometric isomers, salts, and salts of isomers (Other
11 names: 25I-NBOMe; 2C-I-NBOMe; 25I; Cimbi-5);
- 12 (53) 2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-
13 methoxybenzyl)ethanamine, its optical, positional, and
14 geometric isomers, salts, and salts of isomers (Other
15 names: 25C-NBOMe; 2C-C-NBOMe; 25C; Cimbi-82);
- 16 (54) 2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-
17 methoxybenzyl)ethanamine, its optical, positional, and
18 geometric isomers, salts, and salts of isomers (Other
19 names: 25B-NBOMe; 2C-B-NBOMe; 25B; Cimbi-36);
- 20 (55) N-ethylhexedrone, its optical, positional, and
21 geometric isomers, salts, and salts of isomers (Other



- 1 names: [alpha]-ethylaminohexanophenone; 2-
2 (ethylamino)-1-phenylhexan-1-one);
- 3 (56) Alpha-pyrrolidinohexanophenone, its optical,
4 positional, and geometric isomers, salts, and salts of
5 isomers (Other names: [alpha]-PHP; [alpha]-
6 pyrrolidinohexanophenone; 1-phenyl-2-(pyrrolidin-1-
7 yl)hexan-1-one);
- 8 (57) 4-methyl-alpha-ethylaminopentiophenone, its optical,
9 positional, and geometric isomers, salts, and salts of
10 isomers (Other names: 4-MEAP; 2-(ethylamino)-1-(4-
11 methylphenyl)pentan-1-one);
- 12 (58) 4'-methyl-alpha-pyrrolidinohexiophenone, its optical,
13 positional, and geometric isomers, salts, and salts of
14 isomers (Other names: MPHP; 4'-methyl-alpha-
15 pyrrolidinohexanophenone; 1-(4-methylphenyl)-2-
16 (pyrrolidin-1-yl)hexan-1-one);
- 17 (59) Alpha-pyrrolidinoheptaphenone, its optical,
18 positional, and geometric isomers, salts, and salts of
19 isomers (Other names: PV8; 1-phenyl-2-(pyrrolidin-1-
20 yl)heptan-1-one);



(60) 4'-chloro-alpha-pyrrolidinovalerophenone, its optical, positional, and geometric isomers, salts, and salts of isomers (Other names: 4-chloro-[alpha]-PVP; 4'-chloro-[alpha]-pyrrolidinopentiophenone; 1-(4-chlorophenyl)-2-(pyrrolidin-1-yl)pentan-1-one); [and]

(61) 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one (methoxetamine, MXE) [-];

(62) Eutylone (1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-one) (other name: bk-EBDB); and

(63) Zipeprol (1-methoxy-3[-4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol), including its isomers, esters, ethers, salts, and salts of isomers, esters and ethers, whenever the existence of such isomers, esters, ethers and salts is possible within the specific chemical designation."

3. By amending subsection (f) to read:

"(f) Stimulants. Unless specifically excepted or unless listed in another schedule, any material, compound, mixture, or preparation that contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers:



- 1 (1) Amineptine;
- 2 [~~(1)~~] (2) Aminorex;
- 3 [~~(2)~~] (3) Cathinone;
- 4 [~~(3)~~] (4) 4,4'-dimethylaminorex (common name: 4,4'-DMAR);
- 5 [~~(4)~~] (5) Fenethylamine;
- 6 (6) Mesocarb (chemical name: N-phenyl-N'-(3-(1-
- 7 phenylpropan-2-yl)-1,2,3-oxadiazol-3-ium-5-
- 8 yl)carbamimidate);
- 9 [~~(5)~~] (7) Methcathinone;
- 10 (8) Methiopropamine (N-methyl-1-(thiophen-2-yl)propan-2-
- 11 amine);
- 12 [~~(6)~~] (9) 4-methylaminorex;
- 13 [~~(7)~~] (10) N-ethylamphetamine;
- 14 [~~(8)~~] (11) N,N-dimethylamphetamine;
- 15 [~~(9)~~] (12) Substituted cathinones, any compound, except
- 16 bupropion or compounds listed under a different
- 17 schedule, structurally derived from 2-aminopropan-1-
- 18 one by substitution at the 1-position with either
- 19 phenyl, naphthyl, or thiophene ring systems, whether
- 20 or not the compound is further modified in any of the
- 21 following ways:



1 (A) By substitution in the ring system to any extent
2 with alkyl, alkylenedioxy, alkoxy, haloalkyl,
3 hydroxyl, or halide substituents, whether or not
4 further substituted in the ring system by one or
5 more other univalent substituents;

6 (B) By substitution at the 3-position with an acyclic
7 alkyl substituent; or

8 (C) By substitution at the 2-amino nitrogen atom with
9 alkyl, dialkyl, benzyl, or methoxybenzyl groups,
10 or by inclusion of the 2-amino nitrogen atom in a
11 cyclic structure.

12 Some other trade names: Mephedrone (2-methylamino-1-p-
13 tolylpropan-1-one), also known as 4-
14 methylmethcathinone (4-MMC), methylephedrone or MMCA;
15 Methylenedioxypyrovalerone (MDPV, MDPK); methylone or
16 3,4-methylenedioxymethcathinone; and 1-
17 (benzo[d][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-one,
18 monohydrochloride, also known as Ethylone, bk-MDEA
19 hydrochloride, MDEC; 3,4-Methylenedioxy-N-
20 ethylcathinone; bk-Methylenedioxyethylamphetamine, 4-
21 methyl-N-ethylcathinone (4-MEC); 4-methyl-alpha-



pyrrolidinopropiophenone (4-MePPP); alpha-pyrrolidinopentiophenone ([alpha]-PVP); 1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1-one (butylone, bk-MBDB e); 2-(methylamino)-1-phenylpentan-1-one (pentedrone); 1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one (pentylone, bk-MBDP); 4-fluoro-N-methylcathinone (4-FMC, flephedrone); 3-fluoro-N-methylcathinone (3-FMC); 1-(naphthalen-2-yl)-2-(pyrrolidin-1-yl)pentan-1-one (naphyrone); alpha-pyrrolidinobutiophenone ([alpha]-PBP) and their optical, positional, and geometric isomers, salts and salts of isomers, whenever the existence of such salts, isomers, and salts of isomers is possible; and ~~(+10)~~ (13) 1-(4-methoxyphenyl)-N-methylpropan-2-amine (Other names: para-methoxymethamphetamine; PMMA)."

SECTION 2. Section 329-16, Hawaii Revised Statutes, is amended by amending subsection (f) to read as follows:

"(f) Immediate precursor. Unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances:



(1) Immediate precursor to amphetamine and
methamphetamine:

(A) Phenylacetone, phenyl-2-propanone (P2P), benzyl
methyl ketone, methyl benzyl ketone;

(2) Immediate precursors to phencyclidine (PCP):

(A) 1-phenylcyclohexylamine; or

(B) 1-piperidinocyclohexanecarbonitrile (PCC); or

(3) Immediate precursor to Fentanyl:

(A) [~~4-anilino-N-phenethyl-4-piperidine~~] 4-anilino-N-
phenethylpiperidine (ANPP); or

(B) N-phenyl-N-(piperidin-4-yl)propionamide
(norfentanyl)."

SECTION 3. Section 329-20, Hawaii Revised Statutes, is
amended to read as follows:

"§329-20 **Schedule IV.** (a) The controlled substances
listed in this section are included in schedule IV.

(b) Depressants. Unless specifically excepted or unless
listed in another schedule, any material, compound, mixture, or
preparation that contains any quantity of the following
substances, including its salts, isomers, esters, ethers, and
salts of isomers, whenever the existence of these isomers,



1 esters, ethers, and salts is possible within the specific
2 chemical designation, that has a degree of danger or probable
3 danger associated with a depressant effect on the central
4 nervous system:

- 5 (1) Alprazolam;
- 6 (2) Barbitol;
- 7 (3) Brexanolone;
- 8 (4) Bromazepam;
- 9 (5) Butorphanol;
- 10 (6) Camazepam;
- 11 (7) Carisoprodol;
- 12 (8) Chloral betaine;
- 13 (9) Chloral hydrate;
- 14 (10) Chlordiazepoxide;
- 15 (11) Clobazam;
- 16 (12) Clonazepam;
- 17 (13) Clorazepate;
- 18 (14) Clotiazepam;
- 19 (15) Cloxazolam;
- 20 (16) Daridorexant;
- 21 (17) Delorazepam;



- 1 (18) Diazepam;
- 2 (19) Dichloralphenazone (Midrin);
- 3 (20) Estazolam;
- 4 (21) Ethchlorvynol;
- 5 (22) Ethinamate;
- 6 (23) Ethyl loflazepate;
- 7 (24) Fludiazepam;
- 8 (25) Flunitrazepam;
- 9 (26) Flurazepam;
- 10 (27) Fospropofol (Lusedra);
- 11 (28) Halazepam;
- 12 (29) Haloxazolam;
- 13 (30) Ketazolam;
- 14 (31) Lemborexant ((1R,2S)-2-[(2,4-dimethylpyrimidin-5-
15 yl)oxymethyl]-2-(3-fluorophenyl)-N-(5-fluoropyridin-2-
16 yl)cyclopropane-1-carboxamide);
- 17 (32) Loprazolam;
- 18 (33) Lorazepam;
- 19 (34) Lormetazepam;
- 20 (35) Mebutamate;
- 21 (36) Medazepam;



- 1 (37) Meprobamate;
- 2 (38) Methohexital;
- 3 (39) Methylphenobarbital (mephobarbital);
- 4 (40) Midazolam;
- 5 (41) Nimetazepam;
- 6 (42) Nitrazepam;
- 7 (43) Nordiazepam;
- 8 (44) Oxazepam;
- 9 (45) Oxazolam;
- 10 (46) Paraldehyde;
- 11 (47) Petrichloral;
- 12 (48) Phenobarbital;
- 13 (49) Pinazepam;
- 14 (50) Prazepam;
- 15 (51) Quazepam;
- 16 (52) Remimazolam;
- 17 (53) Suvorexant;
- 18 (54) Temazepam;
- 19 (55) Tetrazepam;
- 20 (56) Triazolam;
- 21 (57) Zaleplon;



(58) Zolpidem; ~~and~~

(59) Zopiclone (Lunesta) ~~[7]~~; and

(60) Zuranolone.

~~[(c) Fenfluramine. Any material, compound, mixture, or preparation which contains any quantity of the following substances, including its salts, isomers, and salts of isomers, whenever the existence of such salts, isomers, and salts of isomers is possible: Fenfluramine.~~

~~(d)]~~ (c) Stimulants. Unless listed in another schedule, any material, compound, mixture, or preparation which contains any quantity of the following substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of such isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation:

(1) Cathine ((+)-norpseudoephedrine);

(2) Diethylpropion;

(3) Fencamfamin;

(4) Fenproporex;

(5) Lorcaserin;

(6) Mazindol;



- 1 (7) Mefenorex;
- 2 (8) Modafinil;
- 3 (9) Pemoline (including organometallic complexes and
- 4 chelates thereof);
- 5 (10) Phentermine;
- 6 (11) Pipradrol;
- 7 (12) Serdexmethylphenidate;
- 8 (13) Sibutramine;
- 9 (14) Solriamfetol; and
- 10 (15) SPA (1-dimethylamino-1,2-diphenylethane, lefetamine).
- 11 ~~(e)~~ (d) Other substances. Unless specifically excepted
- 12 or unless listed in another schedule, any material, compound,
- 13 mixture, or preparation which contains any quantity of the
- 14 following substances, including its optical isomers and its
- 15 salts, isomers, and salts of isomers:
- 16 (1) Pentazocine; and
- 17 (2) Eluxadoline (5-[[[(2S)-2-amino-3-[4-aminocarbonyl)-
- 18 2,6-dimethylphenyl]-1-oxopropyl][(1S)-1-(4-phenyl-1H-
- 19 imidazol-2-yl)ethyl]amino]methyl]-2-methoxybenzoic
- 20 acid.



1 [~~(f)~~] (e) The department of law enforcement may except by
2 rule any compound, mixture, or preparation containing any
3 depressant substance listed in subsection (b) or any stimulant
4 listed in subsection [~~(d)~~] (c) from the application of all or
5 any part of this chapter if the compound, mixture, or
6 preparation contains one or more active medicinal ingredients
7 not having a depressant or stimulant effect on the central
8 nervous system, and if the admixtures are included therein in
9 combinations, quantity, proportion, or concentration that
10 vitiate the degree of danger or probable danger of the
11 substances which have a depressant or stimulant effect on the
12 central nervous system.

13 [~~(g)~~] (f) Narcotic drugs. Unless specifically excepted or
14 unless listed in another schedule, any material, compound,
15 mixture, or preparation containing any of the following narcotic
16 drugs, or their salts calculated as the free anhydrous base or
17 alkaloid, in limited quantities as set forth below:

- 18 (1) Not more than one milligram of difenoxin and not less
19 than twenty-five micrograms of atropine sulfate per
20 dosage unit;



1 (2) Dextropropoxyphene (alpha-(+)-4-dimethylamino-1, 2-
2 diphenyl-3-methyl-2-propionoxybutane); and
3 (3) 2-[(dimethylamino)methyl]-1-(3-
4 methoxyphenyl)cyclohexanol, its salts, optical and
5 geometric isomers and salts of these isomers
6 (including tramadol)."

7 SECTION 4. Statutory material to be repealed is bracketed
8 and stricken. New statutory material is underscored.

9 SECTION 5. This Act shall take effect on July 1, 2077.



S.B. NO. 1452 S.D. 1

Report Title:

Uniform Controlled Substances Act

Description:

Updates chapter 329, HRS, to make it consistent with amendments in the Federal Controlled Substances Act as required under section 329-11, HRS. Effective 7/1/2077. (SD1)

The summary description of legislation appearing on this page is for informational purposes only and is not legislation or evidence of legislative intent.

