

STAND. COM. REP. NO. **3502**

Honolulu, Hawaii

APR 08 2026

RE: S.R. No. 77
S.D. 1

Honorable Ronald D. Kouchi
President of the Senate
Thirty-Third State Legislature
Regular Session of 2026
State of Hawaii

Sir:

Your Committee on Government Operations, to which was referred S.R. No. 77 entitled:

"SENATE RESOLUTION REQUESTING ALL STATE AGENCIES TO UTILIZE BI-LEVEL LIGHTING SYSTEMS IN ALL NEWLY CONSTRUCTED STATE BUILDINGS AND FACILITIES BEGINNING JANUARY 1, 2027,"

begs leave to report as follows:

The purpose and intent of this measure is to request that all state agencies utilize bi-level lighting systems in all newly constructed state buildings and facilities beginning January 1, 2027.

Your Committee received testimony in support of this measure from the Department of Land and Natural Resources, Hawaii State Energy Office, Iolani School Chapter of Citizens' Climate Lobby, and Climate Future Forum.

Your Committee received comments on this measure from the Department of Accounting and General Services.

Your Committee finds that lighting systems installed in many buildings across the State remain active at full intensity throughout the day resulting in wasted energy, unnecessary costs, and preventable environmental harm. Motion-sensor lighting systems, or bi-level lighting, operate by adjusting lighting intensity as needed, and are a proven, environmentally friendly



alternative to traditional lighting systems; however, their adoption in the State remains limited. This measure will increase the use of bi-level lighting systems in the State, promote sensible environmental stewardship practices, and eliminate wasteful government spending and energy usage.

Your Committee acknowledges the concerns raised in testimony by the Department of Accounting and General Services that buildings and facilities currently slated to be constructed on or after January 1, 2027, may not have been designed to utilize bi-level lighting, may not be adequately funded to accommodate re-design for bi-level lighting, and may be delayed while re-design is undertaken. Your Committee further notes the Department's concern that the opportunity for state agencies to request any required funding will not occur until the 2027 legislative session and, if appropriated, such funding would not become available until the first quarter of fiscal year 2028. Therefore, amendments to this measure are necessary to address these concerns.


Accordingly, your Committee has amended this measure by:

- (1) Clarifying that all state agencies are requested to utilize bi-level lighting systems in all state buildings and facilities, the design of which is finalized on or after January 1, 2028, rather than in all state buildings and facilities beginning January 1, 2027;
- (2) Amending its title accordingly; and
- (3) Making a technical, nonsubstantive amendment for the purposes of clarity and consistency.

As affirmed by the record of votes of the members of your Committee on Government Operations that is attached to this report, your Committee concurs with the intent and purpose of S.R. No. 77, as amended herein, and recommends its adoption in the form attached hereto as S.R. No. 77, S.D. 1.



Respectfully submitted on
behalf of the members of the
Committee on Government
Operations,



ANGUS L.K. MCKELVEY, Chair



The Senate
 Thirty-Third Legislature
 State of Hawai'i

Record of Votes
Committee on Government Operations
GVO

Bill / Resolution No.:* SR77	Committee Referral: GVO	Date: 3-31-24		
<input type="checkbox"/> The Committee is reconsidering its previous decision on this measure. If so, then the previous decision was to: _____				
The Recommendation is: <input type="checkbox"/> Pass, unamended 2312 <input checked="" type="checkbox"/> Pass, with amendments 2311 <input type="checkbox"/> Hold 2310 <input type="checkbox"/> Recommit 2313				
Members	Aye	Aye (WR)	Nay	Excused
MCKELVEY, Angus L.K. (C)	✓			
GABBARD, Mike (VC)	✓			
HASHIMOTO, Troy N.	✓			
MORIWAKI, Sharon Y.	✓			
AWA, Brenton	✓			
TOTAL	5	—	—	—
Recommendation: <input checked="" type="checkbox"/> Adopted <input type="checkbox"/> Not Adopted				
Chair's or Designee's Signature: 				
Distribution: Original Yellow Pink File with Committee Report Committee Drafting Agency				

*Only one measure per Record of Votes